



*Led*

THE COMPLETE LIGHTING SOLUTION



**PRICE LIST**

**W.E.F. 07.05.2026**  
MAX RETAIL PRICE (Inclusive of gst)







LUKER, J.V. Luker USA has built one of the largest LED manufacturing plant in Asia under "MAKE IN INDIA" concept to promote energy saving products in India.

The manufacturing facility is spread over 21 acres of land with more than 8,00,000 Sq. ft. of built-up area in the Green City of South India, Coimbatore.



## LED BULBS & TUBES




| Product Name                      | Photo                                                                               | Wattage | Color                                                                                   | Product Code                   | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                                     | Photo                                                                                | Wattage | Color              | Product Code                 | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-----------------------------------|-------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------|--------------------------------|-------|--------|-----------|------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|--------------------|------------------------------|-------|--------|-----------|
| SPARK DOB LED BULBS               |                                                                                     |         |                                                                                         |                                |       |        |           | GIALLO LED CANDLE & FILAMENT BULB                                |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 3 W     |  WH,WW | LBPCD03B                       | 100   | 100    | 100       | GIALLO A60 LED FILAMENT BULB                                     |    | 4 W     | WW                 | LBFA60AM B22<br>LBFA60AM E27 | 190   | 190    | 100       |
|                                   |                                                                                     | 5 W     |  WH,WW | LBPCD05B                       | 120   | 120    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 7 W     |  WH,WW | LBPCD07B                       | 140   | 140    | 100       | GIALLO-ST64 Filament Bulb E27                                    |    | 4 W     | Clear (2200K)      | LBFE2704 CL ST64             | 180   | 180    | 20        |
|                                   |                                                                                     | 9 W     |  WH,WW | LBPCD09B                       | 160   | 160    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 12 W    |  WH,WW | LBPCD12B                       | 220   | 220    | 50        | GIALLO-T225 Filament Bulb E27                                    |    | 4 W     | Amber (2200K)      | LBFE2704 AM ST64             | 220   | 220    | 20        |
|                                   |                                                                                     | 15 W    |  WH,WW | LBPCD15B                       | 310   | 310    | 50        |                                                                  |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 18 W    |  WH,WW | LBPCD18B                       | 430   | 430    | 50        | RADAR SENSOR LED BULB                                            |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 20 W    |  WH,WW | LBPCD20B                       | 470   | 470    | 50        | RADAR SENSOR Bulb                                                |    | 9 W     | WH                 | LBPCD09BSEN B22 2S WH        | 390   | 390    | 100       |
| SPARK DOB Bulb B22/E27            |    | 30 W    |  WH,WW | LBPCD30                        | 590   | 590    | 25        | 100% Brightness when motion is detected and turns OFF afterwards |                                                                                      |         |                    |                              |       |        |           |
| IP65 LED BULB                     |                                                                                     |         |                                                                                         |                                |       |        |           | RADAR SENSOR LED BULB                                            |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 36 W    | WH,WW                                                                                   | LBPCD36                        | 640   | 640    | 8         | IP65 LED Bulb                                                    |    | 20 W    | WH                 | LBPC20IP65                   | 680   | 680    | 20        |
|                                   |                                                                                     | 40 W    | WH,WW                                                                                   | LBPCD40                        | 680   | 680    | 8         |                                                                  |                                                                                      | 40 W    | WH                 | LBPC40IP65                   | 960   | 960    | 20        |
| SPARK DOB Bulb B22/E27            |    | 48 W    | WH,WW                                                                                   | LBPCD48                        | 780   | 780    | 8         | STELLO MOON GLOW LED BULB                                        |                                                                                      |         |                    |                              |       |        |           |
| SPARK DOB Bulb B22/E27            |    | 50W     | WH,WW                                                                                   | LBPCD50                        | 810   | 810    | 8         | STELLO MOON GLOW B22/E27                                         |    | 20 W    | WH                 | LBML20B LBML20E              | 390   | 390    | 20        |
| SPARK DOB Candle Bulb B22/E27/E14 |   | 5 W     |  WH,WW | LBGCD05                        | 150   | 150    | 100       |                                                                  |                                                                                      | 50 W    | WH                 | LBML50B LBML50E              | 790   | 790    | 20        |
| FOCO HIGH GLOW BULBS              |                                                                                     |         |                                                                                         |                                |       |        |           | LUMOS ECCO PC TUBES                                              |                                                                                      |         |                    |                              |       |        |           |
| Color Bulb B22                    |  | 0.5 W   | WH, BL<br>GR,YL,RD,PK                                                                   | LBCOL05                        | 70    | 70     | 50        | LUMOS ECCO 280 mm Tubeset (T5)                                   |  | 5 W     | WH,WW              | LT505P                       | 250   | 250    | 30        |
| FOCO Bulb B22/E27                 |  | 9 W     | WH, WW                                                                                  | LBPC09CL                       | 180   | 180    | 100       | LUMOS ECCO 560 mm Tubeset (T5)                                   |  | 10 W    | WH,WW,NW           | LT510P                       | 290   | 290    | 30        |
| FOCO Bulb B22/E27                 |  | 26 W    | WH, WW                                                                                  | LBPC26                         | 550   | 550    | 30        | LUMOS ECCO 560 mm Tubeset (T5)                                   |  | 20 W    | WH                 | LT-20                        | 320   | 320    | 30        |
| FOCO Bulb B22/E27                 |  | 30 W    | WH, WW                                                                                  | LBPC30                         | 590   | 590    | 30        | LUMOS ECCO 1100 mm Tube Set (T5)                                 |  | 20 W    | WH,WW              | LT520P                       | 380   | 380    | 30        |
| FOCO High Wattage Bulb B22/E27    |  | 36 W    | WH, WW                                                                                  | LBPC36N                        | 640   | 640    | 8         |                                                                  |                                                                                      | 24 W    | WH,WW              | LT524P                       | 480   | 480    | 30        |
| FOCO EMERGENCY BULB               |                                                                                     |         |                                                                                         |                                |       |        |           |                                                                  |                                                                                      | 24 W    | WH,WW,NW           | LT5-24P                      | 480   | 480    | 30        |
| FOCO Emergency Bulb               |  | 9 W     | WH                                                                                      | LBGB09 DB                      | 590   | 590    | 50        |                                                                  |                                                                                      | 26 W    | WH                 | LT-26                        | 580   | 580    | 20        |
|                                   |                                                                                     | 12 W    | WH                                                                                      | LBGB12 DB                      | 780   | 780    | 50        |                                                                  |                                                                                      | 26 W    | WH                 | LT-26N                       | 580   | 580    | 20        |
| STELLO HIGHGLOW BULB              |                                                                                     |         |                                                                                         |                                |       |        |           | LUMOS LED 3-IN-1 Tube Set                                        |  | 20W     | 3-IN-1<br>WH+WW+WW | LT520P 3-IN-1                | 490   | 490    | 30        |
| STELLO Highglow Bulb B22/E27      |  | 12 W    |  WH  | LBPC12ST                       | 260   | 260    | 50        | LUMOS PRIMO ALUMINIUM TUBES                                      |                                                                                      |         |                    |                              |       |        |           |
|                                   |                                                                                     | 15 W    |  WH  | LBPC15ST                       | 310   | 310    | 50        | LUMOS PRIMO Alu. Tube Set (T5)                                   |  | 22W     | WH                 | LTA522                       | 540   | 490    | 30        |
|                                   |                                                                                     | 18 W    |  WH  | LBPC18ST                       | 460   | 460    | 50        | LUMOS PRIMO Alu. Tube Set                                        |  | 52W     | WH                 | LT52 PR                      | 1280  | 1280   | 20        |
| GIALLO LED CANDLE & FILAMENT BULB |                                                                                     |         |                                                                                         |                                |       |        |           | LUMOS T8 ALUMINIUM TUBE SET                                      |                                                                                      |         |                    |                              |       |        |           |
| GIALLO Candle Bulb B22/E27/E14    |  | 5 W     | WH, WW                                                                                  | LBGC05                         | 150   | 150    | 100       | LUMOS (T8) Tube Set                                              |  | 36W     | WH                 | LT836                        | 1080  | 1080   | 30        |
| GIALLO Filament Bulb B22 E27 E14  |  | 4 W     | WH, WW                                                                                  | LBFB2204                       | 150   | 150    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |
|                                   |                                                                                     | 4 W     | WH, WW                                                                                  | LBFE2704                       | 150   | 150    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |
|                                   |                                                                                     | 4 W     | WH, WW                                                                                  | LBFE1404                       | 150   | 150    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |
| GIALLO A60 LED FILAMENT BULB      |  | 4 W     | WH                                                                                      | LBFA60CL4 B22<br>LBFA60CL4 E27 | 170   | 170    | 100       |                                                                  |                                                                                      |         |                    |                              |       |        |           |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.


# LUMOS TUBES



| Product Name                             | Photo | Wattage | Color    | Product Code         | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                 | Photo  | Wattage                         | Color                          | Product Code                    | MRP ₹      | *DLP ₹     | Std. Pkg. |
|------------------------------------------|-------|---------|----------|----------------------|-------|--------|-----------|----------------------------------------------|--------|---------------------------------|--------------------------------|---------------------------------|------------|------------|-----------|
| LUMOS PRIMO MUSHROOM ALUMINIUM TUBES     |       |         |          |                      |       |        |           | LUMOS NEO TUBE SET (OUTDOOR - IP65)          |        |                                 |                                |                                 |            |            |           |
| LUMOS PRIMO MUSHROOM Tube Set (T5)       |       | 24W     | WH       | LT5M24               | 590   | 590    | 30        | LUMOS Double Tube Set-IP65                   |        | 20 W                            | WH                             | LTOD20N                         | 1090       | 1060       | 40        |
|                                          |       | 40W     | WH,NW,WW | LT5M40               | 1150  | 1150   | 30        | LUMOS Double Tube Set-IP65                   |        | 36 W                            | WH                             | LTOD36N                         | 1490       | 1470       | 20        |
| LUMOS DOUBLE TUBE SET (OUTDOOR)          |       |         |          |                      |       |        |           | LUMOS SENZA SENSOR TUBE SET                  |        |                                 |                                |                                 |            |            |           |
| LUMOS Double Tube Set (Outdoor) IP65     |       | 36 W    | WH, WW   | LTOD40               | 3250  | 2780   | 20        | LUMOS SENZA - 2 ft Tube Set (T8) with Sensor |        | 9 W                             | WH                             | LT809SR                         | 950        | 950        | 30        |
| LUMOS DOUBLE TUBE SET                    |       |         |          |                      |       |        |           | LUMOS SENZA - 4 ft Tube Set (T5) with Sensor |        | 20W                             | WH                             | LT520PSEN                       | 790        | 660        | 30        |
| LUMOS Double Tube Set                    |       | 36 W    | WH, WW   | LTH36                | 1580  | 1390   | 20        | LUMOS LED HIGH LUMEN TUBES                   |        |                                 |                                |                                 |            |            |           |
| LUMOS Double Tube Set                    |       | 40 W    | WH,WW,NW | LTH40                | 3150  | 2600   | 16        | LUMOS High Lumen 2 ft Tube                   |        | 40 W                            | WH                             | LT12402                         | 1300       | 1250       | 20        |
| LUMOS HIGH LUMEN PC TUBE SET             |       |         |          |                      |       |        |           | LUMOS High Lumen 2 ft Tube with Reflector    |        | 40 W                            | WH                             | LT12402R                        | 1670       | 1560       | 10        |
| NEW LUMOS NEO PC Tube Set                |       | 36 W    | WH       | LT536                | 690   | 690    | 20        | LUMOS High Lumen 4 ft Tube                   |        | 60 W                            | WH                             | LT1260                          | 2350       | 2350       | 20        |
| LUMOS NEO PC Tube Set                    |       | 36 W    | WH       | LT-36N               | 750   | 690    | 20        | LUMOS High Lumen 4 ft Tube with Reflector    |        | 60 W                            | WH                             | LT1260R                         | 2920       | 2760       | 10        |
| LUMOS NEO PC Tube Set                    |       | 50 W    | WH       | LT-50                | 1050  | 980    | 15        | LUMOS LED RETROFIT TUBES                     |        |                                 |                                |                                 |            |            |           |
| PORTABLE INVERTER LED LAMP               |       |         |          |                      |       |        |           | LUMOS Retrofit 4 ft Tube                     |        | 18 W                            | WH,WW,NW                       | LT1818T                         | 795        | 720        | 25        |
| Portable Inverter Lamp                   |       | 14 WHr  | WH       | LPEL14 (5hrs backup) | 1170  | 1080   | --        | LUMOS Retrofit Tube PC                       |        | 20 W                            | WH,WW (Single side connection) | LTP820N                         | 420        | 340        | 20        |
| LUMOS INVERTER LED TUBES                 |       |         |          |                      |       |        |           |                                              |        | 20 W                            | WH                             | LTP820 (Double side connection) | 420        | 380        | 20        |
| LUMOS Inverter - 4 ft T5 Tube            |       | 20W     | WH       | LTGT520N             | 890   | 890    | 30        | LUMOS Retrofit Sensor Tube                   |        | 18 W                            | WH                             | LT1818TSR                       | 1060       | 960        | 30        |
| NEW UNIS LED LINKABLE ALUMINIUM TUBE SET |       |         |          |                      |       |        |           | STATO LED RETROFIT BATTENS                   |        |                                 |                                |                                 |            |            |           |
| UNIS LED Linkable Alu. Tube Set          |       | 8W      | WH,WW,NW | LTA509 LK            | 450   | 390    | -         | Retrofit Tube Batten Industrial              |        | 1x18 W                          | Powder Coated White Finish     | LLTS1NS<br>LLTS1N1SL            | 480<br>440 | 320<br>290 | 40        |
| Y - Type Connector                       |       | -       | -        | LLKTCY               | 190   | 165    | -         |                                              |        |                                 |                                |                                 |            |            |           |
| V - Type Connector                       |       | -       | -        | LLKTCV               | 170   | 150    | -         | Retrofit Tube Batten Industrial              |        | 1x18 W                          | Powder Coated White Finish     | LLTS1ND                         | 480        | 480        | 40        |
| Plus - Type Connector                    |       | -       | -        | LLKTCP               | 230   | 205    | -         |                                              |        |                                 |                                |                                 |            |            |           |
| T - Type Connector                       |       | -       | -        | LLKTCT               | 180   | 155    | -         | Retrofit Tube Batten Industrial              | 2x18 W | Powder Coated White Finish      | LLTS2                          | 530                             | 480        | 40         |           |
| L - Type Connector                       |       | -       | -        | LLKTCL               | 170   | 150    | -         | CASO LED RETROFIT LUMINAIRES** (IP65)        |        |                                 |                                |                                 |            |            |           |
| Mounting Hanging Wire Set                |       | -       | -        | LLKTHS               | 280   | 225    | -         | Double Tube Outdoor Tube                     |        | 2x18 W (Double side connection) | NA                             | LOC218N                         | 2100*      | 1850*      | 8         |
| Input Wire Connector                     |       | -       | -        | LLKTIW               | 210   | 190    | -         | Single Tube Outdoor Tube                     |        | 1x18 W (Double side connection) | NA                             | LOC118N<br>LOC118               | 1800*      | 1590*      | 12        |

| IRIS LED SLIM PANEL LIGHTS                |                                                                                     |                    |                                       |                                                                               |              |             |           | IRIS SURFACE PANEL LED LIGHTS |                                                                                      |                                               |            |                                                                        |       |        |           |
|-------------------------------------------|-------------------------------------------------------------------------------------|--------------------|---------------------------------------|-------------------------------------------------------------------------------|--------------|-------------|-----------|-------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------|------------|------------------------------------------------------------------------|-------|--------|-----------|
| Product Name                              | Photo                                                                               | Wattage            | Color                                 | Product Code                                                                  | MRP ₹        | *DLP ₹      | Std. Pkg. | Product Name                  | Photo                                                                                | Wattage                                       | Color      | Product Code                                                           | MRP ₹ | *DLP ₹ | Std. Pkg. |
| IRIS Slim Panel                           |    | 3 W                | WH, NW, WW                            | LNPS03<br>Dimension : 90mm x 90mm x 20mm<br>Ceiling Cut-out : 73mm x 73mm     | 380          | 320         | 40        | IRIS Surface Panel            |    | 3 W                                           | WH, WW     | LNPSRS03<br>Dimension : 88mm x 88mm x 35mm                             | 580   | 480    | 50        |
|                                           |                                                                                     | 6 W                | WH, NW, WW<br>3-IN-1                  | LNPS06<br>Dimension : 120mm x 120mm x 20mm<br>Ceiling Cut-out : 102mm x 102mm | 650<br>970   | 560<br>840  | 40<br>40  |                               |                                                                                      | 3 W                                           | WH, WW     | LNPSRR03<br>Dimension : Ø 88mm x 35mm                                  | 580   | 480    | 50        |
| IRIS Slim Panel                           |    | 9 W                | WH, NW, WW                            | LNPS09<br>Dimension : 145mm x 145mm x 20mm<br>Ceiling Cut-out : 132mm x 132mm | 900          | 790         | 20        |                               |                                                                                      | 6 W                                           | WH, NW, WW | LNPSRS06<br>Dimension : 118mm x 118mm x 35mm                           | 780   | 670    | 50        |
|                                           |                                                                                     | 12 W               | WH, NW, WW<br>3-IN-1                  | LNPS12<br>Dimension : 173mm x 173mm x 20mm<br>Ceiling Cut-out : 153mm x 153mm | 1030<br>1390 | 890<br>1230 | 20<br>20  |                               |                                                                                      | 6 W                                           | WH, NW, WW | LNPSRR06<br>Dimension : Ø 118mm x 35mm                                 | 780   | 670    | 50        |
| IRIS Slim Panel                           |    | 15 W               | WH, NW, WW                            | LNPS15<br>Dimension : 173mm x 173mm x 20mm<br>Ceiling Cut-out : 153mm x 153mm | 1160         | 990         | 20        | IRIS Surface Panel            |    | 12 W                                          | WH, NW, WW | LNPSRS12<br>Dimension : 178mm x 178mm x 35mm                           | 1140  | 970    | 20        |
|                                           |                                                                                     | 18 W               | WH, NW, WW                            | LNPS18<br>Dimension : 224mm x 224mm x 20mm<br>Ceiling Cut-out : 203mm x 203mm | 1440         | 1220        | 20        |                               |                                                                                      | 12 W                                          | WH, NW, WW | LNPSRR12<br>Dimension : Ø 178mm x 35mm                                 | 1140  | 970    | 20        |
| IRIS Slim Panel                           |    | 30 W               | WH, NW, WW                            | LNPS30<br>Dimension : 298mm x 298mm x 20mm<br>Ceiling Cut-out : 275mm x 275mm | 2530         | 2290        | 10        | IRIS Surface Panel            |    | 18 W                                          | WH, NW, WW | LNPSRS18<br>Dimension : 240mm x 240mm x 35mm                           | 1590  | 1370   | 20        |
|                                           |                                                                                     | 40 W               | WH, NW, WW                            | LPS40<br>Dimension : 600mm x 600mm x 11mm<br>Ceiling Cut-out : 570mm x 570mm  | 5450         | 4860        | 5         |                               |                                                                                      | 18 W                                          | WH, NW, WW | LNPSRR18<br>Dimension : Ø 240mm x 35mm                                 | 1590  | 1370   | 20        |
| IRIS Slim Panel                           |   | 3 W                | WH, NW, WW                            | LNPR03<br>Dimension : Ø 90mm x 20mm<br>Ceiling Cut-out : Ø 73mm               | 380          | 320         | 40        | IRIS Surface Panel            |    | 30 W                                          | WH, NW, WW | LNPSRS30<br>Dimension : 300mm x 300mm x 35mm                           | 2740  | 2460   | 10        |
|                                           |                                                                                     | 6 W                | WH, NW, WW<br>3-IN-1                  | LNPR06<br>Dimension : Ø 120mm x 20mm<br>Ceiling Cut-out : Ø 102mm             | 650<br>970   | 560<br>840  | 40<br>40  |                               |                                                                                      | 30 W                                          | WH, NW, WW | LNPSRR30<br>Dimension : Ø 300mm x 35mm                                 | 2740  | 2460   | 10        |
| IRIS Slim Panel                           |  | 9 W                | WH, NW, WW                            | LNPR09<br>Dimension : Ø 145mm x 20mm<br>Ceiling Cut-out : Ø 132mm             | 900          | 790         | 20        |                               |                                                                                      | 40 W                                          | WH, NW, WW | LNPSRS40<br>Dimension : 600mm x 600mm x 35mm                           | 7570  | 6880   | 4/6       |
|                                           |                                                                                     | 12 W               | WH, NW, WW<br>3-IN-1                  | LNPR12<br>Dimension : Ø 173mm x 20mm<br>Ceiling Cut-out : Ø 153mm             | 1030<br>1390 | 890<br>1230 | 20<br>20  |                               |                                                                                      | 6 W                                           | WH, NW, WW | LNPSRS06N<br>Dimension : 110mm x 110mm x 30mm                          | 780   | 670    | 50        |
| IRIS Slim Panel                           |  | 15 W               | WH, NW, WW                            | LNPR15<br>Dimension : Ø 178mm x 20mm<br>Ceiling Cut-out : Ø 153mm             | 1160         | 990         | 20        | 6 W                           | WH, NW, WW                                                                           | LNPSRR06N<br>Dimension : Ø 110mm x 30mm       | 780        | 670                                                                    | 50    |        |           |
|                                           |                                                                                     | 18 W               | WH, NW, WW                            | LNPR18<br>Dimension : Ø 224mm x 20mm<br>Ceiling Cut-out : Ø 203mm             | 1440         | 1220        | 20        | 12 W                          | WH, NW, WW                                                                           | LNPSRS12N<br>Dimension : 160mm x 160mm x 30mm | 1140       | 970                                                                    | 20    |        |           |
| IRIS Slim Panel                           |  | 30 W               | WH, NW, WW                            | LNPR30<br>Dimension : Ø 301mm x 20mm<br>Ceiling Cut-out : Ø 272mm             | 2530         | 2290        | 10        | 12 W                          | WH, NW, WW                                                                           | LNPSRR12N<br>Dimension : Ø 160mm x 30mm       | 1140       | 970                                                                    | 20    |        |           |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             | 18 W      | WH, NW, WW                    | LNPSRS18N<br>Dimension : 205mm x 205mm x 30mm                                        | 1590                                          | 1370       | 20                                                                     |       |        |           |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | 18 W                          | WH, NW, WW                                                                           | LNPSRR18N<br>Dimension : Ø 205mm x 30mm       | 1590       | 1370                                                                   | 20    |        |           |
| IRIS DIMMABLE LED PANEL ***               |                                                                                     |                    |                                       |                                                                               |              |             |           | IRIS SLEEK LED SURFACE PANEL  |                                                                                      |                                               |            |                                                                        |       |        |           |
| IRIS Analogue (1-10V) Dimmable Slim Panel |  | 40 W               | WH, NW                                | LPSD40<br>Dimension : 595mm x 595mm<br>Ceiling Cut-out : 570mm x 570mm        | 7840         | 7350        | 6         | IRIS SLEEK LED SURFACE PANEL  |   | 12 W                                          | WH,WW,NW   | LNPSLR12<br>Dimension : Ø 150 x 15 mm                                  | 1630  | 1390   | 20        |
| Analogue 1-10V Touch Panel Dimmer         |  | 1 CH (50mA Output) | I/P: 90-265V AC<br>O/P: 0-10V DC/50mA | LLDIM110V                                                                     | 7690         | 7390        | 1         |                               |                                                                                      |                                               |            |                                                                        |       |        |           |
| IRIS CLEANROOM LED PANEL (IP65)           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELEGANT NEO LED SLIM PANELS   |                                                                                      |                                               |            |                                                                        |       |        |           |
| CLEANROOM SLIM PANEL                      |                                                                                     |                    |                                       |                                                                               |              |             |           | ELEGANT NEO Slim Panel        |  | 3 W                                           | WH, NW, WW | LNPS03N<br>Dimension : 83mm x 83mm x 12mm<br>Cut-Out : 73mm x 73mm     | 290   | 260    | 40        |
| IRIS IP65 Slim Panel                      |  | 40 W               | NW                                    | LPS40IP65<br>Dimension : 595mm x 595mm x 19mm                                 | 8800         | 8100        | 4         |                               |                                                                                      | 3 W                                           | WH, NW, WW | LNPR03N<br>Dimension : Ø 83mm x 12mm<br>Cut-Out : Ø 73mm               | 290   | 260    | 40        |
| CLEANROOM BACKLIT PANEL                   |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 6 W                                           | WH, NW, WW | LNPS06N<br>Dimension : 119mm x 119mm x 12mm<br>Cut-Out : 105mm x 105mm | 410   | 370    | 40        |
| IRIS IP65 Backlit Panel                   |  | 40 W               | WH                                    | LKM2240IP65<br>Dimension : 595mm x 595mm x 35mm                               | 4900         | 4750        | 4         |                               |                                                                                      | 6 W                                           | WH, NW, WW | LNPR06N<br>Dimension : Ø 119mm x 12mm<br>Cut-Out : Ø 105mm             | 410   | 370    | 40        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 9 W                                           | WH, NW, WW | LNPS09N<br>Dimension : 146mm x 146mm x 12mm<br>Cut-Out : 130mm x 130mm | 520   | 470    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           |                               |                                                                                      | 9 W                                           | WH, NW, WW | LNPR09N<br>Dimension : Ø 146mm x 12mm<br>Cut-Out : Ø 130mm             | 520   | 470    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 12 W                                          | WH, NW, WW | LNPS12N<br>Dimension : 146mm x 146mm x 12mm<br>Cut-Out : 130mm x 130mm | 590   | 520    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           |                               |                                                                                      | 12 W                                          | WH, NW, WW | LNPR12N<br>Dimension : Ø 146 x 12mm<br>Cut-Out : Ø 130mm               | 590   | 520    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 15 W                                          | WH, NW, WW | LNPS15N<br>Dimension : 170mm x 170mm x 14mm<br>Cut-Out : 157mm x 157mm | 680   | 595    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           |                               |                                                                                      | 15 W                                          | WH, NW, WW | LNPR15N<br>Dimension : Ø 170mm x 14mm<br>Cut-Out : Ø 157mm             | 680   | 595    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 18 W                                          | WH, NW, WW | LNPS18N<br>Dimension : 188mm x 188mm x 12mm<br>Cut-Out : 176mm x 176mm | 840   | 740    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           |                               |                                                                                      | 18 W                                          | WH, NW, WW | LNPR18N<br>Dimension : Ø 188mm x 12mm<br>Cut-Out : Ø 174mm             | 840   | 740    | 20        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           | ELAGANT NEO Slim Panel        |  | 24 W                                          | WH, NW, WW | LNPS24N<br>Dimension : 294mm x 294mm x 12mm<br>Cut-Out : 276mm x 276mm | 1780  | 1570   | 10        |
|                                           |                                                                                     |                    |                                       |                                                                               |              |             |           |                               |                                                                                      | 24 W                                          | WH, NW, WW | LNPR24N<br>Dimension : Ø 296mm x 12mm<br>Cut-Out : Ø 278mm             | 1780  | 1570   | 10        |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

| HALO BI-COLOR SLIM & SURFACE PANELS        |                                                                                   |         |                                   |              |       |        |           | DURO BACKLIT LED PANELS / DOWNLIGHTS                                                                                            |                                                                                      |         |                       |              |         |         |           |
|--------------------------------------------|-----------------------------------------------------------------------------------|---------|-----------------------------------|--------------|-------|--------|-----------|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|-----------------------|--------------|---------|---------|-----------|
| Product Name                               | Photo                                                                             | Wattage | Color                             | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                                                                                                    | Photo                                                                                | Wattage | Color                 | Product Code | MRP ₹   | *DLP ₹  | Std. Pkg. |
| HALO 3+3 Slim Panel                        |  | 6 W     | WH+PGB, WW+PGB                    | LHPR3P3      | 360   | 340    | 60        | JUNCTION BOX LED LIGHTS                                                                                                         |                                                                                      |         |                       |              |         |         |           |
| HALO 6+6 Slim Panel                        |  | 12 W    | WH+PGB, WW+PGB, WH+WW/BL/GR/RD/PK | LHPR6P6      | 480   | 460    | 40        | DURO Normal Junction Box Down Lights                                                                                            |    | 3 W     | WH,NW,WW, BL,GR,PK,RD | LDRJB03N     | 140     | 110     | 100       |
| HALO BI-COLOR Surface Panel                |  | 12 W    | WH+PGB, WW+PGB                    | LHPSRR6P6    | 540   | 540    | 40        | HALO Deep Junction Box Down Lights                                                                                              |    | 3 W     | WH,WW, RD,GR,BL,PK    | HALO 3W      | 130     | 115     | 50        |
| Dimension : Ø 143 x 25mm, Cut-out: Ø 106mm |                                                                                   |         |                                   |              |       |        |           | DURO Deep Junction Box Down Lights                                                                                              |    | 3 W     | WH RD                 | LDRJB03      | 330 360 | 330 360 | 100 100   |
| Dimension : Ø 144 x 28mm                   |                                                                                   |         |                                   |              |       |        |           | DURO Deep Junction Box Down Lights Tiltable                                                                                     |    | 3 W     | WH,WW,NW RD,BL,GR,PK  | LDRJBC0B3    | 220     | 190     | 100       |
|                                            |                                                                                   |         |                                   |              |       |        |           | Dimension : Ø 70 x 35mm<br>Ceiling Cut-out : Ø 55mm (Non-tiltable : 41mm)                                                       |                                                                                      |         |                       |              |         |         |           |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Deep Junction Box Down Lights Metal Body                                                                                   |    | 3 W     | WH PK,GR,BL,RD        | LDR03 MTL    | 250     | 240     | 60        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |    | 5 W     | WW, GR,BL,RD          | LDR05 MTL    | 330     | 320     | 60        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DOWNLIGHTS - CONCEALED                                                                                                          |                                                                                      |         |                       |              |         |         |           |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights PC Body                                                                                                        |    | 5 W     | RD,BL,PK              | LDR05D       | 170     | 160     | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | HALO Down Lights                                                                                                                |    | 7 W     | WH,WW, RD,GR,BL,PK    | HALO 7W      | 190     | 160     | 30        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights PC Body                                                                                                        |   | 20 W    | WW                    | LDR20        | 1160    | 1160    | 30        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights PC Body                                                                                                        |  | 7 W     | WH,WW,NW              | LDS07        | 630     | 630     | 40        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights PC Body                                                                                                        |  | 15 W    | WH,WW,NW              | LDS15        | 990     | 990     | 30        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights PC Body                                                                                                        |  | 22 W    | WW,NW                 | LDS22        | 1160    | 1160    | 40/20     |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO METAL BODY ANTI-GLARE LED DOWNLIGHTS  |                                                                                      |         |                       |              |         |         |           |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 12 W    | WH,WW,NW              | LDR12 MTL    | 950     | 830     | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 18 W    | WH,WW,NW              | LDR18 MTL    | 1340    | 1130    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 24 W    | WH,WW,NW              | LDR24 MTL    | 1580    | 1340    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 30 W    | WH,WW,NW              | LDR30 MTL    | 1680    | 1460    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 12 W    | WH,WW,NW              | LDS12 MTL    | 950     | 830     | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 18 W    | WH,WW,NW              | LDS18 MTL    | 1340    | 1130    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 24 W    | WH,WW,NW              | LDS24 MTL    | 1580    | 1340    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 30 W    | WH,WW,NW              | LDS30 MTL    | 1680    | 1460    | 36        |
|                                            |                                                                                   |         |                                   |              |       |        |           | DURO Down Lights Metal Body                                                                                                     |  | 36 W    | WH,WW,NW              | LDS36 MTL    | 2340    | 1890    | 36        |

| DURO METAL BODY DOWNLIGHTS - CONCEALED  |                                                                                     |                                                                     |            |              |       |        |                               | LISO DOB LED TRIMLESS SURFACE PANELS                                                 |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
|-------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------|------------|--------------|-------|--------|-------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|---------------------|------------|---------------------|------------|
| Product Name                                                                                                            | Photo                                                                               | Wattage                                                             | Color      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg.                     | Product Name                                                                         | Photo                                                                                | Wattage                                                                                                                      | Color                                                                              | Product Code        | MRP ₹      | *DLP ₹              | Std. Pkg.  |
| DURO Down Lights Metal Body                                                                                             |    | 15 W                                                                | WH,WW,NW   | LDR15 MTLN   | 1190  | 1190   | 30                            | LISO Surface Panel                                                                   |    | 8 W                                                                                                                          | WH,WW,NW                                                                           | LCL8NS              | 390        | 320                 | 60         |
|                                                                                                                         |                                                                                     | Dimension:170mmx32m m<br>Ceiling Cut-out:Ø135mm                     |            |              |       |        |                               |                                                                                      |                                                                                      | 12 W                                                                                                                         | WH,WW,NW                                                                           | LCL12NS             | 630        | 470                 | 40         |
| DURO 2'x2' Backlit Panel                                                                                                |    | 20 W                                                                | WH,WW      | LDR20 MTLN   | 1450  | 1450   | 30                            |                                                                                      |                                                                                      | LISO Surface Panel                                                                                                           |  | 18 W                | WH,WW,NW   | LCL18NS             | 980        |
|                                                                                                                         |                                                                                     | Dimension: 185mmx32mm<br>Ceiling Cut-out: Ø145mm                    |            |              |       |        |                               | 8 W                                                                                  | WH,WW,NW                                                                             |                                                                                                                              |                                                                                    | LCL8NR<br>LCLB8NR   | 390        | 320                 | 60         |
| DURO 2'x2' Backlit Panel                                                                                                |    | 36 W                                                                | WH         | LKM2236N     | 2720  | 2150   | 6                             | LISO Surface Panel                                                                   |    |                                                                                                                              |                                                                                    | 12 W                | WH,WW,NW   | LCL12NR<br>LCLB12NR | 630        |
|                                                                                                                         |                                                                                     | 40 W                                                                | WH,NW,WW   | LKM2240N     | 2780  | 2190   | 6                             |                                                                                      |                                                                                      | 18 W                                                                                                                         | WH,WW,NW                                                                           | LCL18NR<br>LCLB18NR | 980        | 630                 | 20         |
| DURO 2'x2' Backlit Panel                                                                                                |    | 45 W                                                                | WH, WW     | LKM2245      | 3300  | 2460   | 6                             |                                                                                      |                                                                                      | GESTO IP65 LED SURFACE PANEL                                                                                                 |                                                                                    |                     |            |                     |            |
|                                                                                                                         |                                                                                     | 60 W                                                                | WH,NW,WW   | LKM2260      | 4950  | 3280   | 6                             | GESTO IP65 Surface Panel                                                             |    | 10 W                                                                                                                         | WH, WW                                                                             | LBKRDSL10           | 680        | 680                 | 20         |
| DURO 4'x1' Backlit Panel                                                                                                |    | Dimension : 595mm x 595mm x 35mm<br>Ceiling Cut-out : 570mm x 570mm |            |              |       |        |                               | GESTO IP65 Surface Panel                                                             |    | 20 W                                                                                                                         | WH, WW                                                                             | LOR65-20S           | 1180       | 1170                | 20         |
|                                                                                                                         |                                                                                     | 45 W                                                                | WH         | LKM4145      | 3950  | 3480   | 6                             | 30 W                                                                                 |                                                                                      | WH, WW                                                                                                                       | LOR65-30S                                                                          | 1580                | 1510       | 20                  |            |
| Dimension : 1195mm x 295mm x 35mm<br>Ceiling Cut-out : 1175mm x 275mm                                                   |                                                                                     |                                                                     |            |              |       |        | RICO SLEEK CEILING LED LIGHTS |                                                                                      |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
| DURO 2'x2' NON ISOLATED Backlit Surface Panel                                                                           |   | 40 W                                                                | WH, WW     | LKMRSR40N    | 3720  | 3230   | 6                             | RICO Ceiling Light Sleek                                                             |   | 3 W                                                                                                                          | WH                                                                                 | LCL03SSQ            | 280        | 230                 | 100        |
|                                                                                                                         |                                                                                     | 45 W                                                                | WH, WW     | LKMRSR45N    | 3850  | 3350   | 6                             |                                                                                      |                                                                                      | 3 W                                                                                                                          | WH                                                                                 | LCL03SSW            | 290        | 260                 | 100        |
| DURO 2'x2' Backlit Surface Panel                                                                                        |  | 40 W                                                                | WH, WW     | LKMRSR40     | 3950  | 3550   | 6                             | RICO Ceiling Light Sleek                                                             |  | 3 W                                                                                                                          | WH, WW<br>BL/GR/RD/Pink                                                            | LCL03SRD            | 280        | 230                 | 100        |
| DURO 2'x2' Backlit Surface Panel                                                                                        |  | 45 W                                                                | WH, WW     | LKMRSR45     | 4750  | 3550   | 6                             |                                                                                      |                                                                                      | 15 W                                                                                                                         | WH, NW                                                                             | LCL15R SLK          | 1180       | 990                 | 40         |
| DURO 4'x1' NON ISOLATED Backlit Surface Panel                                                                           |  | 48 W                                                                | WH, WW     | LKMRSR4145N  | 4250  | 3650   | 6                             |                                                                                      |                                                                                      | CORVUS CONCEALED COB / SPOT LED LIGHTS  |                                                                                    |                     |            |                     |            |
| DURO 4'x1' Backlit Surface Panel                                                                                        |  | 45 W                                                                | WH         | LKMRSR4145   | 4960  | 3850   | 6                             | CORVUS Spot Light COB 24°                                                            |  | 1 W                                                                                                                          | WH,WW,NW                                                                           | LSCOB01             | 295        | 250                 | 100        |
| Dimension : 1200mm x 300mm x 35mm                                                                                       |                                                                                     |                                                                     |            |              |       |        |                               | Dimension : 30mm x 30mm, H : 15mm<br>Ceiling Cut-out : Ø 25mm                        |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
| VITO LED PANELS                                                                                                         |                                                                                     |                                                                     |            |              |       |        |                               | CORVUS Spot Light COB 24°                                                            |  | 1 W                                                                                                                          | WH,WW,NW                                                                           | LSCOB01             | 290        | 240                 | 100        |
| VITO Downlights                                                                                                         |  | 8W                                                                  | WH, NW, WW | LVR08D       | 260   | 210    | 40                            | CORVUS Spot Light Chrome                                                             |  | 1 W                                                                                                                          | WH, WW, NW,<br>BL,RD,GR                                                            | LSCR01              | 390<br>440 | 340<br>360          | 100<br>100 |
|                                                                                                                         |                                                                                     | 12W                                                                 | WH, NW, WW | LVR12D       | 360   | 310    | 30                            |                                                                                      |                                                                                      | Dimension : 32mm, H: 16mm<br>Ceiling Cut-out : Ø 25mm                                                                        |                                                                                    |                     |            |                     |            |
| VITO Downlights                                                                                                         |  | 18W                                                                 | WH, NW, WW | LVR18D       | 460   | 430    | 20                            | CORVUS Spot Light Chrome                                                             |  | 1 W                                                                                                                          | WH, WW                                                                             | LSCS01              | 390        | 340                 | 100        |
|                                                                                                                         |                                                                                     | Dimension : Ø 130 x 30mm<br>Cut-out: Ø 100mm                        |            |              |       |        |                               | Dimension : 31mm x 31mm x 21mm<br>Ceiling Cut-out : Ø 27mm                           |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
| Dimension : Ø 155 x 30mm<br>Cut-out: Ø 125mm                                                                            |                                                                                     |                                                                     |            |              |       |        | CORVUS Spot Light Tilttable   |  | 1 W                                                                                  | WH, WW                                                                                                                       | LSCOBM01                                                                           | 540                 | 420        | 100                 |            |
| Dimension : Ø 130 x 30mm<br>Cut-out: Ø 100mm                                                                            |                                                                                     |                                                                     |            |              |       |        |                               | CORVUS COB Spot Light                                                                |  | 3 W                                                                                                                          | WH, WW                                                                             | LCOB03              | 390        | 280                 | 200        |
| LISO LED TRIMLESS SURFACE PANELS                                                                                        |                                                                                     |                                                                     |            |              |       |        |                               | CORVUS COB Light Satin Nickel                                                        |  | 3 W                                                                                                                          | WH, WW, NW                                                                         | LSCS03              | 690        | 590                 | 50         |
| LISO Surface Panel                                                                                                      |  | 6 W                                                                 | 3 IN 1     | LCL6NS       | 790   | 690    | 40                            | Dimension : 50mm x 50mm x 25mm (H)<br>Ceiling Cut-out : Ø 35mm                       |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
| LISO Surface Panel                                                                                                      |  | 15 W                                                                | 3 IN 1     | LCL15NR BK   | 1160  | 890    | 30                            | Dimension : Ø 140mm x 30 mm                                                          |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
|                                                                                                                         |                                                                                     |                                                                     |            |              |       |        |                               |                                                                                      |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
|                                                                                                                         |                                                                                     |                                                                     |            |              |       |        |                               |                                                                                      |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |
|                                                                                                                         |                                                                                     |                                                                     |            |              |       |        |                               |                                                                                      |                                                                                      |                                                                                                                              |                                                                                    |                     |            |                     |            |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

| CORVUS CONCEALED COB / SPOT LED LIGHTS                                  |                                                                                     |                                 |            |              |       |        |           | CORVUS ANTI-GLARE LED COB LIGHTS - TRIMLESS                                           |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------------------------------|------------|--------------|-------|--------|-----------|---------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------|-------------------------------|------------|------------|------|------|----|--|
| Product Name                                                            | Photo                                                                               | Wattage                         | Color      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                                                          | Photo                                                                                | Wattage                                                                               | Color                                                                                 | Product Code                                                                          | MRP ₹                         | *DLP ₹     | Std. Pkg.  |      |      |    |  |
| CORVUS COB Light Satin Nickel                                           |    | 3 W                             | WH,WW,NW   | LSCRO3N      | 450   | 390    | 50        | CORVUS COB 38°                                                                        |    | 3W                                                                                    | WH,WW,NW                                                                              | LCOB03N BK                                                                            | 360                           | 310        | 100        |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 48mm x 25mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 37mm x 26mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 35mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 28mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB                                                              |    | 3 W                             | WH,WW,NW   | LCOBR03      | 650   | 570    | 50        | CORVUS COB 38°                                                                        |    | 7W                                                                                    | WH,WW,NW                                                                              | LAGBCOB07 BK                                                                          | 730                           | 680        | 100        |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 65mm x 20mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 59mm x 69mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 55mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 48mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 24°                                                          |    | 4 W                             | WH,WW,NW   | LCOBR04      | 790   | 690    | 50        | CORVUS COB 38°                                                                        |    | 12W                                                                                   | WH,WW,NW                                                                              | LAGBCOB12 BK                                                                          | 970                           | 920        | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 84 x 43mm (H)     |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 79mm x 79mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 65mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 69mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 24° Satin Nickel                                             |    | 7 W                             | WH         | LCOBR07SN    | 1090  | 1090   | 100       | CORVUS COB 38°                                                                        |    | 18W                                                                                   | WH,WW,NW                                                                              | LAGBCOB18 BK                                                                          | 1340                          | 1220       | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 85mm x 63mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 91mm x 100mm (H)                                                        |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 70mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 81mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |    | 7 W                             | WH, WW, NW | LCOBR07 N    | 880   | 740    | 50        | BLACK BODY WITH ROSE GOLD REFLECTOR                                                   |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 84 x 43mm (H)     |            |              |       |        |           | CORVUS COB 38°                                                                        |    | 3W                                                                                    | WH,WW,NW                                                                              | LCOB03N RG                                                                            | 390                           | 350        | 100        |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 65mm        |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 37mm x 26mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 28mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 24°                                                          |    | 12 W                            | WH         | LCOBR12      | 1180  | 1080   | 20        | CORVUS COB 38°                                                                        |    | 7W                                                                                    | WH,WW,NW                                                                              | LAGBCOB07 RG                                                                          | 1180                          | 1090       | 100        |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 107mm x 78mm (H)  |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 59mm x 70mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 92mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 49mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |    | 12 W                            | WH, WW, NW | LCOBR12 N    | 1180  | 1080   | 50        | CORVUS COB 38°                                                                        |    | 12W                                                                                   | WH,WW,NW                                                                              | LAGBCOB12RG                                                                           | 1480                          | 1390       | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 84 x 63mm (H)     |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 85mm x 79mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 67mm        |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 74mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 24°                                                          |    | 18 W                            | WW         | LCOBR18      | 1680  | 1480   | 20        | CORVUS COB 60°                                                                        |    | 18W                                                                                   | WH,WW,NW                                                                              | LAGBCOB18RG                                                                           | 2240                          | 1980       | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø128mm x 80mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 95mm x 96mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 110mm       |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 85mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |   | 18 W                            | WH,WW,NW   | LCOBR18 N    | 1680  | 1480   | 20        | BLACK BODY WITH GUN BLACK REFLECTOR                                                   |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 108 x 64mm (H)    |            |              |       |        |           | CORVUS COB 38°                                                                        |   | 7W                                                                                    | WH,WW,NW                                                                              | LAGBCOB07 GBK                                                                         | 1180                          | 1090       | 50         |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 86mm        |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 59mm x 70mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 49mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 24 W                            | WH,WW,NW   | LCOBR24 N    | 1880  | 1690   | 20        | CORVUS COB 38°                                                                        |  | 12W                                                                                   | WH,WW,NW                                                                              | LAGBCOB12 GBK                                                                         | 1480                          | 1390       | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 127 x 73mm (H)    |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 85mm x 79mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 111mm       |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 74mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 30 W                            | WH,WW,NW   | LCOBR30 N    | 2740  | 2450   | 20        | CORVUS COB 38°                                                                        |  | 18W                                                                                   | WH,WW,NW                                                                              | LAGBCOB18 GBK                                                                         | 2240                          | 1980       | 20         |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 160 x 92mm (H)    |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 95mm x 96mm (H)                                                         |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 133mm       |            |              |       |        |           |                                                                                       |                                                                                      | Ceiling Cut-out : Ø 85mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 50 W                            | WH,WW,NW   | LCOBR50 NL   | 3380  | 3190   | 10        | CORVUS CCT TUNABLE SMART COB LIGHT                                                    |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     | Dimension : Ø 160 x 109mm (H)   |            |              |       |        |           |   |  | 7W                                                                                    | 2200K - 6500K                                                                         | LAGCOB07SMT                                                                           | 2660                          | 2450       | -          |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 133mm       |            |              |       |        |           |                                                                                       |                                                                                      | 12 W                                                                                  | 2200K - 6500K                                                                         | LAGCOB12SMT                                                                           | 3150                          | 2980       | -          |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 60 x 70 mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Dimension : Ø 79 x 80 mm                                                              |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Cut-out: Ø 48 mm                                                                      |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
|                                                                         |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      | Cut-out: Ø 69 mm                                                                      |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS ANTI-GLARE LED COB LIGHTS - TRIMLESS                             |                                                                                     |                                 |            |              |       |        |           | Download SMART LIFE app on Play Store & App Store                                     |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| FEATURES                                                                |                                                                                     |                                 |            |              |       |        |           |  |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| • Light CCT tunable from 2200K - 6500K                                  |                                                                                     |                                 |            |              |       |        |           | DIMMABLE                                                                              |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| • Dimmable smoothly from 100% - 0%                                      |                                                                                     |                                 |            |              |       |        |           | DIMMING FUNCTIONALITY                                                                 |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| • Group Control function available to operate multiple devices together |                                                                                     |                                 |            |              |       |        |           |  |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| • Customised Off-Timer Function available                               |                                                                                     |                                 |            |              |       |        |           |  |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| • Scene Control available for quick ambience change                     |                                                                                     |                                 |            |              |       |        |           |  |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS S - SERIES LED COB LIGHTS                                        |                                                                                     |                                 |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 20°                                                          |  | 7W                              | WH,WW,NW   | LAGCOB07     | 730   | 680    | 50        |    |   |   |  |  | 7 W                           | WH,WW,NW   | LAGCOB07S  | 850  | 760  | 20 |  |
|                                                                         |                                                                                     | Dimension : Ø 60mm x 70mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 67mm x 53mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 48mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 55mm      |            |            |      |      |    |  |
| CORVUS COB 25°                                                          |  | 12W                             | WH,WW,NW   | LAGCOB12     | 970   | 920    | 20        |    |   |   |  |  | 12 W                          | WH,WW,NW   | LAGCOB12S  | 1090 | 980  | 20 |  |
|                                                                         |                                                                                     | Dimension : Ø 79mm x 80mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 84mm x 61mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 69mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 75mm      |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 18W                             | WH,WW,NW   | LAGCOB18     | 1550  | 1350   | 20        |    |   |   |  |  | 18 W                          | WH,WW,NW   | LAGCOB18S  | 1490 | 1230 | 12 |  |
|                                                                         |                                                                                     | Dimension : Ø 91mm x 100mm (H)  |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 98mm x 69mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 81mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 85mm      |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 30W                             | WH,WW,NW   | LAGCOB30     | 2950  | 2760   | 20        |    |   |   |  |  | 7 W                           | WH,WW,NW   | LAGBCOB07S | 850  | 760  | 20 |  |
|                                                                         |                                                                                     | Dimension : Ø 119mm x 130mm (H) |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 67mm x 53mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 104mm       |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 55mm      |            |            |      |      |    |  |
| WHITE BODY WITH CHROME REFLECTOR                                        |                                                                                     |                                 |            |              |       |        |           |    |                                                                                      |                                                                                       |                                                                                       |                                                                                       |                               |            |            |      |      |    |  |
| CORVUS COB 40°                                                          |  | 7W                              | WH,WW,NW   | LAGRCOB07    | 1180  | 1040   | 50        |    |  |  |  | 12 W                                                                                  | WH,WW,NW                      | LAGBCOB12S | 1090       | 980  | 20   |    |  |
|                                                                         |                                                                                     | Dimension : Ø 58mm x 69mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 84mm x 61mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 48mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 75mm      |            |            |      |      |    |  |
| CORVUS COB 38°                                                          |  | 12W                             | WH,WW,NW   | LAGRCOB12    | 1480  | 1290   | 20        |    |   |   |  |  | 12 W                          | WH,WW,NW   | LAGBCOB12S | 1090 | 980  | 20 |  |
|                                                                         |                                                                                     | Dimension : Ø 85mm x 78mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 84mm x 61mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 74mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 75mm      |            |            |      |      |    |  |
| CORVUS COB 60°                                                          |  | 18W                             | WH,WW,NW   | LAGRCOB18    | 1980  | 1790   | 20        |    |   |   |  |  | 18 W                          | WH,WW,NW   | LAGBCOB18S | 1490 | 1230 | 12 |  |
|                                                                         |                                                                                     | Dimension : Ø 96mm x 99mm (H)   |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Dimension : Ø 98mm x 69mm (H) |            |            |      |      |    |  |
|                                                                         |                                                                                     | Ceiling Cut-out : Ø 85mm        |            |              |       |        |           |                                                                                       |                                                                                      |                                                                                       |                                                                                       |                                                                                       | Ceiling Cut-out : Ø 85mm      |            |            |      |      |    |  |

## CORVUS S1 SERIES LED COB LIGHT

| Product Name                        | Photo | Wattage | Color    | Product Code                     | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-------------------------------------|-------|---------|----------|----------------------------------|-------|--------|-----------|
| CORVUS LED COB LIGHT BEAM ANGLE 38° |       | 7W      | WH,WW,NW | LAGCOB07 S1 RG<br>LAGCOB07 S1 BK | 930   | 840    | 50        |
|                                     |       | 12W     | WH,WW,NW | LAGCOB12 S1 RG<br>LAGCOB12 S1 BK | 1170  | 1080   | 20        |
|                                     |       | 18W     | WH,WW,NW | LAGCOB18 S1 RG<br>LAGCOB18 S1 BK | 1580  | 1380   | 20        |
|                                     |       | 12W     | WH,WW,NW | LAGCOB12 S1 RG<br>LAGCOB12 S1 BK | 1170  | 1080   | 20        |
|                                     |       | 18W     | WH,WW,NW | LAGCOB18 S1 RG<br>LAGCOB18 S1 BK | 1580  | 1380   | 20        |

## CORVUS NEO COB DOWNLIGHTS

|            |  |      |          |          |      |     |    |
|------------|--|------|----------|----------|------|-----|----|
| CORVUS NEO |  | 7 W  | WH,WW,NW | LCOB07NI | 680  | 550 | 50 |
| CORVUS NEO |  | 10 W | WH,WW,NW | LCOB10NI | 880  | 740 | 50 |
| CORVUS NEO |  | 15 W | WH,WW,NW | LCOB15NI | 1080 | 990 | 50 |

## CORVUS IP54 COB DOWNLIGHT

|                      |  |      |    |           |      |      |    |
|----------------------|--|------|----|-----------|------|------|----|
| CORVUS LED DOWNLIGHT |  | 24 W | WW | LCOBR5424 | 5450 | 4950 | 20 |
|                      |  | 30 W | WW | LCOBR5430 | 5650 | 5160 | 20 |

## CORVUS SURFACE LED COB LIGHTS - TRIMLESS

|                |  |      |          |                                                |      |      |    |
|----------------|--|------|----------|------------------------------------------------|------|------|----|
| CORVUS COB 45° |  | 3 W  | WH,WW,NW | LCOBSRR03 SL<br>LCOBSRR03 BKG                  | 520  | 470  | 50 |
| CORVUS COB 45° |  | 7 W  | WH,WW,NW | LCOBSRR07 SS<br>LCOBSRR07 BKG<br>LCOBSRR07 GBK | 980  | 880  | 50 |
| CORVUS COB 45° |  | 12 W | WH,WW,NW | LCOBSRR12 SS<br>LCOBSRR12 BKG<br>LCOBSRR12 GBK | 1460 | 1420 | 50 |
| CORVUS COB 45° |  | 7 W  | WH,WW,NW | LCOBSR07 SS<br>LCOBSR07 BKG                    | 1260 | 1090 | 50 |
| CORVUS COB 45° |  | 12 W | WH,WW,NW | LCOBSR12 SS<br>LCOBSR12 BKG                    | 1850 | 1560 | 50 |
| CORVUS COB 45° |  | 18 W | WH,WW,NW | LCOBSR18 SS<br>LCOBSR18 BKG<br>LCOBSR18 GBK    | 2250 | 1980 | 20 |
| CORVUS COB 45° |  | 30 W | WH,WW,NW | LCOBSR30 SS<br>LCOBSR30 BKG<br>LCOBSR30 GBK    | 3430 | 2980 | 20 |

## CORVUS LED SURFACE DOWN LIGHTS

|                                     |  |      |       |                                    |      |      |    |
|-------------------------------------|--|------|-------|------------------------------------|------|------|----|
| CORVUS LED SURFACE DOWNLIGHT (OVAL) |  | 12 W | WW    | LCOBOSRR12 WHBK<br>LCOBOSRR12 BKRG | 1460 | 1290 | 50 |
| CORVUS LED SURFACE DOWNLIGHT        |  | 12 W | WH,NW | LDSRR12 WH<br>LDSRR12 BK           | 950  | 860  | 50 |
| CORVUS LED SURFACE DOWNLIGHT        |  | 18 W | WH,NW | LDSRR18 WH<br>LDSRR18 BK           | 1360 | 1190 | 50 |

## CORVUS HANGING LED COB LIGHTS

|                |  |      |       |            |      |      |    |
|----------------|--|------|-------|------------|------|------|----|
| CORVUS COB 36° |  | 12 W | WW,NW | LCOBHL12SK | 2200 | 1940 | 50 |
|                |  | 12 W | WW,NW | LCOBHL12SK | 2200 | 1940 | 50 |

## CORVUS SURFACE LED COB LIGHTS - TILTABLE

|                        |  |      |          |          |      |      |   |
|------------------------|--|------|----------|----------|------|------|---|
| CORVUS SURFACE COB 36° |  | 12 W | WH,WW,NW | LCOBSP12 | 1860 | 1590 | - |
|                        |  | 12 W | WH,WW,NW | LCOBSP12 | 1860 | 1590 | - |
| CORVUS SURFACE COB 36° |  | 18 W | WH,WW,NW | LCOBSP18 | 2380 | 2170 | - |
|                        |  | 18 W | WH,WW,NW | LCOBSP18 | 2380 | 2170 | - |

## CORVUS OUTDOOR SURFACE LED COB LIGHTS (IP54)

|                |  |      |    |                              |      |      |     |
|----------------|--|------|----|------------------------------|------|------|-----|
| CORVUS COB     |  | 7 W  | WW | LCOBBSRR5407                 | 990  | 890  | 100 |
| CORVUS COB 36° |  | 12 W | WW | LCOBBSRR5412<br>LCOBBSRR5412 | 2150 | 1880 | 50  |

## CORVUS DIMMABLE LED COB LIGHTS (TRIAC DIMMING)\*

|                |  |      |          |         |      |      |    |
|----------------|--|------|----------|---------|------|------|----|
| CORVUS COB 60° |  | 7 W  | WH,WW,NW | LCOBD07 | 1950 | 1680 | 20 |
| CORVUS COB 60° |  | 12 W | WH,WW,NW | LCOBD12 | 2300 | 2090 | 20 |
| CORVUS COB 60° |  | 18 W | WH,WW,NW | LCOBD18 | 2850 | 2690 | 20 |
| CORVUS COB 60° |  | 24 W | WH,WW,NW | LCOBD24 | 3750 | 3580 | 20 |
| CORVUS COB 60° |  | 30W  | WH,WW,NW | LCOBD30 | 3950 | 3790 | 20 |

## CORVUS DEEP COB LED LIGHTS

|                                |  |      |          |           |      |      |    |
|--------------------------------|--|------|----------|-----------|------|------|----|
| CORVUS Pin Hole Deep COB 24°   |  | 12 W | WH,WW,NW | LCOBPH12  | 2090 | 1890 | 20 |
| CORVUS Honey Comb Deep COB 24° |  | 12 W | WH,WW,NW | LCOBHC12  | 2480 | 2140 | 20 |
| CORVUS Square Deep COB 24°     |  | 12 W | WH,WW,NW | LCOB12SQ  | 2350 | 1990 | 20 |
| CORVUS Square Deep COB 24°     |  | 24 W | WH,WW,NW | LCOB212SQ | 4460 | 3980 | 10 |



## CORVUS MINI LINEAR LED COB LIGHTS

|                          |  |      |          |            |      |      |    |
|--------------------------|--|------|----------|------------|------|------|----|
| CORVUS LINEAR COB Lights |  | 2 W  | WH,WW,NW | LCOB102SQ  | 490  | 440  | 50 |
|                          |  | 2 W  | WH,WW,NW | LCOB102SQ  | 490  | 440  | 50 |
| CORVUS LINEAR COB Lights |  | 8 W  | WH,WW,NW | LCOB402SQ  | 990  | 910  | 50 |
|                          |  | 8 W  | WH,WW,NW | LCOB402SQ  | 990  | 910  | 50 |
| CORVUS LINEAR COB Lights |  | 6 W  | WH,WW,NW | LCOB302SQ  | 860  | 750  | 50 |
|                          |  | 6 W  | WH,WW,NW | LCOB302SQ  | 860  | 750  | 50 |
| CORVUS LINEAR COB Lights |  | 12 W | WH,WW,NW | LCOB602SQ  | 1090 | 980  | 50 |
|                          |  | 12 W | WH,WW,NW | LCOB602SQ  | 1090 | 980  | 50 |
| CORVUS LINEAR COB Lights |  | 18 W | WH,WW,NW | LCOB902 BK | 1590 | 1480 | 50 |
|                          |  | 18 W | WH,WW,NW | LCOB902 RG | 1590 | 1480 | 50 |

\*C: Commercial Luminaires and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

\*Dimmer to be purchased separately.

| CORVUS LINEAR LED COB LIGHTS                 |                                                                                     |         |            |                                  |              |              |           | CORVUS MINI LINEAR SURFACE LED COB LIGHT |                                                                                      |                                                       |            |                                |            |            |            |
|----------------------------------------------|-------------------------------------------------------------------------------------|---------|------------|----------------------------------|--------------|--------------|-----------|------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------------------------------|------------|--------------------------------|------------|------------|------------|
| Product Name                                 | Photo                                                                               | Wattage | Color      | Product Code                     | MRP ₹        | *DLP ₹       | Std. Pkg. | Product Name                             | Photo                                                                                | Wattage                                               | Color      | Product Code                   | MRP ₹      | *DLP ₹     | Std. Pkg.  |
| CORVUS Linear COB Light                      |    | 6 W     | WH,WW,NW   | LCOB106SQ                        | 1180         | 1040         | 50        | CORVUS Linear Surface COB Light          |    | 7 W                                                   | WW, NW     | LCOBBSRR515SQ<br>LCOBBSRR515SQ | 1250       | 1140       | 50         |
| CORVUS Linear COB Light                      |    | 18 W    | WH,WW,NW   | LCOB306SQ                        | 2380         | 1940         | 50        |                                          |                                                                                      | Dimension : 136mm x 35mm x 55mm                       |            |                                |            |            |            |
| CORVUS Linear COB Light                      |    | 30 W    | WH,WW,NW   | LCOB506SQ                        | 3670         | 3190         | 50        |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FERMO FOCUS LED LIGHTS                       |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FERMO Focus Light                            |    | 1 W     | WH, WW, NW | LSP01 SL<br>LSP01 BK             | 860          | 740          | 100       | FERMO Focus Light                        |    | 3 W                                                   | WH, WW     | LSP03                          | 1180       | 980        | 50         |
| FERMO Focus Light                            |    | 1 W     | WH, WW     | LSP02 SL<br>LSP02 PKW            | 860          | 740          | 100       | FERMO Focus Light                        |    | 18 W                                                  | WH, WW, NW | LSP18                          | 2980       | 2980       | 8          |
| FERMO Focus Light                            |    | 3 W     | WH, WW     | LSP04<br>LSP04 BK                | 1040         | 940          | 50        |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FISSO ZOOM LED LIGHTS                        |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FISSO Zoom Light 24°                         |    | 7 W     | WH, WW, NW | LZCOB07                          | 1680         | 1260         | 20        | FISSO Zoom Light 24°                     |    | 50 W                                                  | WH, WW, NW | LZCOB50                        | 6850       | 5940       | 8          |
|                                              |    | 18 W    | WH, WW, NW | LZCOB18                          | 2680         | 1880         | 20        | FISSO Zoom Light 80°                     |    | 50 W                                                  | WH, WW, NW | LZCOB50SQ                      | 6850       | 5940       | 8          |
|                                              |   | 35 W    | WH, WW, NW | LZCOB35                          | 3780         | 3370         | 12        | FISSO Zoom Light 24° (Anti-glare)        |   | 12 W                                                  | WH, WW, NW | LAZCOB12                       | 3890       | 3390       | 20         |
| DOMO CEILING LED LIGHTS                      |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| DOMO Ceiling Light                           |  | 18 W    | WH / WW    | LCL18S                           | 1690         | 1690         | 12/6      | Modular Ceiling Light                    |  | 7 W                                                   | WH / WW    | LCL07R                         | 490        | 490        | 100        |
| FUERA LED DOWNLIGHTS - OUTDOOR Series – IP54 |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FUERA Downlight                              |  | 5 W     | WH         | LDR4405                          | 1650         | 1390         | 30        | FUERA Downlight                          |  | 12 W                                                  | WH, NW     | LDR4412                        | 2980       | 2650       | 30         |
|                                              |                                                                                     | 5 W     | NW         | LCOB4405                         | 1980         | 1850         | 50        |                                          |                                                                                      | Dimension : 145mm x 27mm<br>Ceiling Cut-out : Ø 130mm |            |                                |            |            |            |
| FUOCO FOCUS COB LED LIGHTS                   |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FUOCO Focus COB Light 60°                    |  | 7 W     | WH, WW, NW | LSP07N                           | 1285         | 1190         | 20        | FUOCO Focus COB Light 60°                |  | 7 W                                                   | WH, WW, NW | LSP07N BK                      | 1285       | 1190       | 20         |
| FUOCO Focus COB Light 60°                    |  | 18 W    | WH, WW, NW | LSP18N                           | 2190         | 1890         | 10        | FUOCO Focus COB Light 60°                |  | 18 W                                                  | WH, WW, NW | LSP18N BK                      | 2190       | 1890       | 10         |
| FUOCO Focus COB Light 60°                    |  | 30 W    | WH, WW, NW | LSP30                            | 3240         | 2790         | 10        | FUOCO Focus COB Light 60°                |  | 30 W                                                  | WH, WW, NW | LSP30 BK                       | 3240       | 2790       | 10         |
| FUOCO TRACK LED LIGHTS                       |                                                                                     |         |            |                                  |              |              |           |                                          |                                                                                      |                                                       |            |                                |            |            |            |
| FUOCO Track Light (Body Color BK, WH)        |  | 24 W    | WH,WW,NW   | LSPT24 (60°)                     | 1980         | 1750         | 8         | Track Connector                          |  | Straight                                              | WH BK      | LTJS<br>LTJS BK                | 240<br>240 | 195<br>195 | 100<br>100 |
|                                              |                                                                                     | 24 W    | WH,WW,NW   | LSPT24S (36°)                    | 1980         | 1750         | 20        |                                          |                                                                                      | L Shape                                               | WH BK      | LTJL<br>LTJL BK                | 290<br>290 | 240<br>240 | 100<br>100 |
| Channel for Track Light                      |  | 1 meter | WH BK      | 1 MTR TRACK<br>1 MTR TRACK BLACK | 630<br>630   | 530<br>530   | 20<br>20  |                                          |                                                                                      | T Shape                                               | WH BK      | LTJT<br>LTJT BK                | 380<br>380 | 330<br>330 | 100<br>100 |
|                                              |                                                                                     | 2 meter | WH BK      | 2 MTR TRACK<br>2 MTR TRACK BLACK | 1350<br>1350 | 1050<br>1050 | 20<br>20  |                                          |                                                                                      |                                                       |            |                                |            |            |            |

# FUOCO TRACK LED LIGHTS (New Model)



| Product Name          | Photo | Wattage | Color    | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name          | Photo | Wattage | Color    | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-----------------------|-------|---------|----------|--------------|-------|--------|-----------|-----------------------|-------|---------|----------|--------------|-------|--------|-----------|
| FUOCO Track Light 60° |       | 12W     | WH,WW,NW | LSPT12S N    | 1280  | 1140   | 50        | FUOCO Track Light 60° |       | 12W     | WH,WW,NW | LSPT12S B N  | 1280  | 1140   | 50        |
|                       |       | 18 W    | WH,WW,NW | LSPT18S N    | 1590  | 1490   | 30        |                       |       | 18 W    | WH,WW,NW | LSPT18S B N  | 1590  | 1490   | 30        |
|                       |       | 24W     | WH,WW,NW | LSPT24S N    | 1980  | 1850   | 20        |                       |       | 24W     | WH,WW,NW | LSPT24S B N  | 1980  | 1850   | 20        |
|                       |       | 30 W    | WH,WW,NW | LSPT30S N    | 2360  | 2150   | 20        |                       |       | 30 W    | WH,WW,NW | LSPT30S B N  | 2360  | 2150   | 20        |

## FUOCO LINEAR LED TRACK LIGHTS



|                                 |  |     |        |          |      |      |    |
|---------------------------------|--|-----|--------|----------|------|------|----|
| FUOCO LINEAR Track Light        |  | 26W | WW, NW | LSPTLN26 | 2550 | 2150 | -- |
| Dimension : 466mm x 45mm x 33mm |  |     |        |          |      |      |    |

## FUOCO MAGNETIC LED TRACK LIGHTS



|                                          |  |     |        |         |      |      |    |
|------------------------------------------|--|-----|--------|---------|------|------|----|
| FUOCO MAGNETIC Diffuser Type Track Light |  | 20W | WW, NW | LMTLN20 | 2190 | 1980 | -- |
| Dimension: L: 600 x W: 22 x H: 25mm      |  |     |        |         |      |      |    |

## FUOCO MAGNETIC LED TRACK LIGHTS



|                                               |  |     |        |          |      |      |    |
|-----------------------------------------------|--|-----|--------|----------|------|------|----|
| FUOCO MAGNETIC LENS Type Track Light          |  | 6W  | WW, NW | LMTLN06  | 1370 | 1190 | -- |
| Dimension: L:108 x W: 22 x H: 25 mm           |  |     |        |          |      |      |    |
| FUOCO MAGNETIC LENS Type Track Light          |  | 18W | WW, NW | LMTLN18  | 2270 | 1980 | -- |
| Dimension: L: 322 x W: 22 x H: 25 mm          |  |     |        |          |      |      |    |
| FUOCO MAGNETIC LENS Type FOLDABLE Track Light |  | 12W | WW, NW | LMTLN12A | 2740 | 2480 | -- |
| Dimension : L: 220 x W: 22 x H: 115 mm        |  |     |        |          |      |      |    |

|                                 |  |                          |        |         |      |      |    |
|---------------------------------|--|--------------------------|--------|---------|------|------|----|
| FUOCO MAGNETIC SPOT Track Light |  | 10W                      | WW, NW | LMTSP10 | 2870 | 2540 | -- |
|                                 |  | Dimension: 48mm x 125mm  |        |         |      |      |    |
| FUOCO MAGNETIC SPOT Track Light |  | 20W                      | WW, NW | LMTSP20 | 3780 | 3350 | -- |
|                                 |  | Dimension : 58mm x 155mm |        |         |      |      |    |
| FUOCO MAGNETIC SPOT Track Light |  | 9W                       | WW, NW | LMTSP09 | 4460 | 3890 | -- |
| Dimension: 95mm x 34mm          |  |                          |        |         |      |      |    |

## MAGNETIC CONCEALED TRACK CHANNEL

|                                                  |  |       |       |             |      |      |    |
|--------------------------------------------------|--|-------|-------|-------------|------|------|----|
| FUOCO MAGNETIC CONCEALED Track Channel           |  | 1 mtr | BLACK | LMTCHRC1MBK | 1990 | 1750 | -- |
| Dimension: 1000 mm (L) x 70 mm (W) x 53.5 mm (H) |  |       |       |             |      |      |    |
| FUOCO MAGNETIC CONCEALED Track Channel           |  | 2 mtr | BLACK | LMTCHRC2MBK | 3980 | 3560 | -- |
| Dimension: 2000 mm (L) x 70 mm (W) x 53.5 mm (H) |  |       |       |             |      |      |    |

## MAGNETIC SURFACE TRACK CHANNEL

|                                                    |  |       |       |           |      |      |    |
|----------------------------------------------------|--|-------|-------|-----------|------|------|----|
| FUOCO MAGNETIC SURFACE Track Channel               |  | 1 mtr | BLACK | LMTCH1MBK | 2950 | 2580 | -- |
| Dimension: 1000 mm (L) x 26.5 mm (W) x 53.5 mm (H) |  |       |       |           |      |      |    |
| FUOCO MAGNETIC SURFACE Track Channel               |  | 2 mtr | BLACK | LMTCH2MBK | 5940 | 5160 | -- |
| Dimension: 2000 mm (L) x 26.5 mm (W) x 53.5 mm (H) |  |       |       |           |      |      |    |

## CONCEALED PROFILE FIXING CLAMP

|                                      |  |    |    |        |             |             |    |
|--------------------------------------|--|----|----|--------|-------------|-------------|----|
| FUOCO CONCEALED PROFILE Fixing Clamp |  | -- | -- | LMTRCL | 150 per Set | 130 per Set | -- |
|--------------------------------------|--|----|----|--------|-------------|-------------|----|

## SURFACE PROFILE FIXING CLAMP

|                                     |  |    |    |       |     |     |    |
|-------------------------------------|--|----|----|-------|-----|-----|----|
| FUOCO MAGNETIC PROFILE Fixing Clamp |  | -- | -- | LMTCL | 150 | 140 | -- |
|-------------------------------------|--|----|----|-------|-----|-----|----|

## MAGNETIC CONCEALED CORNER

|                                   |  |    |    |         |      |      |    |
|-----------------------------------|--|----|----|---------|------|------|----|
| FUOCO CONCEALED CORNER Horizontal |  | -- | -- | LMTRHCR | 1390 | 1140 | -- |
| FUOCO CONCEALED CORNER Vertical   |  | -- | -- | LMTRVCR | 1390 | 1140 | -- |

## MAGNETIC SURFACE CORNER

|                                          |  |  |       |        |     |     |    |
|------------------------------------------|--|--|-------|--------|-----|-----|----|
| FUOCO MAGNETIC HORIZONTAL Corner Surface |  |  | BLACK | LMTHCR | 890 | 790 | -- |
| Dimension: 80 mm x 80 mm                 |  |  |       |        |     |     |    |
| FUOCO MAGNETIC VERTICAL Corner Surface   |  |  | BLACK | LMTVCR | 890 | 790 | -- |
| Dimension: 80 mm x 80 mm                 |  |  |       |        |     |     |    |

## WIRE CONNECTOR - START / STRAIGHT / CORNER

|                         |  |    |       |          |     |     |    |
|-------------------------|--|----|-------|----------|-----|-----|----|
| WIRE CONNECTOR START    |  | -- | BLACK | LMTHCNC  | 530 | 460 | -- |
| WIRE CONNECTOR STRAIGHT |  | -- | BLACK | LMTICNC  | 640 | 570 | -- |
| WIRE CONNECTOR CORNER   |  | -- | BLACK | LMTH4CNC | 830 | 730 | -- |

## HANGING ACCESSORIES FOR SURFACE PROFILE

|                                               |  |    |    |        |             |             |    |
|-----------------------------------------------|--|----|----|--------|-------------|-------------|----|
| FUOCO HANGING ACCESSORIES for Surface Profile |  | -- | -- | LMTSHK | 760 per Set | 680 per Set | -- |
|-----------------------------------------------|--|----|----|--------|-------------|-------------|----|

## MAGNETIC LED DRIVER

|                                       |  |          |       |          |      |      |    |
|---------------------------------------|--|----------|-------|----------|------|------|----|
| FUOCO MAGNETIC LED DRIVER             |  | 48V 100W | BLACK | LMTDR100 | 3180 | 2860 | -- |
| Dimension : L: 220 x W: 23 x H: 26 mm |  |          |       |          |      |      |    |
| FUOCO MAGNETIC LED DRIVER             |  | 48V 200W | BLACK | LMTDR200 | 4920 | 4380 | -- |
| Dimension : L: 310 x W: 23 x H: 26mm  |  |          |       |          |      |      |    |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

# FUOCO ULTRA-THIN MAGNETIC LED TRACK LIGHTS (Available in White / Black Body)



| Product Name                          | Photo | Wattage | Color                | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                         | Photo | Wattage | Color | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. |
|---------------------------------------|-------|---------|----------------------|---------------|-------|--------|-----------|--------------------------------------|-------|---------|-------|---------------|-------|--------|-----------|
| FUOCO Ultra-thin Magnetic Track Rail  |       | 1 M     | WHITE                | LMTCH1MUT WH  | 1130  | 980    | --        | FUOCO Ultra-thin Magnetic Track Rail |       | 2 M     | WHITE | LMTCH2MUT WH  | 2150  | 1890   | --        |
|                                       |       |         | BLACK                | LMTCH1MUT BK  | 1130  | 980    | --        |                                      |       |         | BLACK | LMTCH2MUT BK  | 2150  | 1890   | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 8 W     | WH, WW, NW 400mm (L) | LMTLN08UT WH  | 2150  | 1880   | --        | FUOCO Starting Connector             |       | -       | -     | LMTSCUT WH    | 380   | 330    | --        |
|                                       |       |         |                      | LMTLN08UT BK  |       |        |           |                                      |       |         |       | LMTSCUT BK    | 380   | 330    | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 16 W    | WH, WW, NW 600mm (L) | LMTLN16UT WH  | 3690  | 3270   | --        | FUOCO I-Connector                    |       | -       | -     | LMTICUT WH    | 295   | 270    | --        |
|                                       |       |         |                      | LMTLN16UT BK  |       |        |           |                                      |       |         |       | LMTICUT BK    | 295   | 270    | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 6 W     | WH, WW, NW 300mm (L) | LMTLN06UT WH  | 1890  | 1680   | --        | FUOCO Horizontal L-Connector         |       | -       | -     | LMTLHCUT WH   | 380   | 340    | --        |
|                                       |       |         |                      | LMTLN06UT BK  |       |        |           |                                      |       |         |       | LMTLHCUT BK   | 380   | 340    | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 5 W     | WH, WW, NW 115mm (L) | LMTSP05UT WH  | 2490  | 2260   | --        | FUOCO Vertical L-Connector           |       | -       | -     | LMTVLCUT WH   | 390   | 350    | --        |
|                                       |       |         |                      | LMTSP05UT BK  |       |        |           |                                      |       |         |       | LMTVLCUT BK   | 390   | 350    | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 10 W    | WH, WW, NW 115mm (L) | LMTSP10UT WH  | 2870  | 2560   | --        | FUOCO T-Connector                    |       | -       | -     | LMTTCUT WH    | 420   | 370    | --        |
|                                       |       |         |                      | LMTSP10UT BK  |       |        |           |                                      |       |         |       | LMTTCUT BK    | 420   | 370    | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 6 W     | WH, WW, NW 132mm (L) | LMTLN06AUT WH | 2870  | 2560   | --        | FUOCO                                |       | 100 W   | WHITE | LMTDR100UT WH | 4280  | 3860   | --        |
|                                       |       |         |                      | LMTLN06AUT BK |       |        |           |                                      |       |         | BLACK | LMTDR100UT BK | 4280  | 3860   | --        |
| FUOCO Ultra-thin Magnetic Track Light |       | 12 W    | WH, WW, NW 245mm (L) | LMTLN12AUT WH | 3740  | 3370   | --        | FUOCO                                |       | 200 W   | WHITE | LMTDR200UT WH | 5950  | 5420   | --        |
|                                       |       |         |                      | LMTLN12AUT BK |       |        |           |                                      |       |         | BLACK | LMTDR200UT BK | 5950  | 5420   | --        |

## AMPIO STRIP DRIVER - 12V DC



| Product Name           | Photo | Ampere                                      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name           | Photo | Ampere                                          | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|------------------------|-------|---------------------------------------------|--------------|-------|--------|-----------|------------------------|-------|-------------------------------------------------|--------------|-------|--------|-----------|
| AMPIO Strip Driver 12V |       | 2 Amps / 24W<br>Dimension : 97 x 37 x 26mm  | LSD02        | 750   | 540    | 100       | AMPIO Strip Driver 12V |       | 12.5 Amps / 150W<br>Dimension : 217 x 52 x 30mm | LSD12        | 1890  | 1650   | 40        |
|                        |       | 3 Amps / 36W<br>Dimension : 134 x 40 x 30mm | LSD03        | 940   | 690    | 100       |                        |       | 16 Amps / 192W<br>Dimension : 212 x 63 x 30mm   | LSD16        | 2380  | 1980   | 30        |
| AMPIO Strip Driver 12V |       | 5 Amps / 60W<br>Dimension : 135 x 40 x 30mm | LSD05        | 1140  | 880    | 50        | AMPIO Strip Driver 12V |       | 20 Amps / 240W<br>Dimension : 212 x 63 x 30mm   | LSD20        | 2880  | 2360   | 30        |
|                        |       | 8 Amps / 96W<br>Dimension : 176 x 46 x 30mm | LSD08        | 1680  | 1360   | 50        |                        |       | 30 Amps / 360W<br>Dimension : 282 x 63 x 30mm   | LSD30        | 3480  | 3090   | 30        |

## AMPIO STRIP DRIVER - 24V DC (IP20)




|                               |  |                                              |         |      |      |     |                        |  |                                                 |         |      |      |     |
|-------------------------------|--|----------------------------------------------|---------|------|------|-----|------------------------|--|-------------------------------------------------|---------|------|------|-----|
| AMPIO Strip Driver 24V (IP20) |  | 3 Amps / 72W<br>Dimension : 151 x 47 x 30mm  | LSD0324 | 1340 | 1160 | 100 | AMPIO Strip Driver 24V |  | 10 Amps / 240W<br>Dimension : 212 x 63 x 30mm   | LSD1024 | 2890 | 2370 | 100 |
|                               |  | 5 Amps / 120W<br>Dimension : 217 x 63 x 30mm | LSD0524 | 1980 | 1640 | 100 | AMPIO Strip Driver 24V |  | 12.5 Amps / 300W<br>Dimension : 252 x 61 x 30mm | LSD1224 | 3280 | 2780 | 100 |

## AMPIO OUTDOOR LED STRIP DRIVE - 24V DC (IP65)




|                                       |  |                                              |       |      |      |   |                        |  |                                              |       |      |      |   |
|---------------------------------------|--|----------------------------------------------|-------|------|------|---|------------------------|--|----------------------------------------------|-------|------|------|---|
| AMPIO Outdoor LED Drive 24V DC (IP65) |  | 3 Amps / 72W<br>Dimension : 80 x 60 x 25mm   | LUWD3 | 1540 | 1360 | 1 | AMPIO Strip Driver 24V |  | 8 Amps / 192W<br>Dimension : 124 x 62 x 28mm | LUWD8 | 3100 | 2650 | 1 |
|                                       |  | 5 Amps / 120W<br>Dimension : 100 x 62 x 25mm | LUWD5 | 2260 | 1950 | 1 |                        |  |                                              |       |      |      |   |

## LED STRIP – INDOOR

| Product Name                                                                                                            | Photo                                                                             | Wattage                          | Color                           | Product Code   | MRP ₹          | *DLP ₹         | Std. Pkg. | Product Name                                                                                                              | Photo                                                                              | Wattage                           | Color                          | Product Code   | MRP ₹          | *DLP ₹         | Std. Pkg. |
|-------------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|----------------------------------|---------------------------------|----------------|----------------|----------------|-----------|---------------------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|-----------------------------------|--------------------------------|----------------|----------------|----------------|-----------|
| <b>VERO INDOOR STRIP - 2835 - 12V</b>  |                                                                                   |                                  |                                 |                |                |                |           | <b>LORO INDOOR STRIP - 5050 - 12V</b>  |                                                                                    |                                   |                                |                |                |                |           |
| VERO LED Strip Indoor                                                                                                   |  | 6 W<br>12V<br>60 LED per meter   | WH,WW,NW<br>Blue, Red,<br>Green | LS2835         | 90<br>per mtr  | 80<br>per mtr  | 25 mtr    | LORO LED Strip Indoor                                                                                                     |  | 14.6 W<br>12V<br>60 LED per meter | WH,WW,NW<br>Blue, Green<br>Red | LS5050         | 290<br>per mtr | 250<br>per mtr | 20 mtr    |
| VERO LED Strip Indoor                                                                                                   |  | 6 W<br>12V<br>60 LED per meter   | Pink                            | LSI2835        | 98<br>per mtr  | 90<br>per mtr  | 25 mtr    | LORO LED Strip Indoor                                                                                                     |  | 14.6 W<br>12V<br>60 LED per meter | Pink/RGB                       | LSI5050        | 380<br>per mtr | 340<br>per mtr | 20 mtr    |
| <b>VERO INDOOR STRIP - 24V</b>       |                                                                                   |                                  |                                 |                |                |                |           |                                                                                                                           |                                                                                    |                                   |                                |                |                |                |           |
| VERO LED Strip Indoor (24V)                                                                                             |  | 10 W<br>24V<br>120 LED per meter | WW,NW                           | LPLS120<br>24V | 290<br>per mtr | 220<br>per mtr | 5 mtr     | VERO LED Strip Indoor (24V)                                                                                               |  | 18 W<br>24V<br>240 LED per meter  | WW,NW                          | LPLS240<br>24V | 450<br>per mtr | 310<br>per mtr | 5 mtr     |


## LED STRIP - OUTDOOR - IP65

|                                  |                                                                                   |                                        |                                  |                                     |                                  |                                  |        |                                                                                                             |                                                                                    |                                    |             |                           |                                  |                                  |        |
|----------------------------------|-----------------------------------------------------------------------------------|----------------------------------------|----------------------------------|-------------------------------------|----------------------------------|----------------------------------|--------|-------------------------------------------------------------------------------------------------------------|------------------------------------------------------------------------------------|------------------------------------|-------------|---------------------------|----------------------------------|----------------------------------|--------|
| <b>CAPO OUTDOOR STRIP - IP65</b> |                                                                                   |                                        |                                  |                                     |                                  |                                  |        |                                                                                                             |                                                                                    |                                    |             |                           |                                  |                                  |        |
| CAPO LED Strip Outdoor           |  | 8W/220V<br>120 LED per mtr<br>10W/220V | WH,RD,GR,PK<br>WH,WW,NW<br>BL,PK | LSO2835<br>220V<br>LSO2835N<br>220V | 180<br>per mtr<br>160<br>per mtr | 140<br>per mtr<br>150<br>per mtr | 50 mtr | CAPO LED Strip Outdoor                                                                                      |  | 14.4 W<br>220V<br>60 LED per meter | RGB<br>Pink | LSO5050<br>RGB<br>LSO5050 | 560<br>per mtr<br>460<br>per mtr | 490<br>per mtr<br>420<br>per mtr | 50 mtr |
| CAPO LED Strip Outdoor           |  | 10W/MTR                                | WH,WW,NW<br>RD,BL,PK,GR          | LSO2835<br>N2 220V                  | 160<br>per mtr                   | 150<br>per mtr                   | 50 mtr | CAPO LED Strip Outdoor                                                                                      |  | 10W/MTR                            | RGB         | LSO2835 N<br>220V RGB     | 240<br>per mtr                   | 190<br>per mtr                   | 50 mtr |
| CAPO LED Strip Outdoor           |  | 14.4 W<br>220V<br>60 LED per mtr       | WH, WW<br>Blue, Red,<br>Green    | LSO5050                             | 370<br>per mtr                   | 320<br>per mtr                   | 50 mtr | CAPO LED Strip (24V) IP54  |  | 6W<br>24V<br>120 LED per meter     | WH<br>WW    | LSO54                     | 380<br>per mtr                   | 340<br>per mtr                   | 50 mtr |


### NERO - NEON FLEXIBLE STRIP OUTDOOR - IP65

|                             |                                                                                    |                               |                               |                    |                                  |                                  |                  |
|-----------------------------|------------------------------------------------------------------------------------|-------------------------------|-------------------------------|--------------------|----------------------------------|----------------------------------|------------------|
| NERO Neon LED Strip Outdoor |  | 8W<br>220V<br>120 LED per mtr | WH,WW,NW,BL<br>Red,Green,Pink | LSO2835<br>LSO2835 | 390<br>per mtr<br>460<br>per mtr | 360<br>per mtr<br>390<br>per mtr | 50mtr.<br>50mtr. |
|-----------------------------|------------------------------------------------------------------------------------|-------------------------------|-------------------------------|--------------------|----------------------------------|----------------------------------|------------------|

### OUTDOOR STRIP IP65 24V

|                       |                                                                                     |            |                   |            |                 |                 |         |
|-----------------------|-------------------------------------------------------------------------------------|------------|-------------------|------------|-----------------|-----------------|---------|
| LED Strip Outdoor 24V |  | 20W<br>24V | RGBW<br>(W=6000K) | LSO68 RGBW | 1350<br>per mtr | 1160<br>per mtr | 10 mtr. |
|-----------------------|-------------------------------------------------------------------------------------|------------|-------------------|------------|-----------------|-----------------|---------|

### CAPO OUTDOOR RUNNING STRIP - IP65 24V

|                                      |                                                                                     |                                                                                              |        |              |      |      |       |                            |                                                                                      |                                |        |          |                |                |         |
|--------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------------|------|------|-------|----------------------------|--------------------------------------------------------------------------------------|--------------------------------|--------|----------|----------------|----------------|---------|
| CAPO Outdoor Running Strip Set (24V) |  | 8Wx10mtr<br>24V<br>120 LED per mtr<br>Running Strip set (10 mtr. Strip + 1 no. controller)** | WW, BL | LSO68 RN CTL | 9590 | 9590 | 1 Set | CAPO LED Running Strip 24V |  | 8W<br>24V<br>120 LED per meter | WW, BL | LSO68 RN | 830<br>per mtr | 660<br>per mtr | 10 mtr. |
|--------------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------|--------|--------------|------|------|-------|----------------------------|--------------------------------------------------------------------------------------|--------------------------------|--------|----------|----------------|----------------|---------|

## LED STRIP - OUTDOOR - IP68 24V

|                                                  |                                                                                     |                               |       |            |                |                |        |                                                                                                                         |                                                                                      |         |    |             |                |                |    |
|--------------------------------------------------|-------------------------------------------------------------------------------------|-------------------------------|-------|------------|----------------|----------------|--------|-------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|----|-------------|----------------|----------------|----|
| <b>CAPO OUTDOOR STRIP - IP68</b>                 |                                                                                     |                               |       |            |                |                |        | <b>CAPO OUTDOOR SILICONE PROFILE with LED STRIP (IP68)</b>                                                              |                                                                                      |         |    |             |                |                |    |
| CAPO LED Strip Outdoor (24V) IP68                |  | 12W<br>24V<br>120 LED per mtr | WW    | LSO68      | 650<br>per mtr | 580<br>per mtr | 10 mtr | CAPO Outdoor Silicone Profile (24V)  |  | 10W/24V | WW | LSO2835X24V | 950<br>per mtr | 840<br>per mtr | 50 |
| <b>NERO - NEON FLEXIBLE STRIP OUTDOOR - IP68</b> |                                                                                     |                               |       |            |                |                |        | 120 LED per mtr<br>Silicone Profile with LED Strip (Ip68)                                                               |                                                                                      |         |    |             |                |                |    |
| NERO Neon LED Strip Outdoor (24V) IP68           |  | 7W<br>24V<br>120 LED per mtr  | WW,NW | LSO283524V | 680<br>per mtr | 590<br>per mtr | 50 mtr |                                                                                                                         |                                                                                      |         |    |             |                |                |    |

## ACCESSORIES

|                                                               |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
|---------------------------------------------------------------|-------------------------------------------------------------------------------------|------|-----------------------------------------------|--------------------------------------|------------|------------|-----------|----------------------------------|--------------------------------------------------------------------------------------|--------------------------------------------------------------|--------------|----------------------|------------|------|----|---|
| RGB CONTROLLER                                                |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| AMPIO RGB Controller                                          |  |      | 6 Amps                                        | LSRGB06                              | 550        | 480        | 90        | AMPIO RGB Controller             |  |                                                              | 12 Amps      | LSRGB12              | 1380       | 1220 | 50 |   |
|                                                               |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      | 30 Amps                                                      | LSRGB30      | 2960                 | 2290       | 50   |    |   |
| STRIP CONNECTOR – OUTDOOR                                     |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| Neon LED Strip Connector                                      |  | 220V | All colors                                    | LSOC2835                             | 180        | 160        | 1         | LED Strip Outdoor Connector      |  | 220V                                                         | WH, WW, Blue | LSOC5050             | 180        | 160  | 1  |   |
|                                                               |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      | 220V                                                         | RGB          | LSOC5050RGB          | 390        | 390  | 1  |   |
| LED OUTDOOR STRIP (IP68) - ACCESSORIES                        |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| CAPO LED Outdoor Strip Connector                              |  | -    | -                                             | LSOC2835 ECN2 220V                   | 190        | 190        | -         | CAPO LED Outdoor Strip Connector |  | -                                                            | -            | LSOC2835 ECN 220 RGB | 290        | 290  | -  |   |
|                                                               |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| CAPO LED Outdoor Strip Connector                              |  | 220V | LSO2835 220V*<br>All colors<br>LSO2835N 220V* | LSOC2835 220V*<br>LSOC2835 ECN 220V* | 150<br>190 | 150<br>190 | 1<br>1    | LSO68 Connector with End Cap     |  |                                                              | WH           | LSOC68               | 80         | 40   | 1  |   |
| CAPO OUTDOOR RUNNING STRIP (IP65), CONTROLLER & ACCESSORIES** |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| CAPO End Cap                                                  |  |      | End Cap (Big / Small)                         | LSO68RN EC                           | 25         | 25         | 1         | CAPO Running Strip Controller    |  |                                                              |              | LSO68 CTL            | 1550       | 1380 | 1  |   |
|                                                               |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| OUTDOOR STRIP MOUNTING ACCESSORIES                            |                                                                                     |      |                                               |                                      |            |            |           |                                  |                                                                                      |                                                              |              |                      |            |      |    |   |
| Mounting Clamp                                                |  |      |                                               | LSOCL2835<br>LSOCLP5050              | 15<br>10   | 15<br>10   | per piece | CAPO Connecting Wire             |  | Connecting Wire (Male/Female)<br>+Big End Cap+ Small End Cap |              |                      | LSO68RN WR | 90   | 80 | 1 |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.


\*LSOC2835 220V to be used with Orange Packing Strip. LSOC2835ECN220V to be used with Black packing Strip.

\*\* To be used with 24V Power Supply.

| CAPO RUNNING STRIP AMPLIFIER             |                                                                                     |         |                              |                    |       |        |           | STRADA SLEEK NEO LED STREET LIGHTS                                                  |                                                                                      |         |                         |                            |                      |                      |           |    |
|--------------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|------------------------------|--------------------|-------|--------|-----------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|---------|-------------------------|----------------------------|----------------------|----------------------|-----------|----|
| Product Name                                                                                                             | Photo                                                                               | Wattage | Color                        | Product Code       | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                                                                                                                                          | Photo                                                                                | Wattage | Color                   | Product Code               | MRP ₹                | *DLP ₹               | Std. Pkg. |    |
| CAPO Running Strip Amplifier                                                                                             |    | 24V     | 4 OUTPUT (Rating)            | LSO68RNAMP         | 1950  | 1780   | 1         | <br><br>STRADA SLEEK NEO Street Light<br><br>(Integrated PC, lens optics, ADC Body) |                                                                                      | 50 W    | WH, WW                  | LSTE050S                   | 2150                 | 1730                 | 10        |    |
| AMPIO RGB STRIP AMPLIFIER               |                                                                                     |         |                              |                    |       |        |           |                                                                                                                                                                       |                                                                                      | 60 W    | WH, WW                  | LSTE060S                   | 2370                 | 1930                 | 10        |    |
| AMPIO RGB Strip Amplifier                                                                                                |    | 12V/24V | 10A x 3CH (Max 30A) (Rating) | LSRGB30AMP         | 1980  | 1850   | 1         |                                                                                                                                                                       |                                                                                      | 90 W    | WH, WW                  | LSTE090S                   | 3550                 | 3170                 | 10        |    |
| NEW STRADA P1 SENSOR LED STREET LIGHTS  |                                                                                     |         |                              |                    |       |        |           |                                                                                                                                                                       |                                                                                      | 100 W   | WH, WW                  | LSTE100S                   | 3740                 | 3280                 | 10        |    |
| STRADA P1 Street Light                                                                                                   |    | 30 W    | Light Sensor                 | LST030LN P1 SENSOR | 3970  | 3450   | 1         |                                                                                                                                                                       |                                                                                      | 120 W   | WH, WW                  | LSTE120S                   | 3950                 | 3580                 | 10        |    |
| STRADA P1 Street Light                                                                                                   |    | 45 W    | Light Sensor                 | LST045LN P1 SENSOR | 4250  | 3690   | 1         |                                                                                                                                                                       | 150 W                                                                                | WH, WW  | LSTE150S                | 5890                       | 4980                 | 10                   |           |    |
| STRADA P1 Street Light                                                                                                   |   | 60 W    | Light Sensor                 | LST060LN P1 SENSOR | 4890  | 4350   | 1         | ALCOR SG LED FLOOD LIGHTS                                                          |                                                                                      |         |                         |                            |                      |                      |           |    |
| STRADA LNS LED STREET LIGHTS          |                                                                                     |         |                              |                    |       |        |           | ALCOR SG Flood Light                                                                                                                                                  |   | 10 W    | WH, WW                  | LFLSL10NSG                 | 1380                 | 1090                 | 20        |    |
| Toughened Glass, Secondary lens optics, ADC Body                                                                         |  | 60 W    | WH                           | LST060 LN S        | 3700  | 3250   | -         | ALCOR SG Flood Light                                                                                                                                                  |  | 20 W    | WH, WW<br>GR, BL<br>RGB | LFLSL20NSG<br>LFLSLR20N SG | 1980<br>1980<br>2420 | 1740<br>1850<br>2200 | 20        |    |
|                                                                                                                          |                                                                                     | 90 W    | WH                           | LST090 LN S        | 5760  | 4980   | -         | ALCOR SG Flood Light                                                                                                                                                  |  | 30 W    | WH, WW<br>GR<br>RGB     | LFLSL30NSG<br>LFLSLR30N SG | 2790<br>2790<br>2680 | 2240<br>2240<br>2680 | 10        |    |
|                                                                                                                          |                                                                                     | 120 W   | WH                           | LST120 LN S        | 6350  | 5490   | -         | ALCOR SG Flood Light                                                                                                                                                  |  | 50 W    | WH, WW<br>GR, BL<br>RGB | LFLSL50NSG<br>LFLSLR50N SG | 3450<br>3140<br>3440 | 2880<br>2840<br>3440 | 10        |    |
| STRADA SLEEK LED STREET LIGHTS        |                                                                                     |         |                              |                    |       |        |           | ALCOR SG Flood Light                                                                                                                                                  |  |         | 80 W                    | WH                         | LFLSL80NSG           | 5750                 | 4950      | 10 |
| Integrated PC lens optics, ADC Body                                                                                      |  | 80 W    | WH                           | LSTE080            | 3450  | 3180   | 10        |                                                                                                                                                                       |                                                                                      |         | 100 W                   | WH, WW                     | LFLSL100NSG          | 7890                 | 6750      | 5  |
|                                                                                                                          |                                                                                     | 200 W   | WH, WW                       | LSTE200            | 8900  | 7950   | 8         |                                                                                                                                                                       |                                                                                      |         | 150 W                   | WH, WW                     | LFLSL150NSG          | 10750                | 8940      | 5  |
| STRADA SLEEK NEO LED STREET LIGHTS    |                                                                                     |         |                              |                    |       |        |           | ALCOR SG Flood Light                                                                                                                                                  |  |         | 200 W                   | WH, WW                     | LFLSL200NSG          | 14490                | 12950     | 5  |
| STRADA SLEEK NEO Street Light                                                                                            |  | 20 W    | WH, WW                       | LSTE020S           | 1350  | 1150   | 10        |                                                                                                                                                                       |                                                                                      |         | 250 W                   | WH                         | LFLSL250NSG          | 17800                | 15830     | 1  |
|                                                                                                                          |                                                                                     | 30 W    | WH, WW                       | LSTE030S           | 1580  | 1340   | 10        |                                                                                                                                                                       |                                                                                      |         | 300 W                   | WH                         | LFLSL300NSG          | 22500                | 19740     | 1  |
|                                                                                                                          |                                                                                     | 36 W    | WH, WW                       | LSTE036S           | 1790  | 1470   | 10        |                                                                                                                                                                       |                                                                                      |         | 400 W                   | WH                         | LFLSL400NSG          | 27800                | 24300     | 1  |
|                                                                                                                          |                                                                                     |         |                              |                    |       |        |           |                                                                                                                                                                       |                                                                                      |         | 500 W                   | WH                         | LFLSL500NSG          | 32800                | 28740     | 1  |

| ALCOR LN LED FLOOD LIGHTS – LENS  |                                                                                   |         |          |              |              |              |           |
|-------------------------------------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------|---------|----------|--------------|--------------|--------------|-----------|
| Product Name                                                                                                      | Photo                                                                             | Wattage | Color    | Product Code | MRP ₹        | *DLP ₹       | Std. Pkg. |
| ALCOR LN Flood Light                                                                                              |  | 30 W    | WW       | LFL30LN      | 2780         | 2430         | --        |
| ALCOR LN Flood Light                                                                                              |  | 50 W    | WH       | LFL50LN      | 3350         | 2820         | --        |
| ALCOR LN Flood Light                                                                                              |  | 100 W   | WH<br>BL | LFL100LN     | 5450<br>5600 | 4850<br>5090 | -<br>-    |
| ALCOR LN Flood Light                                                                                              |  | 150 W   | WH, WW   | LFL150LN     | 7550         | 6850         | -         |

| ALCOR SLEEK LED FLOOD LIGHT  |                                                                                     |       |        |             |       |       |    |
|---------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|-------|--------|-------------|-------|-------|----|
| ALCOR SLEEK Flood Light                                                                                       |    | 10 W  | WH     | LFLSL10 BK  | 990   | 970   | 20 |
| ALCOR SLEEK Flood Light                                                                                       |   | 120 W | WH, WW | LFLSL120 BK | 7960  | 7900  | 1  |
| ALCOR SLEEK Flood Light                                                                                       |  | 300 W | WH     | LFLSL300 BK | 18800 | 18500 | 1  |

| ALCOR LFL LED FLOOD LIGHTS                                                                                       |                                                                                     |      |              |                 |              |              |    |
|------------------------------------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|------|--------------|-----------------|--------------|--------------|----|
| ALCOR LFL Flood Light                                                                                            |  | 10 W | BL           | LFL10           | 1480         | 1390         | -- |
| ALCOR LFL Flood Light                                                                                            |  | 20 W | BL, GR       | LFL20           | 2750         | 2620         | 16 |
| ALCOR LFL Flood Light                                                                                            |  | 30 W | WH<br>BL, GR | LFL30           | 2590<br>2980 | 2410<br>2890 | 16 |
| ALCOR LFL Flood Light                                                                                            |  | 50 W | WH, BL, GR   | LFL50<br>LFLR50 | 3480<br>4650 | 3370<br>4310 | 10 |
| ALCOR LFL Flood Light SENSOR  |  | 50 W | WH           | LFL50SEN***     | 4850         | 4710         | 10 |
| ALCOR Flood Light COB 9°                                                                                         |  | 20 W | WH           | LFLCOB20        | 2435         | 2390         | 10 |
|                                                                                                                  |                                                                                     | 50 W | WH, WW       | LFLCOB50        | 5350         | 5290         | 10 |

| ALCOR LNS SLEEK (LENS TYPE) LED FLOOD LIGHTS |                                                                                     |      |        |          |      |      |    |
|----------------------------------------------|-------------------------------------------------------------------------------------|------|--------|----------|------|------|----|
| ALCOR LNS SLEEK Flood Light                  |  | 30 W | WH, WW | LFL30LNS | 1790 | 1580 | 10 |
| ALCOR LNS SLEEK Flood Light                  |  | 50 W | WH, WW | LFL50LNS | 2190 | 1940 | 10 |

| ALCOR LNS SLEEK (LENS TYPE) LED FLOOD LIGHTS |                                                                                    |       |        |           |       |       |    |
|----------------------------------------------|------------------------------------------------------------------------------------|-------|--------|-----------|-------|-------|----|
| ALCOR LNS SLEEK Flood Light                  |  | 100 W | WH, WW | LFL100LNS | 3930  | 3440  | 10 |
| ALCOR LNS SLEEK Flood Light                  |  | 150 W | WH, WW | LFL150LNS | 5960  | 5190  | 10 |
| ALCOR LNS SLEEK Flood Light                  |  | 200 W | WH, WW | LFL200LNS | 6980  | 5990  | 10 |
|                                              |                                                                                    | 300 W | WH     | LFL300LNS | 11970 | 10750 | 10 |
|                                              |                                                                                    | 400 W | WH     | LFL400LNS | 16600 | 14570 | 10 |

| ENDEAVOUR LED FLOOD LIGHTS  |                                                                                      |       |    |          |       |       |   |
|----------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------|----|----------|-------|-------|---|
| ENDEAVOUR Flood Light High Lumen                                                                               |   | 150 W | WH | LFLHL150 | 19890 | 19890 | 1 |
|                                                                                                                |                                                                                      | 200 W | WH | LFLHL200 | 23990 | 23990 | 1 |
| ENDEAVOUR Flood Light High Lumen                                                                               |  | 300 W | WH | LFLHL300 | 36980 | 36980 | 1 |
|                                                                                                                |                                                                                      | 350 W | WH | LFLHL350 | 42990 | 42990 | 1 |



| NELLA IP65 LED TUNNEL LIGHTS  |                                                                                      |      |    |         |      |      |    |
|--------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------|----|---------|------|------|----|
| NELLA Tunnel Light High Lumen                                                                                      |  | 30 W | WH | LFLHL30 | 5970 | 5970 | 10 |
| NELLA Tunnel Light High Lumen                                                                                      |  | 50 W | WH | LFLHL50 | 6860 | 6860 | 10 |

| FARO WELL GLASS LED LIGHTS  |                                                                                      |      |    |       |      |      |    |
|------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------|----|-------|------|------|----|
| FARO Well Glass Lights (2 Year Warranty)                                                                         |  | 40 W | WH | LW040 | 2750 | 2360 | 12 |
| FARO Well Glass Lights (2 Year Warranty)                                                                         |  | 70 W | WH | LW070 | 3990 | 3480 | 8  |


\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

\*\*\*In-built Ambient light sensor.




| CENNO CANOPY LED LIGHTS                                                 |                                                                                     |         |           |              |            |           |           | AVIOR HIGH BAY LED LIGHTS - OUTDOOR                             |                                                                                      |                    |                |              |                          |           |           |   |  |
|-------------------------------------------------------------------------|-------------------------------------------------------------------------------------|---------|-----------|--------------|------------|-----------|-----------|-----------------------------------------------------------------|--------------------------------------------------------------------------------------|--------------------|----------------|--------------|--------------------------|-----------|-----------|---|--|
| Product Name                                                            | Photo                                                                               | Wattage | Color     | Product Code | MRP ₹      | *DLP ₹    | Std. Pkg. | Product Name                                                    | Photo                                                                                | Wattage            | Color          | Product Code | MRP ₹                    | *DLP ₹    | Std. Pkg. |   |  |
| CENNO Canopy Lights                                                     |    | 80 W    | WH        | LPBO80       | 11800      | 11800     | 1         | AVIOR High Bay Outdoor                                          |    | 50 W               | WH WW          | LOHY050 LN   | Lens Type                | 4950      | 4550      | 1 |  |
| CENNO Canopy Lights                                                     |    | 80 W    | WH        | LPBO80N      | 9450       | 7680      | 1         |                                                                 |                                                                                      | 100 W              | WH WW NW       | LOHY100 LN   | Lens Type Reflector Type | 6680 7380 | 5980 6750 | 1 |  |
|                                                                         |                                                                                     |         |           |              |            |           |           |                                                                 |                                                                                      | 120 W              | WH             | LOHY120 LN   | Lens Type                | 6950      | 5940      | 1 |  |
|                                                                         |                                                                                     |         |           |              |            |           |           |                                                                 |                                                                                      | 150 W              | WH             | LOHY150 LN   | Lens Type Reflector Type | 9200 9990 | 8150 9300 | 1 |  |
|                                                                         |                                                                                     |         |           |              |            |           |           |                                                                 |                                                                                      | 200 W              | WH             | LOHY200 LN   | Lens Type                | 10980     | 10200     | 1 |  |
| ARCO WALL WASHER LED LIGHTS (IP-65)                                     |                                                                                     |         |           |              |            |           |           | AVIOR OUTDOOR LED HIGHBAY LIGHT (WATTAGE SELECTABLE / DIMMABLE) |                                                                                      |                    |                |              |                          |           |           |   |  |
| ARCO Narrow Beam Light 10°                                              |    | 10 W    | WH        | LODWW10R     | 3760       | 3560      | 20        | AVIOR High Bay Outdoor (3-IN-1 Wattage Selectable)              |    | 100W / 150W / 200W | WH             | LOHY200 N3   | Reflector Type           | 10800     | 9980      | 1 |  |
|                                                                         |                                                                                     | 10 W    | BL, GR    | LODWW10      | 3760       | 3760      | 20        |                                                                 |                                                                                      |                    |                |              |                          | 12960     | 11480     | 1 |  |
|                                                                         |                                                                                     | 18 W    | BL        | LODWW18R     | 4650       | 4650      | 20        |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
| ARCO Narrow Beam Light 10°                                              |    | 12 W    | WW        | LODWW12R     | 2850       | 2450      | 20        |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
| ARCO Narrow Beam Light 10°                                              |    | 18 W    | BL, GYD   | LODWW18SQ    | 12860      | 10700     | 20        |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
| ARCO Linear Wall Washer (0.5 mtr) 30°                                   |   | 12 W    | BL        | LODWW12      | 4250       | 4250      | 20        |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
| ARCO Linear Wall Washer (1 mtr) 30°                                     |                                                                                     | 36 W    | WH BL, GR | LODWW36      | 9980 10500 | 8950 9350 | 10 10     |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
| 24V LED 1 Meter Linkable Linear Wall Washer (IP65) Beam Angle 20° x 45° |  | 36 W    | WW        | LLWW36-24V   | 4980       | 4590      | -         |                                                                 |                                                                                      |                    |                |              |                          |           |           |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | Optional : Microwave sensor for dimming                         |                                                                                      |                    |                |              |                          |           |           |   |  |
| AVIOR LOW BAY & HIGH BAY LED LIGHTS - INDOOR                            |                                                                                     |         |           |              |            |           |           | SOLTERO LED SOLAR LIGHTS                                        |                                                                                      |                    |                |              |                          |           |           |   |  |
| AVIOR High Bay Industrial Indoor                                        |  | 150 W   | WH        | LHBY150      | 12900      | 11780     | 1         | SOLTERO Solar Sensor Wall Light                                 |   | 20Lm               | WW             | LWLSOL01     | 1180                     | 930       | 80        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Sensor Premium Wall Light                         |  | 132Lm              | WH             | LWLSOL02     | 1290                     | 1040      | 100       |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Sensor Premium Wall Light                         |  | 240Lm              | WH             | LWLSOL04     | 2650                     | 2090      | 50        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Sensor Mini-Flood Light                           |  | 1600Lm             | WH             | LFLSOL01     | 3870                     | 3180      | 60        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Garden Light                                      |  | 120Lm              | WW             | LGLSOL01     | 2450                     | 1950      | 10        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Garden Light                                      |  | 120Lm              | WW             | LGLSOL02     | 2450                     | 1950      | 10        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Wall Light                                        |  | 3 W                | WW             | LWLSOL03     | 2480                     | 2250      | 20        |   |  |
|                                                                         |                                                                                     |         |           |              |            |           |           | SOLTERO Solar Garden Light                                      |  | 6 W                | WH+WW (2-IN-1) | LGLSOL03     | 5450                     | 4480      | 10        |   |  |

# SOLTERO LED SOLAR LIGHTS

| Product Name               | Photo                                                                               | Wattage                                                                                                                  | Color            | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                                                                                                            | Photo                                                                                              | Wattage | Color                                                                                                                 | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|----------------------------|-------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------|------------------|--------------|-------|--------|-----------|-------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------------------|---------|-----------------------------------------------------------------------------------------------------------------------|--------------|-------|--------|-----------|
| SOLTERO Solar Gate Light   |    | 4 W<br>Dimension : 300mm (L) x 300mm (W) x 235mm (H)                                                                     | WH               | LGLSOL300    | 10800 | 9800   | 6         |                                                                                                                         |                  | 85LM    | 3 IN 1<br>Dimension: 95 x 136 x 80 mm                                                                                 | LWLSOL05     | 1980  | 1750   | 20        |
| SOLTERO Solar Garden Light |    | 4 W<br>Dimension : 285mm (L) x 285mm (W) x 785mm (H)                                                                     | WH, WW           | LBR SOL785   | 11800 | 10500  | 4         | SOLTERO LED SOLAR WALL LIGHT<br><br>(ON/OFF & 3 IN 1 CCT MODE ONLY)                                                     |                  | 23LM    | 3 IN 1<br>Dimension: 84 x 70 x 48 mm                                                                                  | LWLSOL06     | 680   | 600    | 100       |
| SOLTERO Solar Garden Light |    | 5 W<br>Dimension : 195mm (L) x 195mm (W) x 595mm (H)                                                                     | WH & WW (2-IN-1) | LBSOL61      | 14900 | 12500  | 4         |                                                                                                                         |                  | 80LM    | 3 IN 1<br>Dimension: 170 x 103 x 60 mm                                                                                | LWLSOL07     | 1480  | 1280   | 20        |
| SOLTERO Solar Garden Light |   | 5 W<br>Dimension : Ø 235mm x 600mm (H)                                                                                   | WH               | LBR SOL600   | 17500 | 14600  | 4         |                                                                                                                         |                | 90LM    | 3 IN 1<br>Dimension: 150 x 150 x 126 mm                                                                               | LGLSOL04     | 2780  | 2380   | 18        |
| SOLTERO Solar Post Light   |  | 10 W<br>Dimension : 800mm (W) x 2815mm (H)                                                                               | WH, WW           | LPTSOL2600   | 47300 | 39800  | 1         | (MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)                                                     |                | 230LM   | 3 IN 1<br>Dimension: 250 x 250 x 208 mm                                                                               | LGLSOL05     | 5180  | 4580   | 4         |
| SOLTERO Solar Post Light   |  | 30 W<br>Dimension : 494mm (W) x 535mm (H)<br>Pipe Dia.: 65mm<br><br>*Pole cost extra and pole length as per requirement. | WH               | LPTSOL500    | 22940 | 19780  | 1         | SOLTERO LED SOLAR POST LIGHT WITH PIR SENSOR<br><br>(MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE) | <br>PIR SENSOR | 1600LM  | WH<br>Dimension: Ø 430 x 95 mm<br>Pipe Dia.: 65mm<br><br>*Pole cost extra and pole length as per requirement.         | LPTSOL0430   | 7950  | 6960   | 5         |
|                            |                                                                                     |                                                                                                                          |                  |              |       |        |           |                                                                                                                         | <br>PIR SENSOR | 2800LM  | 3 IN 1<br>Dimension: 450 x 450 x 93 mm<br>Pipe Dia.: 50mm<br><br>*Pole cost extra and pole length as per requirement. | LPTSOL376    | 10980 | 9650   | 5         |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

| SOLTERO LED SOLAR LIGHTS                                                                                  |                                                                                                                                      |         |        |               |       |        |           | MIRROR LIGHTS                              |                                                                                      |         |        |                                                                                               |       |        |           |
|-----------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------------------------------------------------------|---------|--------|---------------|-------|--------|-----------|--------------------------------------------|--------------------------------------------------------------------------------------|---------|--------|-----------------------------------------------------------------------------------------------|-------|--------|-----------|
| Product Name                                                                                              | Photo                                                                                                                                | Wattage | Color  | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                               | Photo                                                                                | Wattage | Color  | Product Code                                                                                  | MRP ₹ | *DLP ₹ | Std. Pkg. |
| SOLTERO LED SOLAR STREET LIGHT<br><br>(MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE) |                                                     | 3300LM  | WH     | LSTD SOL250   | 11870 | 10400  | 1         | LITA T10                                   |    | 14 W    | 3 IN 1 | LMR14 3 IN 1                                                                                  | 970   | 780    | -         |
|                                                                                                           | Dimension: 486 x 210 x 70 mm<br>(Fixing bracket included)                                                                            |         |        |               |       |        |           | LITA T11                                   |    | 12W     | 3 IN 1 | LMAD12 3 IN 1 WH<br>Dimension: 335 x 51x 107 mm<br>Body Color: White with Chrome Trim         | 1980  | 1690   | -         |
| SOLTERO LED SOLAR FLOOD LIGHT<br><br>(MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)  |                                                     | 4800LM  | WH     | LSTSOL240     | 9980  | 8950   | 4         | YOTA F1                                    |    | 12W     | 3 IN 1 | LMAD12 3 IN 1 BK<br>Dimension: 335 x 51x 107 mm<br>Body Color: Matt Black with Rose Gold Trim | 1980  | 1690   | -         |
|                                                                                                           | Dimension: 300 x 452 x 62 mm<br>Pipe Dia.: 50mm<br> |         |        |               |       |        |           |                                            |                                                                                      | 12 W    | WH, WW | LMR10                                                                                         | 2960  | 2580   | -         |
| SOLTERO LED SOLAR FLOOD LIGHT<br><br>(MULTIPLE FUNCTION MODES / TIMER / BRIGHTNESS CONTROL USING REMOTE)  |                                                     | 650LM   | WH     | LFLSOL50      | 3480  | 2990   | 10        | YOTA F2                                    |    | 12 W    | WH, WW | LMJL12                                                                                        | 4550  | 3850   | -         |
|                                                                                                           |                                                     | 2700LM  | WH     | LFLSOL200     | 8850  | 7750   | 5         | YOTA F3                                    |    | 6 W     | WW     | LIWL6                                                                                         | 4130  | 3440   | -         |
| SOLTERO LED SOLAR STREET LIGHTS                                                                           |                                                                                                                                      |         |        |               |       |        |           | YETTA I-1                                  |    | 6 W     | WH, WW | LADMR6                                                                                        | 2870  | 2390   | -         |
| SOLTERO Solar Street Light                                                                                |                                                     | 24 W    | WW     | LSTSOL24N     | 7790  | 6280   | 8         | YETTA I-2                                  |   | 12 W    | WH, WW | LADMR12                                                                                       | 3560  | 3080   | -         |
| SOLTERO Solar Street Light                                                                                |                                                    | 18 W    | WH     | LSTSOL18NL    | 5940  | 4750   | 8         | YETTA I-3                                  |  | 6 W     | WW     | LIMR6                                                                                         | 3440  | 2860   | -         |
| SOLTERO Solar Street Light                                                                                |                                                   | 24 W    | WH     | LSTSOL24NL    | 7790  | 6280   | 8         | YETTA I-4 Light                            |  | 12 W    | WW     | LIMR12                                                                                        | 4540  | 3780   | -         |
| SOLTERO Solar Street Light                                                                                |                                                   | 30 W    | WH     | LSTSOL30NL    | 9680  | 7880   | 10        | ZITA ADJUSTABLE ARCHITECTURAL MIRROR LIGHT |  | 6W      | 3 IN 1 | LMZR1<br>Dimension: 335 x 51x 107 mm<br>Body Color: Matt Black with Rose Gold Trim            | 1680  | 1360   | 20        |
| MIRROR LIGHTS                                                                                             |                                                                                                                                      |         |        |               |       |        |           |                                            |                                                                                      | 12W     | 3 IN 1 | LMZR2<br>Dimension: 500 x 51x 107 mm<br>Body Color: Matt Black with Rose Gold Trim            | 2580  | 2150   | 20        |
| Product Name                                                                                              | Photo                                                                                                                                | Wattage | Color  | Product Code  | MRP ₹ | *DLP ₹ |           | INDOOR WALL LIGHTS                         |                                                                                      |         |        |                                                                                               |       |        |           |
| LITA T1                                                                                                   |                                                   | 9 W     | 3 IN 1 | LM3C9 3 IN 1  | 1390  | 1120   |           | NERA SINGLE                                |  | 9 W     | WH, WW | LWL102-1                                                                                      | 2780  | 2450   | -         |
| LITA T2                                                                                                   |                                                                                                                                      | 18 W    | 3 IN 1 | LM3C18 3 IN 1 | 1750  | 1490   |           | NERA DOUBLE                                |  | 18 W    | WH     | LWL102-2                                                                                      | 5580  | 4915   | -         |
| LITA T5                                                                                                   |                                                   | 12 W    | 3 IN 1 | LMR12 3IN1    | 2280  | 1890   |           | ZORA SINGLE                                |  | 12 W    | WW     | LWL103-1                                                                                      | 2680  | 2330   | -         |
| LITA T7                                                                                                   |                                                   | 12 W    | WH, WW | LMCL12        | 4850  | 3980   |           |                                            |                                                                                      |         |        |                                                                                               |       |        |           |
| LITA T8                                                                                                   |                                                   | 18 W    | WH, WW | LMCL18        | 5950  | 4980   |           |                                            |                                                                                      |         |        |                                                                                               |       |        |           |
| LITA T9                                                                                                   |                                                   | 9 W     | 3 in 1 | LMRT9 3 IN 1  | 1490  | 1280   |           |                                            |                                                                                      |         |        |                                                                                               |       |        |           |

# INDOOR WALL LIGHTS

| Product Name | Photo                                                                               | Wattage | Color  | Product Code | MRP ₹ | *DLP ₹ | Product Name | Photo                                                                                | Wattage                       | Color | Product Code                  | MRP ₹ | *DLP ₹ |
|--------------|-------------------------------------------------------------------------------------|---------|--------|--------------|-------|--------|--------------|--------------------------------------------------------------------------------------|-------------------------------|-------|-------------------------------|-------|--------|
| ZORA DOUBLE  |    | 22 W    | WW     | LWL103-2     | 4980  | 4530   | MABEL GWA 1  |    | E-27 Holder<br>(Without lamp) |       | LWL30-1<br>Base: Oakwood      | 1660  | 1460   |
| LEORA R1     |    | 12 W    | WW     | LWL104       | 2070  | 1820   | MABEL GWA 2  |    | E-27 Holder<br>(Without lamp) |       | LWL30-2<br>Base: Oakwood      | 3270  | 2850   |
| LEORA F1     |    | 12 W    | WW     | LWL105       | 2070  | 1820   | MABEL GWL 1  |    | E-27 Holder<br>(Without lamp) |       | LWL31-1<br>Base: Oakwood      | 1660  | 1460   |
| ANORA R3     |    | 30 W    | WW     | LWL106       | 3950  | 3680   | MABEL GWL 2  |    | E-27 Holder<br>(Without lamp) |       | LWL31-2<br>Base: Oakwood      | 3270  | 2850   |
| ANORA F3     |    | 30 W    | WW     | LWL107       | 3490  | 3180   | BELLA GBL 1  |    | E-27 Holder<br>(Without lamp) |       | LWL32-1<br>Base: Rosewood     | 1890  | 1650   |
| ANORA S2     |    | 20 W    | WW     | LWL108       | 3180  | 2860   | BELLA GBW 1  |  | E-27 Holder<br>(Without lamp) |       | LWL36-1<br>Base: Rosewood     | 1740  | 1460   |
| MAIRA GPS1   |   | 7 W     | WH, WW | LWL110-1     | 2090  | 1790   | BELLA GBG 1  |  | E-27 Holder<br>(Without lamp) |       | LWL107-1<br>Base: Sand Silver | 1740  | 1520   |
| MAIRA GPS2   |  | 14 W    | WH     | LWL110-2     | 3990  | 3480   | BELLA GBS 1  |  | E-27 Holder<br>(Without lamp) |       | LWL10-1<br>Base: Coffee Brown | 1680  | 1480   |
| MAIRA GPR1   |  | 7 W     | WH, WW | LWL111-1     | 1410  | 1280   | BELLA GBS 2  |  | E-27 Holder<br>(Without lamp) |       | LWL10-2<br>Base: Coffee Brown | 3190  | 2780   |
| MAIRA GPR2   |  | 14 W    | WH     | LWL111-2     | 2630  | 2390   | MIO GBS 1    |  | E-27 Holder<br>(Without lamp) |       | LWL23-1<br>Base: Coffee Brown | 1680  | 1480   |
| MAIRA GSS2   |  | 14 W    | WH     | LWL112-2     | 2850  | 2590   | MIO GBS 2    |  | E-27 Holder<br>(Without lamp) |       | LWL23-2<br>Base: Coffee Brown | 3190  | 2780   |
| MAIRA G3D S1 |  | 7 W     | WH     | LWL113-1     | 1940  | 1760   |              |                                                                                      |                               |       |                               |       |        |
| MAIRA G3D S2 |  | 14 W    | WH, WW | LWL113-2     | 3830  | 3480   |              |                                                                                      |                               |       |                               |       |        |
| MAIRA G3D R1 |  | 7 W     | WH, WW | LWL114-1     | 1970  | 1790   |              |                                                                                      |                               |       |                               |       |        |
| MAIRA G3D R2 |  | 14 W    | WH, WW | LWL114-2     | 3720  | 3380   |              |                                                                                      |                               |       |                               |       |        |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## INDOOR WALL LIGHTS

| Product Name | Photo | Wattage                       | Color | Product Code                     | MRP ₹ | *DLP ₹ | Product Name                | Photo | Wattage                       | Color | Product Code                     | MRP ₹ | *DLP ₹ |
|--------------|-------|-------------------------------|-------|----------------------------------|-------|--------|-----------------------------|-------|-------------------------------|-------|----------------------------------|-------|--------|
| BONITO WS1   |       | E-27 Holder<br>(Without lamp) |       | LWL266-1<br>Base: Antique Gold   | 2980  | 2590   | BONITO WS17                 |       | E-27 Holder<br>(Without lamp) |       | LWL5225-1<br>Base: Antique Gold  | 1960  | 1770   |
| BONITO WS2   |       | E-27 Holder<br>(Without lamp) |       | LWL268-1<br>Base: Antique Gold   | 2460  | 2150   | BONITO WS18                 |       | E-27 Holder<br>(Without lamp) |       | LWL414-1<br>Base: Antique Gold   | 2390  | 2080   |
| BONITO WS3   |       | E-27 Holder<br>(Without lamp) |       | LWL46-1<br>Base: Gold            | 3170  | 2750   | BONITO WS19                 |       | E-27 Holder<br>(Without lamp) |       | LWL575-1<br>Base: Antique Gold   | 2270  | 2080   |
| BONITO WS4   |       | E-27 Holder<br>(Without lamp) |       | LWL47-1<br>Base: Antique Gold    | 2480  | 2260   | BONITO WS20                 |       | E-27 Holder<br>(Without lamp) |       | LWL567-1<br>Base: Antique Brass  | 2270  | 2080   |
| BONITO WS5   |       | E-27 Holder<br>(Without lamp) |       | LWL48-1<br>Base: Antique Gold    | 2170  | 1980   | BONITO WS26                 |       | E-27 Holder<br>(Without lamp) |       | LWLAG301-1<br>Base: Antique Gold | 1980  | 1770   |
| BONITO WS6   |       | E-27 Holder<br>(Without lamp) |       | LWL32-1 AG<br>Base: Antique Gold | 2280  | 2050   | BONITO WS21<br>(Brass Body) |       | E-27 Holder<br>(Without lamp) |       | LWL6001-1<br>Base: Antique Brass | 4980  | 4750   |
| BONITO WS7   |       | E-27 Holder<br>(Without lamp) |       | LWL57-1<br>Base: Antique Gold    | 2290  | 2080   | BONITO WS22<br>(Brass Body) |       | E-27 Holder<br>(Without lamp) |       | LWL60071<br>Base: Antique Brass  | 8950  | 8580   |
| BONITO WS8   |       | E-27 Holder<br>(Without lamp) |       | LWL66-1<br>Base: Antique Gold    | 2960  | 2750   | BONITO WS23<br>(Brass Body) |       | E-27 Holder<br>(Without lamp) |       | LWL9099-1<br>Base: Antique Brass | 7890  | 7570   |
| BONITO WS9   |       | E-27 Holder<br>(Without lamp) |       | LWL67-1<br>Base: Antique Gold    | 2170  | 1980   | BONITO WS24                 |       | E-27 Holder<br>(Without lamp) |       | LWLAG36-1<br>Base: Antique Gold  | 2680  | 2470   |
| BONITO WS10  |       | E-27 Holder<br>(Without lamp) |       | LWL75-1<br>Base: Antique Gold    | 2380  | 2070   | BONITO WS25                 |       | E-27 Holder<br>(Without lamp) |       | LWLAG84-1<br>Base: Antique Gold  | 1990  | 1780   |
| BONITO WS11  |       | E-27 Holder<br>(Without lamp) |       | LWL115-1<br>Base: Antique Gold   | 1870  | 1690   | MIKA WS1                    |       | E-27 Holder<br>(Without lamp) |       | LWL271-1A<br>Base: Antique Gold  | 1760  | 1580   |
| BONITO WS12  |       | E-27 Holder<br>(Without lamp) |       | LWL135-1<br>Base: Antique Gold   | 2480  | 2270   | MIKA WS2                    |       | E-27 Holder<br>(Without lamp) |       | LWL271-2A<br>Base: Antique Gold  | 2740  | 2580   |
| BONITO WS13  |       | E-27 Holder<br>(Without lamp) |       | LWL58-1<br>Base: Antique Gold    | 1960  | 1780   | MIKA WS3                    |       | E-27 Holder<br>(Without lamp) |       | LWL130-1<br>Base: Antique Gold   | 1980  | 1770   |
| BONITO WS14  |       | E-27 Holder<br>(Without lamp) |       | LWL68-1<br>Base: Antique Gold    | 1760  | 1590   | MIKA WS4                    |       | E-27 Holder<br>(Without lamp) |       | LWL8862<br>Base: Antique Gold    | 2750  | 2460   |
| BONITO WS15  |       | E-27 Holder<br>(Without lamp) |       | LWL1132-1<br>Base: Antique Brass | 1860  | 1670   | MIKA WS5                    |       | E-27 Holder<br>(Without lamp) |       | LWL7476<br>Base: Antique Gold    | 2750  | 2460   |
| BONITO WS16  |       | E-27 Holder<br>(Without lamp) |       | LWL1127-1<br>Base: Antique Brass | 1860  | 1650   | MIKA WS6                    |       | E-27 Holder<br>(Without lamp) |       | LWL9803-1<br>Base: Antique Gold  | 2240  | 1980   |



# INDOOR WALL LIGHTS

| Product Name | Photo | Wattage                       | Color                                                    | Product Code | MRP ₹ | *DLP ₹ | Product Name     | Photo | Wattage                       | Color            | Product Code | MRP ₹ | *DLP ₹ |
|--------------|-------|-------------------------------|----------------------------------------------------------|--------------|-------|--------|------------------|-------|-------------------------------|------------------|--------------|-------|--------|
| BEDSIDE LAMP |       | E-27 Holder<br>(Without lamp) | -                                                        | LBL8502      | 1950  | 1775   | ORIA             |       | E-27 Holder<br>(Without lamp) | Light Wood Color | LWL205-1S    | 1480  | 1290   |
| ORA RW1      |       | B-22 Holder<br>(Without lamp) | Rosewood Finish<br>Dimension: L: 118 x B: 104 x H: 215mm | LWLTRW1      | 1990  | 1780   | ORIA             |       | E-27 Holder<br>(Without lamp) | Light Wood Color | LWL205-2S    | 2960  | 2590   |
| ORA RW2      |       | B-22 Holder<br>(Without lamp) | Rosewood Finish<br>Dimension: L: 173 x B: 120 x H: 235mm | LWLTRW2      | 2250  | 1760   | ORIA             |       | E-27 Holder<br>(Without lamp) | Light Wood Color | LWLW55-1     | 1860  | 1590   |
| ORA RW3      |       | B-22 Holder<br>(Without lamp) | Rosewood Finish<br>Dimension: L: 190 x B: 78 x H: 235mm  | LWLTRW3      | 2460  | 2090   | CHIARA WOOD F4   |       | 5 W                           | WW               | LWL120-1     | 2960  | 2590   |
| ORA TW1      |       | B-22 Holder<br>(Without lamp) | Teakwood Finish<br>Dimension: L: 190 x B: 79 x H: 238mm  | LWLTRW4      | 1990  | 1780   | CHIARA WOOD F7-2 |       | 6 W                           | WW               | LWL122-2     | 5980  | 5650   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL200-1R    | 1390  | 1240   | CHIARA F8        |       | 5 W                           | WW               | LWLGW39-1    | 2490  | 2190   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL200-2R    | 2790  | 2460   | CHIARA WOOD F8   |       | 5 W                           | WW               | LWL025-1     | 2990  | 2640   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL201-1S    | 1780  | 1570   | CHIARA WOOD F8-2 |       | 10 W                          | WW               | LWL025-2     | 5750  | 4980   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL201-2S    | 3380  | 2980   | CHIARA WOOD F9   |       | 5 W                           | WW               | LWL026-1     | 2990  | 2640   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Dark Wood Color                                          | LWL202-1R    | 1480  | 1290   | CHIARA WOOD F10  |       | 5 W                           | WW               | LWL027-1     | 3090  | 2740   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Dark Wood Color                                          | LWL202-2R    | 2960  | 2590   | AURA D1          |       | 10 W                          | WW               | LWL125-2     | 4440  | 3880   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Dark Wood Color                                          | LWL203-1S    | 1780  | 1570   | AURA D2          |       | 2 W                           | WW               | LWL116       | 2490  | 2290   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Dark Wood Color                                          | LWL203-2S    | 3380  | 2980   | AURA D3          |       | 5 W                           | WW               | LWL128       | 5480  | 5270   |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL204-1R    | 1480  | 1290   |                  |       |                               |                  |              |       |        |
| ORIA         |       | E-27 Holder<br>(Without lamp) | Light Wood Color                                         | LWL204-2R    | 2960  | 2590   |                  |       |                               |                  |              |       |        |

\*C: Commercial Luminaires and Fixtures | Suitable for operating 12-16 Hrs./day.







⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.







# INDOOR WALL LIGHTS

| Product Name         | Photo                                                                               | Wattage                       | Color          | Product Code | MRP ₹ | *DLP ₹ | Product Name      | Photo                                                                                | Wattage | Color  | Product Code | MRP ₹ | *DLP ₹ |
|----------------------|-------------------------------------------------------------------------------------|-------------------------------|----------------|--------------|-------|--------|-------------------|--------------------------------------------------------------------------------------|---------|--------|--------------|-------|--------|
| AURA D5              |    | 11 W                          | WW             | LWL119       | 3670  | 3190   | ELECTRA S2        |    | 16 W    | WW     | LWL137/12    | 2450  | 2200   |
| CIANA BD2            |    | 9 W                           | WH, WW         | LBSL9        | 2480  | 2260   | CASSO M1 White    |    | 24 W    | WH, WW | LWL137/12    | 1990  | 1880   |
| CIANA BD3            |    | 6 W                           | WW             | LWL109R      | 3580  | 3240   | CASSO M1 Black    |    | 24W     | WW     | LWL137/12    | 1990  | 1880   |
| CIANA BD4            |                                                                                     |                               |                | LWL109L      | 3580  | 3240   |                   |                                                                                      |         |        |              |       |        |
| CIANA BD5            |    | 12 W                          | WW             | LWL115       | 3370  | 3190   | CASSO M1 Rosewood |    | 24 W    | WW     | LWL137/12    | 2180  | 1940   |
| AURA ANTIQUE Indoor  |    | E-27 Holder<br>(Without lamp) | Antique Finish | LWLA2E27 AG  | 1660  | 1440   | CASSO H1 White    |    | 24W     | WH, WW | LWL137/12    | 2490  | 2290   |
| AURA BLACK Indoor    |    | E-27 Holder<br>(Without lamp) | Black Finish   | LWLA2E27 BK  | 1660  | 1440   | CASSO H1 Black    |    | 24 W    | WH, WW | LWL137/12    | 2490  | 2290   |
| ATLAS ANTIQUE Indoor |   | E-27 Holder<br>(Without lamp) | Antique Finish | LWLA3E27 AG  | 2270  | 1960   | CASSO S1 White    |   | 24 W    | WH, WW | LWL137/12    | 2490  | 2290   |
| ATLAS BLACK Indoor   |  | E-27 Holder<br>(Without lamp) | Black Finish   | LWLA3E27 BK  | 2270  | 1960   | CASSO S1 Black    |  | 24 W    | WH, WW | LWL137/12    | 2490  | 2290   |
| STARLA S1            |  | 8 W                           | WW             | LWL1304      | 1980  | 1590   | CASSO H2 White    |  | 12 W    | WH, WW | LWL137/12    | 1930  | 1840   |
| STARLA S2            |  | 12 W                          | WW             | LWL1316      | 2540  | 1980   | CASSO H2 Black    |  | 16 W    | WH, WW | LWL137/12    | 1930  | 1840   |
| STARLA S3            |  | 9 W                           | WW             | LWL1324      | 1980  | 1590   | CRYSTA W1         |  | 8W      | 3-IN-1 | LWL137/12    | 2180  | 1890   |
| STARLA S4            |  | 8 W                           | WW             | LWL1334SQ    | 2350  | 1880   | CRYSTA W2         |  | 12W     | 3-IN-1 | LWL137/12    | 2280  | 2060   |
| STARLA R1            |  | 20 W                          | WW             | LWL1346      | 2480  | 2260   | CRYSTA W3         |  | 7W      | 3-IN-1 | LWL137/12    | 2250  | 1980   |
| ELECTRA S1           |  | 16 W                          | WW             | LWL135/12    | 2380  | 2190   | CRYSTA W4         |  | 12W     | 3-IN-1 | LWL137/12    | 2230  | 1970   |
| ELECTRA R1           |  | 16 W                          | WW             | LWL136/12    | 2250  | 1920   | CRYSTA W5         |  | 12W     | 3-IN-1 | LWL137/12    | 2270  | 2050   |
|                      |                                                                                     |                               |                |              |       |        | CRYSTA W6         |  | 12W     | 3-IN-1 | LWL137/12    | 3450  | 2960   |

| NEW INDOOR ANTIQUE WALL LIGHTS |       |                              |            |                         |       |        |                                |       |                              |             |                      |                |                |
|--------------------------------|-------|------------------------------|------------|-------------------------|-------|--------|--------------------------------|-------|------------------------------|-------------|----------------------|----------------|----------------|
| Product Name                   | Photo | Wattage                      | Color      | Product Code            | MRP ₹ | *DLP ₹ | Product Name                   | Photo | Wattage                      | Color       | Product Code         | MRP ₹          | *DLP ₹         |
| ANTIQUE WALL LIGHT             |       | E27 Holder<br>(Without lamp) | 1 LIGHT    | LWL302                  | 2640  | 2450   | ANTIQUE WALL LIGHT             |       | E27 Holder<br>(Without lamp) | 1 LIGHT     | LWL305               | 5450           | 4960           |
| ANTIQUE WALL LIGHT             |       | E27 Holder<br>(Without lamp) | 1 LIGHT    | LWL303                  | 9860  | 8850   | STELLINA WALL LIGHT            |       | E14 Holder<br>(Without lamp) | 1 LIGHT     | LWLSL-H50-1          | 4960           | 4450           |
| ANTIQUE WALL LIGHT             |       | E27 Holder<br>(Without lamp) | 1 LIGHT    | LWL304                  | 2980  | 2750   | STELLINA WALL LIGHT            |       | E14 Holder<br>(Without lamp) | 1 LIGHT     | LWLSL-H60-1          | 4360           | 3940           |
| STELLINA CHANDELIER LIGHTS     |       |                              |            |                         |       |        |                                |       |                              |             |                      |                |                |
| STELLINA H10 HANGING LIGHT     |       | E14 Holder<br>(Without lamp) | 6 LIGHTS   | LHLSL-H10 WHITE         | 14660 | 13460  | STELLINA H30 HANGING LIGHT     |       | E14 Holder<br>(Without lamp) | 6 LIGHTS    | LHLSL-H30 SMOKE GREY | 15900          | 14600          |
| STELLINA H20 HANGING LIGHT     |       | E14 Holder<br>(Without lamp) | 8+4 LIGHTS | LHLSL-H20 WHITE         | 27800 | 24700  | STELLINA H40 HANGING LIGHT     |       | E14 Holder<br>(Without lamp) | 10+5 LIGHTS | LHLSL-H40 AMBER      | 54600          | 48500          |
| NEW STELLINA H50 HANGING LIGHT |       | E14 Holder<br>(Without lamp) | 8+4 LIGHTS | LHLSL-H50-8+4 BLUE+GOLD | 78800 | 72700  | NEW STELLINA H60 HANGING LIGHT |       | E14 Holder<br>(Without lamp) | 6 LIGHTS    | LHLSL-H60-6 AMBER    | 28550          | 25500          |
| NEW STELLINA H50 HANGING LIGHT |       | E14 Holder<br>(Without lamp) | 6 LIGHTS   | LHLSL-H50-6 BLUE+GOLD   | 38950 | 34900  | NEW STELLINA H70 HANGING LIGHT |       | E14 Holder<br>(Without lamp) | 1 LIGHT     | LHLSL-H70 AMBER      | 11750          | 10800          |
| INDOOR HANGING LIGHTS          |       |                              |            |                         |       |        |                                |       |                              |             |                      |                |                |
| CLO R1                         |       | 30 W                         | WW         | LHL301                  | 12400 | 10900  | AKIRO P1                       |       | 20 W                         | WW          | LHL305               | 3250           | 2970           |
| CLO R2                         |       | 70 W                         | WW         | LHL302                  | 27500 | 26200  | AKIRO P2                       |       | 60 W                         | WW          | LHL305-3             | 10800          | 9790           |
| CLO S1                         |       | 40 W                         | WW         | LHL303                  | 13500 | 11450  | LED HANGING LIGHT              |       | 54W                          | NW          | LHL309 BK/<br>LHL309 | 15200<br>15200 | 13500<br>13500 |
| CLO S2                         |       | 95 W                         | WW         | LHL304                  | 29500 | 27750  | LED HANGING LIGHT              |       | 56W                          | NW          | LHL310 BK/<br>LHL310 | 13600<br>13600 | 12500<br>12500 |
|                                |       |                              |            |                         |       |        |                                |       | Dimension: Ø 600 x 50mm (H)  |             |                      |                |                |
|                                |       |                              |            |                         |       |        |                                |       | Dimension: Ø 600 x 50mm (H)  |             |                      |                |                |

# INDOOR HANGING LIGHTS

| Product Name  | Photo                                                                               | Wattage                                  | Color  | Product Code                | MRP ₹ | *DLP ₹ | Product Name         | Photo                                                                                | Wattage                       | Color      | Product Code | MRP ₹ | *DLP ₹ |
|---------------|-------------------------------------------------------------------------------------|------------------------------------------|--------|-----------------------------|-------|--------|----------------------|--------------------------------------------------------------------------------------|-------------------------------|------------|--------------|-------|--------|
| CRYSTA H1     |    | 12W                                      | 3-IN-1 | LHLCR-7                     | 3450  | 2960   | HANGING LIGHT        |    | 3W                            | 3 IN 1     | LHL107       | 8400  | 7950   |
| HANGING LIGHT |    | 10W                                      | WW,NW  | LHL306<br>LHL306 BK         | 3650  | 3150   | HANGING LIGHT        |    | 95W                           | 3 IN 1     | LHL108       | 31800 | 29400  |
|               |                                                                                     | Dimension: Ø 170 x 120mm (H)             |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |    | 10W                                      | WW     | LHL307                      | 3850  | 3680   | HANGING LIGHT        |    | 40W                           | 3 IN 1     | LHL109       | 18700 | 16900  |
|               |                                                                                     | Dimension: Ø 290 x 290mm (H)             |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |    | 5W                                       | WW,NW  | LHL308<br>LHL308 BK         | 2750  | 2580   | HANGING LIGHT        |    | 24W                           | 3 IN 1     | LHL110       | 18800 | 17400  |
|               |                                                                                     | Dimension: Ø 55 x 280mm (H)              |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |    | 40W                                      | 3 IN 1 | LHL101                      | 19800 | 17900  | HANGING LIGHT        |    | 40W                           | 3 IN 1     | LHL111       | 18600 | 16400  |
|               |                                                                                     | Dimension: 520 x 310 x 490mm (H)         |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |   | 40W                                      | 3 IN 1 | LHL102                      | 17700 | 16250  | NEW<br>HANGING LIGHT |   | E-27 Holder<br>(Without lamp) | -          | LHL231-1     | 2970  | 2650   |
| HANGING LIGHT |  | 95W                                      | 3 IN 1 | LHL103                      | 28800 | 27300  | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | -          | LHL231-3     | 8840  | 7950   |
| HANGING LIGHT |  | 70W                                      | 3 IN 1 | LHL104                      | 24800 | 21800  | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | Grey Glass | LHL232-1     | 3870  | 3390   |
| HANGING LIGHT |  | 24W                                      | 3 IN 1 | LHL105                      | 16800 | 15300  | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | Grey Glass | LHL233-1     | 3970  | 3580   |
| HANGING LIGHT |  | 6W                                       | 3 IN 1 | LHL106 - 1<br>(1 - LIGHT)   | 6400  | 4950   | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | -          | LHL234-1     | 4950  | 4380   |
|               |                                                                                     | Dimension: 210 x 40 x 230mm (H)          |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |  | 18W                                      | 3 IN 1 | LHL106 - 3<br>(3 - LIGHT)   | 14700 | 13950  | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | -          | LHL235-1     | 3290  | 2950   |
|               |                                                                                     | Dimension: 210 x 40 x 230mm (H) x 3 PCS  |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |
| HANGING LIGHT |  | 70W                                      | 3 IN 1 | LHL106 - 12<br>(12 - LIGHT) | 64000 | 59800  | NEW<br>HANGING LIGHT |  | E-27 Holder<br>(Without lamp) | Grey Glass | LHL236-1     | 5980  | 5290   |
|               |                                                                                     | Dimension: 210 x 40 x 230mm (H) x 12 PCS |        |                             |       |        |                      |                                                                                      |                               |            |              |       |        |

| INDOOR HANGING LIGHTS         |                                                                                     |                                                    |             |              |       |        | INDOOR HANGING LIGHT FIXTURES |                                                                                      |                                                    |       |              |       |      |
|-------------------------------|-------------------------------------------------------------------------------------|----------------------------------------------------|-------------|--------------|-------|--------|-------------------------------|--------------------------------------------------------------------------------------|----------------------------------------------------|-------|--------------|-------|------|
| Product Name                  | Photo                                                                               | Wattage                                            | Color       | Product Code | MRP ₹ | *DLP ₹ | Product Name                  | Photo                                                                                | Wattage                                            | Color | Product Code | MRP ₹ | *DLP |
| <b>NEW</b><br>HANGING LIGHT   |    | E-27 Holder<br>(Without lamp)                      | Amber Glass | LHL237-1     | 3960  | 3580   | NIKO RED                      |    | E-27 Holder<br>(Without lamp)<br>160mm D x 270mm H |       | LHL208E27    | 1490  | 1350 |
| <b>NEW</b><br>HANGING LIGHT   |    | E-27 Holder<br>(Without lamp)                      | Amber Glass | LHL238-1     | 5480  | 4970   | NIKO GREEN                    |    | E-27 Holder<br>(Without lamp)<br>160mm D x 270mm H |       | LHL209E27    | 1490  | 1350 |
| <b>NEW</b><br>HANGING LIGHT   |    | E-27 Holder<br>(Without lamp)                      | Wood        | LHL239-1     | 3980  | 3620   | NIKO PINK                     |    | E-27 Holder<br>(Without lamp)<br>160mm D x 270mm H |       | LHL210E27    | 1490  | 1350 |
| ENARA HANGING LIGHT           |    | 5W<br>Dimension: Ø 75 x (H) 520 mm                 | WW          | LHL122       | 3450  | 3240   | NIKO BLACK P1                 |    | E-27 Holder<br>(Without lamp)<br>160mm D x 280mm H |       | LHL211-1E27  | 1560  | 1390 |
| ENARA HANGING LIGHT           |    | 5W<br>Dimension: Ø 65 x (H) 520 mm                 | WW          | LHL123       | 5400  | 4880   | NIKO BLACK P3                 |    | E-27 Holder<br>(Without lamp)<br>160mm D x 280mm H |       | LHL211-3E27  | 4480  | 3850 |
| ENARA HANGING LIGHT           |   | 5W<br>Dimension: Ø 60 x (H) 285 mm                 | WW          | LHL125       | 4250  | 3980   | LINDO BLACK                   |   | E-27 Holder<br>(Without lamp)<br>205mm D x 310mm H |       | LHL212E BK   | 2160  | 1850 |
| INDOOR HANGING LIGHT FIXTURES |                                                                                     |                                                    |             |              |       |        | LINDO GOLD                    |  | E-27 Holder<br>(Without lamp)<br>205mm D x 310mm H |       | LHL212E GD   | 2160  | 1850 |
| ROCCO P1                      |  | E-27 Holder<br>(Without lamp)<br>420mm D x 300mm H |             | LHL201E27    | 2880  | 2560   | OTTO BLACK                    |  | E-27 Holder<br>(Without lamp)<br>245mm D x 270mm H |       | LHL213E BK   | 2870  | 2460 |
| ROCCO P2                      |  | E-27 Holder<br>(Without lamp)<br>420mm D x 300mm H |             | LHL202E27    | 2880  | 2560   | OTTO GREY                     |  | E-27 Holder<br>(Without lamp)<br>245mm D x 270mm H |       | LHL213E GY   | 2870  | 2460 |
| ALRO P1                       |  | E-27 Holder<br>(Without lamp)<br>310mm D x 260mm H |             | LHL203E27    | 2470  | 2180   | LOBO                          |  | E-27 Holder<br>(Without lamp)<br>240mm D x 330mm H |       | LHL214E BK   | 2480  | 2170 |
| ALRO P2                       |  | E-27 Holder<br>(Without lamp)<br>310mm D x 260mm H |             | LHL204E27    | 2470  | 2180   | BELLO GREEN                   |  | E-27 Holder<br>(Without lamp)<br>320mm D x 360mm H |       | LHL216E GR   | 1980  | 1840 |
| CAIRO P1                      |  | E-27 Holder<br>(Without lamp)<br>305mm D x 270mm H |             | LHL205E27    | 3190  | 2760   | BELLO GREY                    |  | E-27 Holder<br>(Without lamp)<br>320mm D x 360mm H |       | LHL216E GY   | 1980  | 1840 |
| CAIRO P2                      |  | E-27 Holder<br>(Without lamp)<br>305mm D x 270mm H |             | LHL206E27    | 3190  | 2760   | BELLO YELLOW                  |  | E-27 Holder<br>(Without lamp)<br>320mm D x 360mm H |       | LHL216E YL   | 1980  | 1840 |
| CAIRO P3                      |  | E-27 Holder<br>(Without lamp)<br>305mm D x 270mm H |             | LHL207E27    | 3190  | 2760   | LITO                          |  | E-27 Holder<br>(Without lamp)<br>400mm D x 265mm H |       | LHL217E BK   | 2960  | 2670 |



\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

# INDOOR HANGING LIGHT FIXTURES











| Product Name | Photo                                                                               | Wattage/Holder                                     | Product Code | MRP ₹ | *DLP ₹ | Product Name   | Photo                                                                               | Wattage/Holder                                                                                    | Product Code | MRP ₹ | *DLP ₹ |
|--------------|-------------------------------------------------------------------------------------|----------------------------------------------------|--------------|-------|--------|----------------|-------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------------|--------------|-------|--------|
| BRUNO WH     |    | E-27 Holder<br>(Without lamp)<br>300mm D x 280mm H | LHL218E WH   | 3470  | 2990   | BONITA ANTIQUE |    | E-27 Holder<br>(Without lamp)<br>BLACK FINISH<br>165mm D x 800mm H<br>(Height incl. chain length) | LHLA2E27 AG  | 1690  | 1490   |
| BRUNO GY     |                                                                                     |                                                    | LHL218E GY   | 3470  | 2990   |                |                                                                                     |                                                                                                   |              |       |        |
| BRUNO BK     |                                                                                     |                                                    | LHL218E BK   | 3470  | 2990   |                |                                                                                     |                                                                                                   |              |       |        |
| PREGO        |    | E-27 Holder<br>(Without lamp)<br>305mm D x 215mm H | LHL219E WD   | 2960  | 2670   | BONITA BLACK   |    | E-27 Holder<br>(Without lamp)<br>BLACK FINISH<br>165mm D x 800mm H<br>(Height incl. chain length) | LHLA2E27 BK  | 1690  | 1490   |
| NEMO         |    | E-27 Holder<br>(Without lamp)<br>205mm D x 250mm H | LHL220E GD   | 2150  | 1880   | EROS BLACK     |    | E-27 Holder<br>(Without lamp)<br>BLACK FINISH<br>200mm D x 850mm H<br>(Height incl. chain length) | LHLA7ME27 BK | 2670  | 2450   |
| PRIGO P1     |    | E-27 Holder<br>(Without lamp)<br>130mm D x 320mm H | LHL221E      | 1980  | 1780   | HITO P1        |    | E-27 Holder<br>(Without lamp)<br>150mm D x 240mm H                                                | --           | 1390  | 1250   |
| LORO GR      |    | E-27 Holder<br>(Without lamp)<br>180mm D x 210mm H | LHL222E GR   | 1790  | 1590   | HITO P2        |    | E-27 Holder<br>(Without lamp)<br>130mm D x 235mm H                                                | --           | 1390  | 1250   |
| LORO YL      |    | E-27 Holder<br>(Without lamp)<br>180mm D x 210mm H | LHL222E YL   | 1790  | 1590   | TARIO P1       |    | E-27 Holder<br>(Without lamp)<br>46mm D x 69mm H                                                  | LBE27HL GDB  | 590   | 520    |
| LORO BL      |   | E-27 Holder<br>(Without lamp)<br>180mm D x 210mm H | LHL222E BL   | 1790  | 1590   | TARIO P2       |   | E-27 Holder<br>(Without lamp)<br>46mm D x 69mm H                                                  | LBE27HL AB   | 590   | 520    |
| LORO GY      |  | E-27 Holder<br>(Without lamp)<br>180mm D x 210mm H | LHL222E GY   | 1790  | 1590   | TARIO P3       |  | E-27 Holder<br>(Without lamp)<br>46mm D x 69mm H                                                  | LBE27HL PB   | 590   | 520    |
| LORO WH      |  | E-27 Holder<br>(Without lamp)<br>180mm D x 210mm H | LHL222E WH   | 1790  | 1590   | TARIO P4       |  | E-27 Holder<br>(Without lamp)<br>49mm D x 80mm H                                                  | LBE27HL WD   | 680   | 590    |
| BRILLO       |  | E-27 Holder<br>(Without lamp)<br>130mm D x 320mm H | LHL405E      | 1270  | 1090   | FLO WHITE P1   |  | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H                                                | LHL215E WH   | 1320  | 1180   |
| CLARO        |  | E-27 Holder<br>(Without lamp)<br>190mm D x 220mm H | LHL406E      | 1380  | 1160   | FLO WHITE P3   |  | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H                                                | LHL215E3 WH  | 3960  | 3580   |
| SABIO        |  | E-27 Holder<br>(Without lamp)<br>150mm D x 230mm H | LHL408E      | 1670  | 1490   | FLO BLACK P1   |  | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H                                                | LHL215E BK   | 1320  | 1180   |
| VETRO H1     |  | E-27 Holder<br>(Without lamp)<br>140mm D x 200mm H | LHL1132-1GD  | 1480  | 1340   | FLO BLACK P3   |  | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H                                                | LHL215E3 BK  | 3960  | 3580   |
| VETRO H2     |  | E-27 Holder<br>(Without lamp)<br>140mm D x 200mm H | LHL1132-1GY  | 1480  | 1340   | FLO GREY P1    |  | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H                                                | LHL215E GY   | 1320  | 1180   |

## INDOOR HANGING LIGHT FIXTURES









| Product Name | Photo                                                                               | Holder                                             | Product Code | MRP ₹ | *DLP ₹ | Product Name          | Photo                                                                                | Holder                                             | Product Code        | MRP ₹ | *DLP ₹ |
|--------------|-------------------------------------------------------------------------------------|----------------------------------------------------|--------------|-------|--------|-----------------------|--------------------------------------------------------------------------------------|----------------------------------------------------|---------------------|-------|--------|
| FLO GREY P3  |    | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H | LHL215E3 GY  | 3960  | 3580   | MIYO P3               |    | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --                  | 4780  | 4190   |
| FLO GREEN P1 |    | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H | LHL215E GR   | 1320  | 1180   | MIKO P1               |    | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --                  | 1480  | 1370   |
| FLO GREEN P3 |    | E-27 Holder<br>(Without lamp)<br>100mm D x 370mm H | LHL215E3 GR  | 3960  | 3580   | MIKO P3               |    | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --                  | 4780  | 4190   |
| GINO P1      |    | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | LHL221E CU   | 1880  | 1670   | FARO P3               |    | E-27 Holder<br>(Without lamp)<br>155mm D x 382mm H | LHL404E3            | 4950  | 4290   |
| GINO P3      |    | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | LHL221E3 CU  | 5480  | 4860   | LONDO P3              |    | E-27 Holder<br>(Without lamp)<br>155mm D x 255mm H | LHL407E3            | 3380  | 2960   |
| PAAVO P1     |   | E-27 Holder<br>(Without lamp)<br>125mm D x 240mm H | LHL401E      | 1730  | 1550   | ANZIA AMBER H1        |   | E27 Holder<br>(Without Lamp)                       | LHL507-1 AMBER      | 1730  | 1490   |
| PAAVO P3     |  | E-27 Holder<br>(Without lamp)<br>125mm D x 240mm H | LHL401E3     | 5250  | 4650   | ANZIA AMBER H1-3      |  | E27 Holder<br>(Without Lamp)                       | LHL507-3 AMBER      | 4880  | 4270   |
| LIGERO P1    |  | E-27 Holder<br>(Without lamp)<br>125mm D x 240mm H | LHL402E      | 1730  | 1550   | ANZIA SMOKE GRAY H2   |  | E27 Holder<br>(Without Lamp)                       | LHL507-1 SMOKE GRAY | 1730  | 1490   |
| LIGERO P3    |  | E-27 Holder<br>(Without lamp)<br>125mm D x 240mm H | LHL402E3     | 5250  | 4650   | ANZIA SMOKE GRAY H2-3 |  | E27 Holder<br>(Without Lamp)                       | LHL507-3 SMOKE GRAY | 4880  | 4270   |
| OZO P1       |  | E-27 Holder<br>(Without lamp)<br>200mm D x 190mm H | LHL403E      | 2140  | 1890   | ANZIA AMBER H3        |  | E27 Holder<br>(Without Lamp)                       | LHL506-1 AMBER      | 1880  | 1640   |
| OZO P3       |  | E-27 Holder<br>(Without lamp)<br>200mm D x 190mm H | LHL403E3     | 5980  | 5420   | ANZIA AMBER H3-3      |  | E27 Holder<br>(Without Lamp)                       | LHL506-3 AMBER      | 5210  | 4550   |
| KAYO P1      |  | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --           | 1490  | 1360   | ANZIA SMOKE GRAY H3   |  | E27 Holder<br>(Without Lamp)                       | LHL506-1 SMOKE GRAY | 1880  | 1640   |
| KAYO P3      |  | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --           | 4780  | 4180   | ANZIA SMOKE GRAY H3-3 |  | E27 Holder<br>(Without Lamp)                       | LHL506-3 SMOKE GRAY | 5210  | 4550   |
| MIYO P1      |  | E-27 Holder<br>(Without lamp)<br>130mm D x 280mm H | --           | 1470  | 1370   | ANZIA AMBER H4        |  | E27 Holder<br>(Without Lamp)                       | LHL521-1 AMBER      | 1780  | 1490   |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.






| INDOOR HANGING LIGHT FIXTURES |                                                                                     |                           |        |                |       | OUTDOOR WALL LIGHTS (IP54) |                                                                                    |                                                                                      |            |          |                       |              |              |
|-------------------------------|-------------------------------------------------------------------------------------|---------------------------|--------|----------------|-------|----------------------------|------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|------------|----------|-----------------------|--------------|--------------|
| Product Name                  | Photo                                                                               | Color/Holder              |        | Product Code   | MRP ₹ | *DLP ₹                     | Product Name                                                                       | Photo                                                                                | Wattage    | Color    | Product Code          | MRP ₹        | *DLP ₹       |
| ANZIA AMBER H4-2              |    | E27 Holder (Without Lamp) |        | LHL521-2 AMBER | 3750  | 3280                       | HALO W10                                                                           |    | 1 x 3 W    | WH, WW   | LODSG-9               | 2530         | 2490         |
| ANZIA AMBER SINGLE LIGHT      |    | E27 Holder (Without Lamp) |        | LHL525-1 AMBER | 1570  | 1390                       | HALO W11                                                                           |    | 2 x 3 W    | WH, WW   | LODDG-9               | 2880         | 2760         |
| ANZIA AMBER 5 - LIGHT         |    | E27 Holder (Without Lamp) |        | LHL525-5 AMBER | 8780  | 7850                       | HALO W12                                                                           |    | 1 x 3 W    | WH, WW   | LARCS3                | 2450         | 2230         |
| ANZIA AMBER 4 - LIGHT         |    | E27 Holder (Without Lamp) |        | LHL662-4       | 9950  | 9450                       | HALO W13                                                                           |    | 2 x 3 W    | WH       | LARCD6                | 3500         | 3180         |
| ANZIA AMBER 9 - LIGHT         |    | E27 Holder (Without Lamp) |        | LHL507-9       | 22600 | 20850                      | HALO W14                                                                           |    | 2 x 3 W    | WH, WW   | LWARC4                | 1960         | 1770         |
| ANZIA SMOKE GREY 4 - LIGHT    |   | E27 Holder (Without Lamp) |        | LHL525-4       | 6950  | 6250                       | HALO W15                                                                           |    | 2 x 4 W    | WH, WW   | LWARC6                | 2250         | 1990         |
| OUTDOOR WALL LIGHTS (IP54)    |                                                                                     |                           |        |                |       | HALO W16                   |  | 3 W                                                                                  | WH         | LARCS5   | 2470                  | 2470         |              |
| HALO W1                       |  | 1 x 3 W                   | WH, WW | LODARCS-3D     | 980   | 850                        | HALO W17                                                                           |    | 5 W        | WH       | LWRCR6                | 2290         | 2290         |
| HALO W2                       |  | 2 x 3 W                   | WH, WW | LODARCD-6D     | 1380  | 1230                       | HALO W18                                                                           |    | 5 W        | WW       | LOD544 (White Body)   | 2250         | 1990         |
| HALO W3                       |  | 2 x 3 W                   | WH     | LARCUPD-6D     | 2690  | 2380                       | HALO W20                                                                           |   | 2 x 3 W    | WH       | LDL06                 | 3350         | 2990         |
| HALO W4                       |  | 1 x 3 W                   | WH, WW | LODSQS3D       | 2160  | 1780                       | HALO W35                                                                           |  | 6 W        | WW       | LODL06N               | 1880         | 1580         |
| HALO W5                       |  | 2 x 3 W                   | WH, WW | LODSQUPD10D    | 2990  | 2460                       | HALO W22                                                                           |  | 5 W        | WW       | LOD545                | 1880         | 1690         |
| HALO W7                       |  | 1 x 3 W                   | WW     | LODUPGU10      | 1940  | 1760                       | HALO W23                                                                           |  | 3 W        | WW       | LODL03                | 1180         | 1090         |
| HALO W8                       |  | 2 x 3 W                   | WW     | LODUPDGU10     | 2700  | 2460                       | HALO W24                                                                           |  | 5 W        | WW       | LODWS04               | 1650         | 1490         |
| HALO W9                       |  | 3 W                       | WH, WW | LODOV3D        | 2240  | 2190                       | HALO W25                                                                           |  | 5 W        | WW, RGB  | LODWS05               | 1680         | 1490         |
|                               |                                                                                     |                           |        |                |       |                            | HALO W26                                                                           |  | 2 W        | WW       | LODR02S GY            | 1275         | 1120         |
|                               |                                                                                     |                           |        |                |       |                            | HALO W27                                                                           |  | 4 W<br>4 W | WW<br>WW | LODR04S<br>LODR04S GY | 1890<br>1890 | 1680<br>1680 |
|                               |                                                                                     |                           |        |                |       |                            | HALO W28                                                                           |  | 2 W<br>2 W | WW<br>WW | LODS02S<br>LODS02S GY | 1135<br>1135 | 1030<br>1030 |
|                               |                                                                                     |                           |        |                |       |                            | HALO W29                                                                           |  | 2 W<br>2 W | WW<br>WW | LODL02S<br>LODL02S GY | 1390<br>1390 | 1240<br>1240 |

## OUTDOOR WALL LIGHTS (IP54)



| Product Name           | Photo                                                                               | Wattage                             | Color    | Product Code          | MRP ₹        | *DLP ₹       | Product Name                                                       | Photo                                                                                | Wattage                       | Color      | Product Code | MRP ₹ | *DLP ₹ |
|------------------------|-------------------------------------------------------------------------------------|-------------------------------------|----------|-----------------------|--------------|--------------|--------------------------------------------------------------------|--------------------------------------------------------------------------------------|-------------------------------|------------|--------------|-------|--------|
| HALO W30               |    | 2 W<br>2 W                          | WW<br>WW | LODC02S<br>LODC02S GY | 1460<br>1460 | 1280<br>1280 | ORA OW7                                                            |    | 5 W                           | WH, WW     | LCLA05       | 3450  | 2650   |
| HALO W31               |    | 2 x 3 W                             | WW       | LOD426                | 1090         | 880          | ORA OW8                                                            |    | 5 W                           | WH, WW     | LWLA05R      | 1950  | 1650   |
| HALO W32               |    | 2 x 2 W                             | WW       | LOD424                | 1290         | 1090         | ORA OW9                                                            |    | 5 W                           | WH, WW     | LWLA05S      | 1950  | 1650   |
| HALO W33               |    | 4 x 2 W                             | WW       | LOD548                | 1480         | 1240         | SERA OW2                                                           |    | E-27 Holder<br>(Without lamp) | Sand Black | LODW100E     | 1690  | 1370   |
| HALO W34               |    | 4W                                  | WW       | LODL04N               | 1680         | 1480         | SERA OW3                                                           |    | E-27 Holder<br>(Without lamp) | Sand Black | LODW101E     | 1440  | 1180   |
| HALO W36               |    | 2 W<br>Dimension: 106 x 50 x 75 mm  | WW       | LODL02NB              | 1590         | 1360         | SERA OW4                                                           |    | E-27 Holder<br>(Without lamp) | Sand Black | LODW102E     | 2950  | 2580   |
| HALO W37               |   | 7 W<br>Dimension: 148 x 148 x 35 mm | WW       | LWAR8                 | 2280         | 1890         | SERA OW6                                                           |   | B-22 Holder<br>(Without lamp) | Sand Black | LWLOW6       | 1590  | 1380   |
| <b>NEW</b><br>HALO W38 |  | 4 W<br>Dimension: 50 x 30 x 50 mm   | WW       | LODR04SL1             | 1580         | 1580         | LLONA WL-06                                                        |  | B-22 Holder<br>(Without lamp) | Sand Black | LWLO6        | 950   | 790    |
| <b>NEW</b><br>HALO W39 |  | 1 W<br>Dimension: 35 x 35 x 50 mm   | WW       | LODC01SL1             | 1140         | 1140         | <b>INDOOR &amp; OUTDOOR (IP54) FOOTLIGHTS &amp; PATHWAY LIGHTS</b> |                                                                                      |                               |            |              |       |        |
| <b>NEW</b><br>HALO W40 |  | 2 W<br>Dimension: 35 x 35 x 50 mm   | WW       | LODC02SL1             | 1190         | 1190         |                                                                    |                                                                                      |                               |            |              |       |        |
| ORA OW1                |  | 5 W                                 | WH, WW   | LODSR515              | 1250         | 990          | FOTIS F1 Indoor Footlight                                          |  | 1 W                           | WH, WW     | LINS1        | 1150  | 960    |
| ORA OW2                |  | 9 W                                 | WW       | LOD919                | 1980         | 1630         | FOTIS F2 Outdoor Footlight                                         |  | 3 W                           | WH, WW     | LODFTW3      | 960   | 780    |
| ORA OW3                |  | 3 W                                 | WH, WW   | LODWS103              | 2750         | 2290         | FOTIS F3 Outdoor Footlight                                         |  | 3 W                           | WH, WW     | LODFTG3      | 960   | 780    |
| ORA OW4                |  | 2 x 3 W                             | WH       | LODWS203              | 4650         | 3950         | FOTIS F4 Outdoor Footlight                                         |  | 3 W                           | WH, WW     | LODFTV3      | 2950  | 2550   |
| ORA OW5                |  | 6 W                                 | WH, WW   | LODWS105              | 3960         | 3380         | FOTIS F5 Outdoor Footlight                                         |  | 6 W<br>Body Color: White      | WH, WW     | LODBLFE27    | 3570  | 2950   |
| ORA OW6                |  | 2 x 6 W                             | WH, WW   | LODWS205              | 5280         | 4590         |                                                                    |                                                                                      | 6 W<br>Body Color: Dark Grey  | WW         | LODBLFE27    | 3570  | 2950   |
|                        |                                                                                     |                                     |          |                       |              |              | FOTIS F6 Outdoor Footlight                                         |  | 5 W                           | WW         | LOUS5        | 3250  | 2830   |

\*C: Commercial Luminaires and Fixtures | Suitable for operating 12-16 Hrs./day.

⚠ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

| INDOOR & OUTDOOR (IP54) FOOTLIGHTS & PATHWAY LIGHTS |                                                                                     |                          |            |              |       |        | BULKHEAD LIGHTS OUTDOOR (IP54) |                                                                                      |                          |            |               |       |        |
|-----------------------------------------------------|-------------------------------------------------------------------------------------|--------------------------|------------|--------------|-------|--------|--------------------------------|--------------------------------------------------------------------------------------|--------------------------|------------|---------------|-------|--------|
| Product Name                                        | Photo                                                                               | Wattage/ Holder          | Color      | Product Code | MRP ₹ | *DLP ₹ | Product Name                   | Photo                                                                                | Wattage/ Holder          | Color      | Product Code  | MRP ₹ | *DLP ₹ |
| FOTIS F7 Outdoor Footlight                          |    | 5 W                      | WW         | LOUR5        | 3250  | 2830   | BONO B3                        |    | E 27 Holder Without Lamp | Sand Black | LBK102E       | 1650  | 1280   |
| FOTIS F9 Pathway Light *                            |    | 6 W                      | WW         | LOUR6        | 4250  | 3480   | BOXY ECO4 LED Bulkhead Light   |    | 20W                      | WH, WW     | LBKSQ20       | 1680  | 1450   |
| FOTIS F10 Inground Light *                          |    | 3 W                      | WW         | LOUR03N      | 2360  | 1960   | BOXY E7 Bulkhead Light         |    | 8 W                      | WH, WW     | LBKOV08       | 390   | 340    |
| FOTIS F11 Footlight IP65                            |    | 3 W                      | WW         | LODFT8603    | 1350  | 1150   | BOXY E5 Bulkhead Light         |    | 12W                      | WH, WW     | LBKOV12       | 450   | 380    |
| BULKHEAD LIGHTS OUTDOOR (IP54)                      |                                                                                     |                          |            |              |       |        | BOXY E6 LED Bulkhead Light     |    | 20W                      | WH, WW     | LBKOV20       | 590   | 480    |
| BOXY B2                                             |    | 5W                       | WH         | LWLES10      | 2960  | 2580   | SQUARO LED Bulkhead Light      |    | 10 W                     | WH, WW     | LBKSQD01      | 450   | 370    |
| BOXY B3                                             |    | 10W                      | WH, WW     | LWLER10      | 3280  | 2850   | SQUARO LED Bulkhead Light      |    | 20 W                     | WH, WW     | LBKSQD02      | 650   | 560    |
| BOXY B4                                             |   | 12W                      | WW         | LBKOVSL04    | 2750  | 2250   | BOXY S2 SENSOR Bulkhead Light  |   | 24W                      | WW         | LBKRDSL24 SEN | 1360  | 1160   |
| BOXY B5                                             |  | 5W                       | WH, WW     | LBKSQSL04    | 2250  | 1930   | BOXY S1 SENSOR Bulkhead Light  |  | 18W                      | WH         | LBKOVSL18 SEN | 1180  | 980    |
| BOXY B6                                             |  | 5W                       | WH         | LODSQG9      | 3290  | 2860   | OCTAVE LED Bulkhead Light      |  | 12W                      | WH, WW     | LBKOCV12      | 780   | 640    |
| BOXY B7                                             |  | 18W                      | WH         | LODCLOE-27   | 5230  | 4560   | OCTAVE LED Bulkhead Light      |  | 18W                      | WH, WW     | LBKOCV18      | 950   | 820    |
| BOXY B10                                            |  | 10W                      | WH         | LWSQB10      | 3680  | 3200   | GATE LIGHTS OUTDOOR (IP54)     |                                                                                      |                          |            |               |       |        |
| BOXY B11                                            |  | 10W                      | WW         | LODWL10      | 7400  | 6450   | TORNO G3                       |  | 18W                      | WH         | LGLRGBE-27    | 10900 | 9850   |
| BOXY B12                                            |  | 10W                      | WW         | LODWL11      | 7400  | 6450   | TORNO G4                       |  | 8W                       | WH         | LODGLR3       | 3750  | 3270   |
| BOXY B13                                            |  | 10W                      | WW         | LODWL12      | 7400  | 6450   | TORNO G5                       |  | 6W                       | WH, WW     | LGLSQ06       | 3840  | 3840   |
| BOXY B14                                            |  | 14W                      | WW         | LODWS14      | 5980  | 5450   | DORIN                          |  | 24W                      | WW+BL      | LGLP20        | 2200  | 1975   |
| BONO B2                                             |  | E 27 Holder Without Lamp | Sand Black | LBK101E      | 1180  | 990    | VALEN                          |  | 20W                      | WW         | LGLS20        | 1190  | 1080   |

## GATE LIGHTS OUTDOOR (IP54)



| Product Name                   | Photo                                                                               | Wattage                  | Color                                                                                      | Product Code | MRP ₹ | *DLP ₹ | Product Name   | Photo                                                                                | Wattage                  | Color                                                                                               | Product Code | MRP ₹ | *DLP ₹ |
|--------------------------------|-------------------------------------------------------------------------------------|--------------------------|--------------------------------------------------------------------------------------------|--------------|-------|--------|----------------|--------------------------------------------------------------------------------------|--------------------------|-----------------------------------------------------------------------------------------------------|--------------|-------|--------|
| SONO G1 Fixture                |    | E 27 Holder Without Lamp | Matt Black                                                                                 | LGL10E27     | 1950  | 1830   | BLAZE B3       |    | B 22 Holder Without Lamp | Body Finish: Chrome<br>Diffuser: Clear<br>Dimension: Ø 200 x H: 333mm<br>Pipe Dia: Ø: 62mm          | ---          | 1100  | 970    |
| SONO G2 Fixture                |    | E 27 Holder Without Lamp | Sand Black                                                                                 | LGL100E      | 4450  | 3980   | BLAZE B4       |    | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: Ø 365 x H: 555mm<br>Pipe Dia: Ø: 68mm           | ---          | 3450  | 3130   |
| SONO G3 Fixture                |    | B 22 Holder Without Lamp | Sand Black                                                                                 | LGL101B      | 3950  | 3440   | JING 06        |    | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 150mm<br>Body: PC                               | LGL06        | 690   | 590    |
| SONO G4 Fixture                |    | B 22 Holder Without Lamp | Sand Black                                                                                 | LGL102B      | 3950  | 3440   | JING 08        |    | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 200mm<br>Body: PC                               | LGL08        | 950   | 770    |
| HELIOS ANTIQUE Fixture (Small) |    | E 27 Holder Without Lamp | Antique Finish<br>Dimension: Ø: 165 x H: 360mm<br>Pipe Dia: Ø: 56mm                        | LGLA2E27 AG  | 1680  | 1380   | JING 10        |    | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 250mm<br>Body: PC                               | LGL10        | 1260  | 1080   |
| HELIOS ANTIQUE Fixture (Big)   |    | E 27 Holder Without Lamp | Antique Finish<br>Dimension: Ø: 230 x H: 500mm<br>Pipe Dia: Ø: 78mm                        | LGLA7E27 AG  | 3450  | 2780   | REKKA 06       |    | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Line<br>Dimension: 150mm<br>Body: Prismatic / PMMA                  | LGL06LP      | 550   | 450    |
| HELIOS ANTIQUE Fixture (Small) |   | E 27 Holder Without Lamp | Black<br>Dimension: Ø: 165 x H: 360mm<br>Pipe Dia: Ø: 56mm                                 | LGLA2E27 BK  | 1680  | 1380   | REKKA 08       |   | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Line<br>Dimension: 200mm<br>Body: Prismatic / PMMA                  | LGL08LP      | 750   | 630    |
| HELIOS ANTIQUE Fixture (Big)   |  | E 27 Holder Without Lamp | Black<br>Dimension: Ø: 230 x H: 500mm<br>Pipe Dia: Ø: 78mm                                 | LGLA7E27 BK  | 3450  | 2780   | REKKA 10       |  | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Line<br>Dimension: 250mm<br>Body: Prismatic / PC                    | LGL10E       | 1280  | 1180   |
| GATE LAMP BASE                 |  | ---                      | Black<br>Dimension: Ø: 109 x H: 55mm<br>Pipe Dia: Ø: 50 mm                                 | LGLB         | 290   | 220    | NEW REKKA PLUS |  | B 22 Holder Without Lamp | Body Finish: Metallic Black<br>Diffuser: Milky White<br>Dimension: Ø195 x 230mm<br>Body: PC         | LGLP08       | 1170  | 1090   |
| HESTER H1                      |  | B 22 Holder Without Lamp | Black<br>Dimension: 220mm x 220mm X H: 225mm                                               | ---          | 1490  | 1340   | QUBO G1        |  | B 22 Holder Without Lamp | Body Finish: Dark Gray<br>Diffuser: Milky<br>Dimension: 152 x 152 x H 194mm<br>Body: Aluminium / PC | LGL103B      | 2360  | 2060   |
| HESTER H2                      |  | B 22 Holder Without Lamp | Black<br>Dimension: 215mm x 215mm                                                          | ---          | 1490  | 1340   | QUBO G2        |  | B 22 Holder Without Lamp | Body Finish: Dark Gray<br>Diffuser: Milky<br>Dimension: 191 x 191 x H 220mm<br>Body: Aluminium / PC | LGL104B      | 3290  | 2880   |
| HESTER H3                      |  | B 22 Holder Without Lamp | Black<br>Dimension: 85mm x 85mm x 190mm (h)                                                | ---          | 1560  | 1380   | DURRI OR08     |  | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 220mm                                           | LGL08M4M     | 1350  | 1180   |
| HESTER H4                      |  | B 22 Holder Without Lamp | Body Finish: Dark Grey<br>Diffuser: Milky<br>Dimension: 220 x 220 x H: 245mm               | ---          | 1550  | 1380   | DURRI OL08     |  | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 200mm                                           | LGL08TGML    | 1350  | 1180   |
| BLAZE B1                       |  | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: Ø 200x H: 240mm<br>Pipe Dia: Ø: 54mm   | ---          | 1170  | 1050   | DURRI MR08     |  | B 22 Holder Without Lamp | Body Finish: Black<br>Diffuser: Milky<br>Dimension: 200mm                                           | LGL08M       | 980   | 850    |
| BLAZE B2                       |  | B 22 Holder Without Lamp | Body Finish: Chrome<br>Diffuser: Milky<br>Dimension: Ø 200 x H: 315mm<br>Pipe Dia: Ø: 61mm | ---          | 1090  | 960    |                |                                                                                      |                          |                                                                                                     |              |       |        |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

▲ NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

▲ Warranty will be valid only if proper installation is done using IP68 Connectors (Inground).

## GARDEN LIGHTS (IP54)

| Product Name | Photo                                                                               | Wattage/ Holder                                                   | Color      | Product Code | MRP ₹ | *DLP ₹ | Product Name                      | Photo                                                                               | Wattage/ Holder                                                                     | Color          | Product Code  | MRP ₹         | *DLP ₹ |
|--------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------|------------|--------------|-------|--------|-----------------------------------|-------------------------------------------------------------------------------------|-------------------------------------------------------------------------------------|----------------|---------------|---------------|--------|
| DUNE B6      |    | 10 W                                                              | WW         | LODBR10      | 5800  | 4850   | BUBU B5 900                       |    | B-22 Holder (Without Lamp)                                                          | Dark Grey      | ---           | 4280          | 3890   |
| DUNE B7      |                                                                                     | 12 W                                                              | WW         | LODBR12      | 6950  | 5960   |                                   |                                                                                     | Dimension : 175mm (D) x 980mm (H)                                                   |                |               |               |        |
| DUNE B8      |    | 12 W                                                              | WH, WW     | LODBS12      | 6390  | 5850   | CUBE S1                           |    | 5 W                                                                                 | WH, WW         | LODSP05       | 3490          | 2980   |
| DUNE B9      |    | 12 W                                                              | WW         | LOBSQ2012    | 4390  | 3840   | CUBE S5                           |    | 12 W                                                                                | WW             | LSSPK12TR     | 3490          | 2990   |
| DUNE B10     |                                                                                     | 12 W                                                              | WW         | LOBSQ6012    | 6980  | 6270   |                                   |                                                                                     | 12 W                                                                                | WW             | LSSPK12TR SPK | 3490          | 2990   |
| DUNE B11     |    | 7 W                                                               | WW         | LOBSQ08      | 6180  | 5460   | CUBE S6                           |    | 30 W                                                                                | WW             | LODSP30       | 6960          | 6960   |
| DUNE B12     |   | Body Finish: Dark Sand Black<br>Dimension : 100 x 100 x H: 600 mm |            |              |       |        | 30 W                              |                                                                                     | GR                                                                                  | LODSP30        | 7470          | 7470          |        |
| DUNE B13     |                                                                                     | 12 W                                                              | WW         | LODBG08      | 5280  | 4680   | CUBE S7                           |   | 3 W                                                                                 | WW             | LSSPK03TR     | 1580          | 1290   |
| DUNE B13     |  | Body Finish: Dark Sand Black<br>Dimension : 215 x 85 x H: 600 mm  |            |              |       |        | CUBE S7                           |                                                                                     |  | 3 W            | WW            | LSSPK03TR SPK | 1580   |
| BUBU B1      |                                                                                     | E-27 Holder (Without Lamp)                                        | Sand Black | LODB100E     | 1570  | 1350   | Dimension: 45 x 68 x 160 mm       |                                                                                     |                                                                                     |                |               |               |        |
| BUBU B2      |  | E-27 Holder (Without Lamp)                                        | Sand Black | LODB101E     | 3260  | 2890   | CASTOR ANTIQUE Fixture            |  | E 27 Holder Without Lamp                                                            | Antique Finish | LBF012E27 AG  | 6250          | 5780   |
| BUBU B3      |                                                                                     | E-27 Holder (Without Lamp)                                        | Sand Black | LODB102E     | 5900  | 4750   | Dimension : D: 230mm x H: 1200 mm |                                                                                     |                                                                                     |                |               |               |        |
| BUBU B4      |  | E-27 Holder (Without Lamp)                                        | Sand Black | LODB102E     | 5900  | 4750   | CASTOR BLACK Fixture              |  | E 27 Holder Without Lamp                                                            | Black          | LBF012E27 BK  | 6250          | 5780   |
| BUBU B5      |                                                                                     | E-27 Holder (Without Lamp)                                        | Sand Black | LODB102E     | 5900  | 4750   | Dimension : D: 230mm x H: 1200 mm |                                                                                     |                                                                                     |                |               |               |        |
| BUBU B4      |  | B-22 Holder (Without Lamp)                                        | Dark Grey  | ---          | 3660  | 3480   | CASTOR BLACK Fixture              |  | E 27 Holder Without Lamp                                                            | Black          | LBF028E27 BK  | 18650         | 16900  |
| BUBU B5 450  |                                                                                     | B-22 Holder (Without Lamp)                                        | Dark Grey  | ---          | 2740  | 2470   | Dimension : D: 230mm x H: 3000 mm |                                                                                     |                                                                                     |                |               |               |        |
| BUBU B5 450  |  | Body Finish: Dark Sand Black<br>Dimension : 125 x 125 x H: 600 mm |            |              |       |        | TRITON ANTIQUE Post Top Fixture   |  | E 27 Holder Without Lamp                                                            | Antique Finish | LBF025E27 BK  | 18650         | 16900  |
| BUBU B5 450  |                                                                                     | Body Finish: Dark Sand Black<br>Dimension : 125 x 125 x H: 600 mm |            |              |       |        |                                   |                                                                                     | Dimension : D: 230mm x H: 3000 mm                                                   |                |               |               |        |
| BUBU B5 450  |  | B-22 Holder (Without Lamp)                                        | Dark Grey  | ---          | 2740  | 2470   | TRITON ANTIQUE Post Top Fixture   |  | E 27 Holder Without Lamp                                                            | Antique Finish | LPF025E27 AG  | 26800         | 23800  |
| BUBU B5 450  |                                                                                     | Dimension : 175mm (D) x 455mm (H)                                 |            |              |       |        |                                   |                                                                                     | Dimension : D 800mm x H 2500mm                                                      |                |               |               |        |

## GARDEN LIGHTS (IP54)

| Product Name                        | Photo                                                                               | Wattage/Holder                                       | Color                    | Product Code           | MRP ₹          | *DLP ₹         | Product Name                    | Photo                                                                              | Wattage/Holder                                      | Color  | Product Code            | MRP ₹          | *DLP ₹         |
|-------------------------------------|-------------------------------------------------------------------------------------|------------------------------------------------------|--------------------------|------------------------|----------------|----------------|---------------------------------|------------------------------------------------------------------------------------|-----------------------------------------------------|--------|-------------------------|----------------|----------------|
| TRITON BLACK Post Top Fixture       |    | E 27 Holder Without Lamp                             | Black                    | LPL025E27 BK           | 26800          | 23800          | ZEUS Post Top Hanging LED Light |  | 30W<br>50W                                          | WH, WW | LPL30H BK<br>LPL50H BK  | 23950<br>24650 | 20940<br>21600 |
|                                     |                                                                                     | Dimension : D 800mm x H 2500mm                       |                          |                        |                |                |                                 |                                                                                    | * Prices inclusive of Arm.<br>* Pole charges Extra. |        |                         |                |                |
| ZEUS Post Top LED Light (Grey Body) |    | 40W<br>60W                                           | WH, WW, NW<br>WH, WW     | LPL440N<br>LPL460N     | 13750<br>14650 | 11950<br>12940 | ZEUS Post Top Hanging LED Light |  | 30W x 2<br>50W x 2                                  | WH, WW | LPL60H BK<br>LPL100H BK | 45850<br>46700 | 39900<br>42850 |
|                                     |                                                                                     | *Pole cost extra and pole length as per requirement. |                          |                        |                |                |                                 |                                                                                    | * Prices inclusive of Arm.<br>* Pole charges Extra. |        |                         |                |                |
| ZEUS Post Top LED Light (Grey Body) |    | 12W<br>18W                                           | WH, WW<br>WH, WW         | LGL12<br>LGL18         | 4450<br>5850   | 3890<br>5250   |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | *Pole cost extra and pole length as per requirement. |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |
| ZEUS Post Top LED Light (Grey Body) |   | 30W<br>40W                                           | WH, WW<br>WH, WW         | LGL30<br>LGL40         | 7870<br>8350   | 6880<br>7480   |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | *Pole cost extra and pole length as per requirement. |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |
| TRITON ANTIQUE Post Light Fixture   |  | E 27 Holder Without Lamp                             | Antique Finish           | LPL025E27-2 AG         | 23850          | 20840          |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | Dimension : D 860mm x H 2500mm                       |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |
| TRITON BLACK Post Light Fixture     |  | E 27 Holder Without Lamp                             | Black                    | LPL025E27-2 BK         | 23850          | 20840          |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | Dimension : D 860mm x H 2500mm                       |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |
| ZEUS Post Top LED Light (Grey Body) |  | 30W / 40W<br>60W                                     | WH, WW, NW<br>WH, WW, NW | LPL430<br>LPL440       | 16900<br>17800 | 15800<br>16400 |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | *Pole cost extra and pole length as per requirement. |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |
| ZEUS Post Top LED Light             |  | 30W<br>50W                                           | WH, WW<br>WH, WW         | LPL30L BK<br>LPL50L BK | 9960<br>10650  | 8950<br>9550   |                                 |                                                                                    |                                                     |        |                         |                |                |
|                                     |                                                                                     | *Pole cost extra and pole length as per requirement. |                          |                        |                |                |                                 |                                                                                    |                                                     |        |                         |                |                |



















### POLE FOR POST TOP LIGHT



| Product Name                   | Photo                                                                                | Length | Bottom Dia & Length    | Top Dia & Length      | Product Code                         | MRP ₹ | *DLP ₹ |
|--------------------------------|--------------------------------------------------------------------------------------|--------|------------------------|-----------------------|--------------------------------------|-------|--------|
| Decorative Pole                |   | 3 mtr. | 10.5" x 10.5" x 0.85 m | 3" x 2.25 m 76 mm     | LPDC3M                               | 16800 | 14900  |
| (Powder coated)                |                                                                                      |        |                        |                       |                                      |       |        |
| Pole for Post of Lantern       |  | 2 mtr. | 3" x 0.75 m            | 2" x 1.25 m 48 mm     | LPLPOLE 2MTR DG<br>LPLPOLE 2MTR BK   | 13800 | 12300  |
|                                |                                                                                      | 3 mtr. | 3" x 1 m               | 2" x 2 m 48 mm        | LPLPOLE 3MTR DG<br>LPLPOLE 3MTR BK   | 16900 | 15200  |
|                                |                                                                                      | 3 mtr. | 4" x 1 m               | 2" x 2 m 48 / 61 mm   | LPLPOLE 3MTR DGH<br>LPLPOLE 3MTR BKH | 18900 | 17900  |
|                                |                                                                                      | 4 mtr. | 3" x 1.5 m             | 2" x 2.5 m 48 / 61 mm | LPLPOLE 4MTR DG<br>LPLPOLE 4MTR BK   | 17900 | 16300  |
|                                |                                                                                      | 5 mtr. | 4" x 2 m               | 3" x 3 m 76 mm        | LPLPOLE 5MTR DG<br>LPLPOLE 5MTR BK   | 31300 | 28500  |
| (Spray Painted)                |                                                                                      | 6 mtr. | 4" x 2 m               | 3" x 4 m 76 mm        | LPLPOLE 6MTR DG<br>LPLPOLE 6MTR BK   | 33200 | 29900  |
| Heavy Pole for Post of Lantern |  | 3 mtr. | 3" x 1 m               | 2" x 2 m              | LPLPOLE 3MTR HY BK                   | 22800 | 20700  |
|                                |                                                                                      | 4 mtr. | 3" x 1.5 m             | 2" x 2.5 m            | LPLPOLE 4MTR HY BK                   | 39800 | 36900  |
|                                |                                                                                      | 5 mtr. | 4" x 1.5 m             | 3" x 2.5 m            | LPLPOLE 5MTR HY BK                   | 56600 | 51500  |
|                                |                                                                                      | 6 mtr. | 4" x 2 m               | 3" x 4 m              | LPLPOLE 6MTR HY BK                   | 68500 | 62300  |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

| LED UNDER WATER LIGHTS (IP68)                                                                                                   |                                                                                      |                                                                                                                                               |                                  |                                       |               |               |           | ALCUNO LED LINEAR LIGHTING COMPONENTS |                                                                                       |                                                      |              |               |               |           |  |
|---------------------------------------------------------------------------------------------------------------------------------|--------------------------------------------------------------------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------|---------------------------------------|---------------|---------------|-----------|---------------------------------------|---------------------------------------------------------------------------------------|------------------------------------------------------|--------------|---------------|---------------|-----------|--|
| Product Name                                                                                                                    | Photo                                                                                | Wattage/ Holder                                                                                                                               | Color                            | Product Code                          | MRP ₹         | *DLP ₹        | Std. Pkg. | Product Name                          | Photo                                                                                 | Color                                                | Product Code | MRP ₹         | *DLP ₹        | Std. Pkg. |  |
| Inground LED Pool Light                                                                                                         |     | 12W/ 24VDC<br><br>(Recessed light, suitable for 100mm enclosure)<br>****To be operated using 24V DC power supply. To be purchased Separately. | WH, WW                           | LUWGP12****                           | 6500          | 5900          | 20        | Aluminium Profile Surface             |     | Aluminium Finish                                     | LPL1807      | 170 per mtr.  | 140 per mtr.  | 2mtr      |  |
| Underwater Fountain Light                                                                                                       |     | 12W/ 24VDC<br><br>Suitable Fountain Pipe Dia. : Ø40mm<br>****To be operated using 24V DC power supply. To be purchased Separately.            | WW                               | LUWF12F****                           | 16950         | 14800         | 10        | Aluminium Profile Concealed           |     | Aluminium Finish<br><br>*Suitable for 5mm strip only | LPL1209      | 180 per mtr.  | 140 per mtr.  | 2mtr      |  |
| Underwater COB Spot Light                                                                                                       |     | 8W/ 24VDC<br><br>****To be operated using 24V DC power supply. To be purchased Separately.                                                    | WW                               | LUWS8****                             | 8400          | 7300          | 20        | Surface Aluminium Profile             |     | Aluminium Finish                                     | LPL1805      | 210 per mtr.  | 190 per mtr.  | 2mtr      |  |
| Inground/ Underwater Light                                                                                                      |     | 12W/ 24VDC<br><br>(Recessed light, suitable for 160mm enclosure)<br>**To be operated using 24V DC power supply. To be purchased Separately.   | WW                               | LUW12R**                              | 11800         | 10500         | 12        | Surface Aluminium Profile             |     | Aluminium Finish                                     | LPL1414      | 250 per mtr.  | 220 per mtr.  | 2mtr      |  |
| * Warranty will be valid only if connections are made using IP68 gel based Connectors. For more details contact: Luker Service. |                                                                                      |                                                                                                                                               |                                  |                                       |               |               |           |                                       |                                                                                       |                                                      |              |               |               |           |  |
| ALCUNO LED LINEAR LIGHTING COMPONENTS                                                                                           |                                                                                      |                                                                                                                                               |                                  |                                       |               |               |           |                                       |                                                                                       |                                                      |              |               |               |           |  |
| Aluminium Profile Concealed                                                                                                     |    |                                                             | Aluminium Finish                 | LPL1413 (Suitable only LPLS120 strip) | 210 per mtr.  | 190 per mtr.  | 2mtr      | Surface Corner Aluminium Profile      |   | Aluminium Finish                                     | LPL2115      | 200 per mtr.  | 180 per mtr.  | 2mtr      |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               |                                  | LPL2514                               | 320 per mtr.  | 290 per mtr.  | 2mtr      |                                       |                                                                                       |                                                      |              |               |               |           |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               |                                  | LPL1809                               | 210 per mtr.  | 190 per mtr.  | 2mtr      |                                       |                                                                                       |                                                      |              |               |               |           |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               |                                  | LPL1010 (Suitable only LPLS120 strip) | 200 per mtr.  | 180 per mtr.  | 2mtr      |                                       |                                                                                       |                                                      |              |               |               |           |  |
| Aluminium Profile Concealed                                                                                                     |   |                                                            | Black Finish with White Diffuser | LPL2514 BK                            | 360 per mtr.  | 340 per mtr.  | 2mtr.     | Surface Aluminium Profile             |  | White Powder coated                                  | LPL3535      | 1350 per mtr. | 1130 per mtr. | 2mtr      |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               |                                  |                                       |               |               |           |                                       |                                                                                       |                                                      |              |               |               |           |  |
| Aluminium Profile Concealed                                                                                                     |   |                                                            | Aluminium Finish                 | LPL4026                               | 690 per mtr.  | 660 per mtr.  | 2mtr      | Surface Aluminium Profile             |  | White Powder coated                                  | LPL5015      | 990 per mtr.  | 890 per mtr.  | 2mtr      |  |
| Aluminium Profile Concealed                                                                                                     |   |                                                            | White Powder coated              | LPL5035                               | 1150 per mtr. | 990 per mtr.  | 2mtr.     |                                       |                                                                                       |                                                      |              |               |               |           |  |
| Aluminium Profile Surface                                                                                                       |   |                                                            | White Powder coated              | LPL7050                               | 2090 per mtr. | 1880 per mtr. | 2.4mtr.   | Surface Aluminium Profile             |  | Aluminium Finish                                     | LPL2015      | 370 per mtr.  | 330 per mtr.  | 2mtr      |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               | Black Finish with White Diffuser | LPL7050 BK                            | 2150 per mtr. | 1930 per mtr. | 2.4mtr.   |                                       |                                                                                       |                                                      |              |               |               |           |  |
| Aluminium Profile Concealed                                                                                                     |   |                                                            | Black Finish with White Diffuser | LPL4320 BK                            | 620 per mtr.  | 560 per mtr.  | 2mtr.     | Surface Aluminium Profile             |  | Aluminium Finish                                     | LPL2025      | 780 per mtr.  | 640 per mtr.  | 2mtr      |  |
| Aluminium Profile Concealed                                                                                                     |   |                                                            | Aluminium Finish                 | LPL2407                               | 170 per mtr.  | 140 per mtr.  | 2mtr      |                                       |                                                                                       |                                                      |              |               |               |           |  |
|                                                                                                                                 |  |                                                          | Aluminium Finish                 | LPL3020                               | 530 per mtr.  | 490 per mtr.  | 2mtr      |                                       |   | Black Finish with White Diffuser                     | LPL3020 BK   | 550 per mtr.  | 510 per mtr.  | 2mtr      |  |
|                                                                                                                                 |                                                                                      |                                                                                                                                               |                                  |                                       |               |               |           |                                       |                                                                                       |                                                      |              |               |               |           |  |

# ALCUNO LED LINEAR LIGHTING STRIP & DRIVE



| Product Name                    | Photo | Wattage         | Color          | Product Code | MRP ₹        | *DLP ₹       | Std. Pkg. | Product Name        | Photo | Wattage | Color                       | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|---------------------------------|-------|-----------------|----------------|--------------|--------------|--------------|-----------|---------------------|-------|---------|-----------------------------|--------------|-------|--------|-----------|
| Profile Strip Light 5mm         |       | 12W per mtr 12V | WH, WW, NW, BL | LPLS1205MM   | 170 per mtr. | 160 per mtr. | 5mtr      | Profile Slick Drive |       | 3 Amps  | Dimension 160 x 58 x 18mm   | LPLSD03      | 1170  | 1170   | 1         |
| Profile Strip 120 LED per / mtr |       | 12W per mtr 12V | WH, WW, NW, BL | LPLS120      | 180 per mtr. | 160 per mtr. | 5mtr      | Profile Slick Drive |       | 5 Amps  | Dimension 185 x 63.5 x 22mm | LPLSD05      | 1780  | 1780   | 1         |
| Profile Strip 180 LED per / mtr |       | 18W per mtr 12V | WH, WW, NW, BL | LPLS180      | 280 per mtr. | 270 per mtr. | 5mtr      | Profile Slick Drive |       | 8 Amps  | Dimension 230 x 46.5 x 22mm | LPLSD08      | 2620  | 2620   | 1         |
| Profile Strip 240 LED           |       | 20W per mtr 12V | WH, WW & NW    | LPLS240      | 320 per mtr. | 290 per mtr. | 5mtr      |                     |       |         |                             |              |       |        |           |

## CCT TUNEABLE/DIMMABLE LED STRIP



## 24V TRIAC DIMMABLE DRIVER

(Suitable for dimming 24V LED INDOOR Strip)

|                                 |  |                 |        |          |              |              |       |                           |  |             |   |              |      |      |   |
|---------------------------------|--|-----------------|--------|----------|--------------|--------------|-------|---------------------------|--|-------------|---|--------------|------|------|---|
| CCT Tuneable Strip 180 LED/Mtr  |  | 15W per mtr 12v | 3-IN-1 | LPLS180D | 320 per mtr. | 320 per mtr. | 5 mtr | 24V TRIAC DIMMABLE DRIVER |  | 150 W/ 24 V | - | LTRADD 15024 | 5950 | 5850 | - |
| CCT Tuneable Strip 120 LED/Mtr. |  | 12W per mtr 12v | 3-IN-1 | LS2835D  | 240 per mtr. | 220 per mtr. | 5 mtr |                           |  |             |   |              |      |      |   |

\*Lighting dimmer not included, to be purchased separately  
Check the compatibility of the DIMMER before using with the TRIAC DRIVER.

## 12/24V CCT TUNEABLE STRIP CONTROLLER & REMOTE



|                                      |  |                    |   |              |      |      |   |                   |  |         |   |          |     |     |   |
|--------------------------------------|--|--------------------|---|--------------|------|------|---|-------------------|--|---------|---|----------|-----|-----|---|
| 12/24V 2CH Tuneable Strip Controller |  | 120/240W (2.4G RF) | - | LDCV-RFC-240 | 1750 | 1750 | 1 | RF Remote Control |  | 2.4G RF | - | RFC1REMT | 690 | 690 | 1 |
|--------------------------------------|--|--------------------|---|--------------|------|------|---|-------------------|--|---------|---|----------|-----|-----|---|

## RGB 24V LED STRIP & SMART CONTROLLER



|                              |  |                   |     |             |              |              |       |                                                  |  |               |   |              |      |      |   |
|------------------------------|--|-------------------|-----|-------------|--------------|--------------|-------|--------------------------------------------------|--|---------------|---|--------------|------|------|---|
| RGB Indoor Strip 60 LED/Mtr. |  | 14.8W per mtr 24V | RGB | LSI5050 24V | 390 per mtr. | 390 per mtr. | 5 mtr | 24V/5 CH* RGBCWV Strip Controller (TUYA Sigmesh) |  | 24V/250W, 5CH | - | LDCV-SMT-250 | 2280 | 2280 | 1 |
|------------------------------|--|-------------------|-----|-------------|--------------|--------------|-------|--------------------------------------------------|--|---------------|---|--------------|------|------|---|

\*24V Drive to be purchased separately

## ALCUNO ACCESSORIES

|                                |  |                                              |               |         |     |     |   |                           |  |                                              |        |                      |     |     |   |
|--------------------------------|--|----------------------------------------------|---------------|---------|-----|-----|---|---------------------------|--|----------------------------------------------|--------|----------------------|-----|-----|---|
| Hanging Kit (1 mtr.)           |  | 1 Pair                                       | Chrome        | LPLSHK  | 240 | 240 | 1 | 120° Side Angle Connector |  | Suitable for LPL3535 LPL4435 LPL5035 LPL7050 | Chrome | LPL45INCN            | 90  | 90  | 1 |
| Profile Hanging Kit (2 mtr.)   |  | 1 Pair                                       | Chrome        | LPLDHK  | 280 | 280 | 1 | 120° Top Angle Connector  |  |                                              | Chrome | LPL45EXCN            | 90  | 90  | 1 |
| Surface Mounting Clips         |  | Suitable for LPL2514                         | Chrome Finish | LPLCL01 | 15  | 15  | 1 | 90° Side Angle Connector  |  |                                              | Chrome | LPL90INCN            | 90  | 90  | 1 |
| Recessed Mounting Spring Clips |  | Suitable for LPL4435                         | Chrome Finish | LPLCL02 | 45  | 45  | 1 | 90° Top Angle Connector   |  |                                              | Chrome | LPL90EXCN            | 90  | 90  | 1 |
| Straight Connector             |  | Suitable for LPL3535 LPL4435 LPL5035 LPL7050 | Chrome        | LPLSCN  | 80  | 80  | 1 | Y-Connector               |  |                                              | Chrome | LPL Y CN Y Connector | 180 | 180 | 1 |

\*C: Commercial Luminaries and Fixtures | Suitable for operating 12-16 Hrs./day.

NOTE: All other products mentioned here in pricelist are for domestic usage only. Suitable for operating 10-12 Hrs./day.

## LUSO LED LINEAR LIGHTING (ASSEMBLED)



| Product Name                           | Photo | Wattage       | Color                  | Product Code   | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name      | Photo         | Wattage                       | Color     | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|----------------------------------------|-------|---------------|------------------------|----------------|-------|--------|-----------|-------------------|---------------|-------------------------------|-----------|--------------|-------|--------|-----------|
| LUSO Linear Light (Hanging / Surface)  |       | 43 W (4 Ft)   | WH, WW, NW             | LPL70501.2M    | 4670  | 3850   | 1         | LUSO Linear Light |               | 48 W (L 1200 x W 50 x H 75mm) | WH, NW    | LPL48        | 4275  | 4275   | 1         |
|                                        |       | WH, WW, NW    | LPL70501.2M Black Body | 4770           | 3950  | 1      |           |                   |               |                               |           |              |       |        |           |
|                                        |       | 86 W (8 Ft)   | WH, WW, NW             | LPL70502.4M    | 8890  | 6840   | 1         |                   |               |                               |           |              |       |        |           |
|                                        |       | WH, WW, NW    | LPL70502.4M Black Body | 9090           | 6940  | 1      |           |                   |               |                               |           |              |       |        |           |
| LUSO Linear Light (Hanging / Surface)  |       | 40 W          | 3-IN-1                 | LPL5532 3-IN-1 | 3750  | 3380   | 1         |                   |               |                               |           |              |       |        |           |
| Dimension : 1200mm L x 32mm W x 55mm H |       |               |                        |                |       |        |           |                   |               |                               |           |              |       |        |           |
| Switch Operated Color Selection        |       |               |                        |                |       |        |           |                   |               |                               |           |              |       |        |           |
|                                        |       |               |                        |                |       |        |           |                   |               |                               |           |              |       |        |           |
| LUSO Linear Light (Concealed)          |       | 36 W (1 Mtr.) | WH, WW, NW             | LPL50351M      | 3440  | 3440   | 1         |                   | 72 W (2 Mtr.) | WH, WW, NW                    | LPL50352M | 6880         | 6880  | 1      |           |
|                                        |       |               |                        |                |       |        |           |                   |               |                               |           |              |       |        |           |

## CABINET LIGHT - LED LINEAR SLEEK PROFILE

## ACCESSORIES

|               |  |             |        |             |      |      |     |                    |  |                                                             |         |     |     |   |
|---------------|--|-------------|--------|-------------|------|------|-----|--------------------|--|-------------------------------------------------------------|---------|-----|-----|---|
| Cabinet Light |  | 5 W (1 Ft)  | WH, WW | LPL2209 5W  | 520  | 450  | 100 | Panel Light String |  | Hanging String for Panel Light - 1 set Std. Length : 1 mtr. | LSTRG50 | 550 | 550 | 1 |
|               |  | 8 W (2 Ft)  | WH, WW | LPL2209 8W  | 780  | 680  | 100 |                    |  |                                                             |         |     |     |   |
| Cabinet Light |  | 18 W (4 Ft) | WH, WW | LPL2209 18W | 1390 | 1280 | 50  | Double Tube String |  | Hanging String for Double Tube                              | LSTRG40 | 450 | 450 | 1 |

## SOLTERO COMMERCIAL LED SOLAR STREET LIGHT





**\*Cost of Pole & Panel Frame Extra.**

| Wattage | Colour | Product Code | Solar Panel     | Battery               | MRP ₹ | *DLP ₹ |
|---------|--------|--------------|-----------------|-----------------------|-------|--------|
| 12 W    | WH     | LSTCSOL12    | 40 W            | Lithium 12AH - 12.8 V | 22800 | 19500  |
|         |        |              | Frame for panel |                       |       | 4450   |
| 18 W    | WH     | LSTCSOL18    | 60 W            | Lithium 18AH - 12.8 V | 25900 | 23500  |
|         |        |              | Frame for panel |                       |       | 4950   |
| 40 W    | WH     | LSTCSOL40    | 120 W           | Lithium 36AH - 12.8 V | 39950 | 36800  |
|         |        |              | Frame for panel |                       |       | 5400   |
| 60 W    | WH     | LSTCSOL60    | 160 W           | Lithium 54AH - 12.8 V | 55500 | 49400  |
|         |        |              | Frame for panel |                       |       | 6900   |

\*Cost of Pole & Panel Frame Extra.

\*\*Solar streetlights will turn ON automatically in the absence of sunlight.  
First 4 hours it glows with 100% brightness and thereafter goes into power saving mode - with 50% brightness.



## DMX LED LIGHTS

| Product Name | Photo | Wattage | Color | Beam Angle | Control Mode | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|--------------|-------|---------|-------|------------|--------------|--------------|-------|--------|-----------|
|--------------|-------|---------|-------|------------|--------------|--------------|-------|--------|-----------|

### LED FLOOD LIGHT

|                             |                                                                                     |             |      |     |                   |                               |       |       |   |
|-----------------------------|-------------------------------------------------------------------------------------|-------------|------|-----|-------------------|-------------------------------|-------|-------|---|
| DMX LED Flood Lights        |    | 24W*<br>24V | RGB  | 30° | DMX 512 (1 Pixel) | LFL24LN S1 RGB                | 15600 | 14950 | 1 |
| DMX R-LINE LED Flood Lights |   | 36W*<br>24V | RGBW | 30° | DMX 512 (1 Pixel) | LFL36LN RL-1 RGBW (W = 6000K) | 14900 | 13680 | 1 |
|                             |                                                                                     | 48W*<br>24V | RGBW | 30° | DMX 512 (1 Pixel) | LFL48LN RL-1 RGBW (W = 6000K) | 15900 | 14870 | 1 |
| DMX LED Flood Lights        |  | 60W*<br>24V | RGBW | 30° | DMX 512 (1 Pixel) | LFL60LN S1 RGBW (W = 6000K)   | 22650 | 21980 | 1 |
|                             |                                                                                     | 85W*<br>24V | RGBW | 30° | DMX 512 (1 Pixel) | LFL85LN RGBW (W = 6000K)      | 26450 | 26450 | 1 |
| DMX S-LINE LED Flood Lights |  | 85W*<br>24V | RGBW | 10° | DMX 512 (1 Pixel) | LFL85LN SL-1 RGBW (W = 6000K) | 29750 | 28990 | 1 |

### LINKABLE LINEAR WALL WASHER

|                             |                                                                                     |             |      |     |                   |                      |       |       |   |
|-----------------------------|-------------------------------------------------------------------------------------|-------------|------|-----|-------------------|----------------------|-------|-------|---|
| Linkable Linear Wall Washer |  | 24W*<br>24V | RGBW | 45° | DMX 512 (4 Pixel) | LLW RGB DMX 24 24 1M | 11750 | 11750 | 1 |
|                             |                                                                                     | 36W*<br>24V | RGBW | 45° | DMX 512 (4 Pixel) | LLW RGB DMX 36 24 1M | 12960 | 12960 | 1 |


### ACCESSORIES & CONTROLLER

| Product Name                                      | Photo                                                                               | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                             | Photo                                                                                | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|---------------------------------------------------|-------------------------------------------------------------------------------------|--------------|-------|--------|-----------|------------------------------------------|--------------------------------------------------------------------------------------|--------------|-------|--------|-----------|
| DMX T-Connector Cable                             |  | LDMXCT2P2M   | 1950  | 1950   | 1         | DMX Touch Controller                     |  | LDMXTCNTL16  | 29950 | 25380  | 1         |
| 3 Pin DMX Signal Connector Cable                  |  | LDMXCS1.5M   | 950   | 950    | 1         | NEW DMX Touch Controller                 |  | LDMXTPCEX8S  | 14900 | 12380  | 1         |
| 5 Pin DMX Power & Signal Connector (Jumper) Cable |  | LDMXCJ3.0M   | 1550  | 1550   | 1         | 24V / 150W IP67 - 5 Year Warranty Driver |  | LUWD150 5Y   | 4480  | 4160   | 1         |
|                                                   |                                                                                     |              |       |        |           | 24V / 200W IP67 - 5 Year Warranty Driver |                                                                                      | LUWD200 5Y   | 4890  | 4670   | 1         |

\*24V DC Constant voltage external power supply not included. To be purchased separately.

NEW

# 3 YEAR WARRANTY PRODUCTS

| Product Name                   | Photo                                                                             | Wattage        | Color    | Product Code                                | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                   | Photo                                                                              | Wattage        | Color    | Product Code                                 | MRP ₹ | *DLP ₹ | Std. Pkg. |
|--------------------------------|-----------------------------------------------------------------------------------|----------------|----------|---------------------------------------------|-------|--------|-----------|--------------------------------|------------------------------------------------------------------------------------|----------------|----------|----------------------------------------------|-------|--------|-----------|
| CERON ANTI-GLARE COB LIGHT     |                                                                                   |                |          |                                             |       |        |           |                                |                                                                                    |                |          |                                              |       |        |           |
| CERON ANTI-GLARE LED COB LIGHT |  | 7W             | WH,WW,NW | LCAG07 B                                    | 1430  | 1280   | 50        | CERON ANTI-GLARE LED COB LIGHT |  | 18 W           | WH,WW,NW | LCAG18 B                                     | 2580  | 2290   | 20        |
|                                |                                                                                   | Beam Angle 36° |          | Dimension: Ø 40 x 70 mm<br>Cut-out: Ø 35 mm |       |        |           |                                |                                                                                    | Beam Angle 38° |          | Dimension: Ø 66 x 105 mm<br>Cut-out: Ø 60 mm |       |        |           |
|                                |                                                                                   | 12 W           | WH,WW,NW | LCAG12 B                                    | 1960  | 1760   | 50        |                                |                                                                                    | 24 W           | WH,WW,NW | LCAG24 B                                     | 3490  | 3140   | 20        |
|                                |                                                                                   | Beam Angle 40° |          | Dimension: Ø 55 x 85 mm<br>Cut-out: Ø 50 mm |       |        |           |                                |                                                                                    | Beam Angle 50° |          | Dimension: Ø 78 x 111 mm<br>Cut-out: Ø 70 mm |       |        |           |
| CERON ANTI-GLARE LED COB LIGHT |  | 7W             | WH,WW,NW | LCAG07 W                                    | 1430  | 1280   | 50        | CERON ANTI-GLARE LED COB LIGHT |  | 18 W           | WH,WW,NW | LCAG18 W                                     | 2580  | 2290   | 20        |
|                                |                                                                                   | Beam Angle 36° |          | Dimension: Ø 40 x 70 mm<br>Cut-out: Ø 35 mm |       |        |           |                                |                                                                                    | Beam Angle 38° |          | Dimension: Ø 66 x 105 mm<br>Cut-out: Ø 60 mm |       |        |           |
|                                |                                                                                   | 12 W           | WH,WW,NW | LCAG12 W                                    | 1960  | 1760   | 50        |                                |                                                                                    | 24 W           | WH,WW,NW | LCAG24 W                                     | 3490  | 3140   | 20        |
|                                |                                                                                   | Beam Angle 40° |          | Dimension: Ø 55 x 85 mm<br>Cut-out: Ø 50 mm |       |        |           |                                |                                                                                    | Beam Angle 50° |          | Dimension: Ø 78 x 111 mm<br>Cut-out: Ø 70 mm |       |        |           |
| CERON ANTI-GLARE LED COB LIGHT |  | 7W             | WH,WW,NW | LCAG07 C                                    | 1580  | 1490   | 50        | CERON ANTI-GLARE LED COB LIGHT |  | 18 W           | WH,WW,NW | LCAG18 C                                     | 2790  | 2480   | 20        |
|                                |                                                                                   | Beam Angle 36° |          | Dimension: Ø 40 x 70 mm<br>Cut-out: Ø 35 mm |       |        |           |                                |                                                                                    | Beam Angle 38° |          | Dimension: Ø 66 x 105 mm<br>Cut-out: Ø 60 mm |       |        |           |
|                                |                                                                                   | 12 W           | WH,WW,NW | LCAG12 C                                    | 1990  | 1890   | 50        |                                |                                                                                    |                |          |                                              |       |        |           |
|                                |                                                                                   | Beam Angle 40° |          | Dimension: Ø 55 x 85 mm<br>Cut-out: Ø 50 mm |       |        |           |                                |                                                                                    |                |          |                                              |       |        |           |

## STRADA P1 STREETLIGHTS

|                        |                                                                                    |      |    |              |      |      |   |                        |                                                                                    |       |    |              |       |      |   |
|------------------------|------------------------------------------------------------------------------------|------|----|--------------|------|------|---|------------------------|------------------------------------------------------------------------------------|-------|----|--------------|-------|------|---|
| STRADA P1 STREET LIGHT |   | 45 W | WH | LST045 LN P1 | 3600 | 3160 | - | STRADA P1 STREET LIGHT |  | 90 W  | WH | LST090 LN P1 | 6600  | 5790 | - |
| STRADA P1 STREET LIGHT |  | 60 W | WH | LST060 LN P1 | 4180 | 3650 | - |                        | NEW                                                                                | 120 W | WH | LST120 LN P1 | 7950  | 6360 | - |
|                        |                                                                                    |      |    |              |      |      |   |                        | NEW                                                                                | 150 W | WH | LST150 LN P1 | 10650 | 9340 | - |


NEW

## INDUSTRIAL BATTEN IP65

|                        |                                                                                     |                              |    |              |      |      |   |                        |                                                                                      |                               |    |              |      |      |   |
|------------------------|-------------------------------------------------------------------------------------|------------------------------|----|--------------|------|------|---|------------------------|--------------------------------------------------------------------------------------|-------------------------------|----|--------------|------|------|---|
| INDUSTRIAL BATTEN IP65 |  | 40 W                         | WH | LINB040 IP65 | 3980 | 3670 | - | INDUSTRIAL BATTEN IP65 |  | 80 W                          | WH | LINB080 IP65 | 4950 | 4790 | - |
|                        |                                                                                     | Dimension: 1275 x 70 x 80 mm |    |              |      |      |   |                        |                                                                                      | Dimension: 1275 x 100 x 80 mm |    |              |      |      |   |

NEW


## HIGHMAST - SPORTS FLOODLIGHT - IP65

|                            |                                                                                     |                |    |             |       |       |   |                            |                                                                                      |                |    |             |       |       |   |
|----------------------------|-------------------------------------------------------------------------------------|----------------|----|-------------|-------|-------|---|----------------------------|--------------------------------------------------------------------------------------|----------------|----|-------------|-------|-------|---|
| HIGHMAST SPORTS FLOODLIGHT |  | 250 W          | WH | LFL250HM LN | 14470 | 13990 | - | HIGHMAST SPORTS FLOODLIGHT |  | 500 W          | WH | LFL500HM LN | 32650 | 29980 | - |
|                            |                                                                                     | Beam Angle 30° |    |             |       |       |   |                            |                                                                                      | Beam Angle 30° |    |             |       |       |   |


# 5 YEAR WARRANTY PRODUCTS

| Product Name                | Photo                                                                               | Wattage | Color  | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name           | Photo                                                                                | Wattage | Color         | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-----------------------------|-------------------------------------------------------------------------------------|---------|--------|---------------|-------|--------|-----------|------------------------|--------------------------------------------------------------------------------------|---------|---------------|---------------|-------|--------|-----------|
| ALCOR LN5Y LED FLOOD LIGHTS |                                                                                     |         |        |               |       |        |           |                        |                                                                                      |         |               |               |       |        |           |
| ALCOR LN5Y Flood Light      |  | 30 W    | WH, WW | LFL30TGLN 5Y  | 2940  | 2620   | --        | ALCOR LN5Y Flood Light |  | 200 W   | WH, WW        | LFL200TGLN 5Y | 13940 | 12900  | --        |
|                             |                                                                                     |         |        |               |       |        | 250 W     |                        |                                                                                      | WH, WW  | LFL250TGLN 5Y | 17580         | 16830 | --     |           |
| ALCOR LN5Y Flood Light      |  | 50 W    | WH, WW | LFL50TGLN 5Y  | 3350  | 2930   | —         |                        |                                                                                      | 300 W   | WH, WW        | LFL300TGLN 5Y | 19490 | 17180  | --        |
|                             |                                                                                     | 100 W   | WH, WW | LFL100TGLN 5Y | 6350  | 6170   | —         |                        |                                                                                      | 350 W   | WH            | LFL350TGLN 5Y | 29290 | 26370  | —         |
| ALCOR LN5Y Flood Light      |  | 120 W   | WH, WW | LFL120TGLN 5Y | 9180  | 8780   | —         | ALCOR LN5Y Flood Light |  | 400 W   | WH, WW        | LFL400TGLN 5Y | 31280 | 28160  | —         |
|                             |                                                                                     | 150 W   | WH, WW | LFL150TGLN 5Y | 9390  | 8920   | —         |                        |                                                                                      | 500 W   | WH, WW        | LFL500TGLN 5Y | 45180 | 40650  | --        |

## FARO WELL GLASS LED LIGHTS

| Product Name          | Photo                                                                             | Wattage | Color | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name          | Photo                                                                              | Wattage | Color | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-----------------------|-----------------------------------------------------------------------------------|---------|-------|--------------|-------|--------|-----------|-----------------------|------------------------------------------------------------------------------------|---------|-------|--------------|-------|--------|-----------|
| FARO Well Glass Light |  | 40 W    | WH    | LW0405Y      | 3640  | 3080   | 12        | FARO Well Glass Light |  | 70 W    | WH    | LW0705Y      | 5770  | 5150   | 8         |

## AVIOR HIGH BAY LED LIGHTS - OUTDOOR

|                        |                                                                                   |       |    |                         |       |      |   |                        |                                                                                    |       |    |                         |       |       |   |
|------------------------|-----------------------------------------------------------------------------------|-------|----|-------------------------|-------|------|---|------------------------|------------------------------------------------------------------------------------|-------|----|-------------------------|-------|-------|---|
| AVIOR High Bay Outdoor |  | 80 W  | WH | LOHY080 LN 5Y Lens Type | 8490  | 7590 | 4 | AVIOR High Bay Outdoor |  | 150 W | WH | LOHY150 LN 5Y Lens Type | 13800 | 11750 | 1 |
|                        |                                                                                   | 100 W | WH | LOHY100 LN 5Y Lens Type | 10880 | 8890 | 4 |                        |                                                                                    | 200 W | WH | LOHY200 LN 5Y Lens Type | 16970 | 13980 | 1 |
|                        |                                                                                   | 120 W | WH | LOHY120 LN 5Y Lens Type | 11600 | 9450 | 1 | AVIOR High Bay Outdoor |  | 150 W | WH | LOHY150 FL 5Y Lens Type | 11800 | 10950 | 1 |


## LINEAR HIGHBAY LED LIGHTS (IP-66)

## OUTDOOR INDUSTRIAL BATTEN (IP-65)

|                                 |                                                                                   |      |        |         |       |       |    |                                 |                                                                                    |      |        |         |      |      |    |
|---------------------------------|-----------------------------------------------------------------------------------|------|--------|---------|-------|-------|----|---------------------------------|------------------------------------------------------------------------------------|------|--------|---------|------|------|----|
| LINEAR Highbay IP-66 High Lumen |  | 40 W | WH, WW | LLHBY40 | 13680 | 13680 | -- | OUTDOOR Industrial Batten IP-65 |  | 40 W | WH, WW | LTOD40N | 5460 | 5460 | -- |
|                                 |                                                                                   | 75 W | WH, WW | LLHBY75 | 14890 | 14890 | -- |                                 |                                                                                    |      |        |         |      |      |    |

## METAL BODY LED DOWNLIGHT

OPTIONAL DIMMING : T-10V 

|                            |                                                                                     |      |          |                                                                       |      |      |    |                            |                                                                                      |      |          |                                                                             |      |      |    |
|----------------------------|-------------------------------------------------------------------------------------|------|----------|-----------------------------------------------------------------------|------|------|----|----------------------------|--------------------------------------------------------------------------------------|------|----------|-----------------------------------------------------------------------------|------|------|----|
| DURO Down Light Metal Body |    | 12 W | WH,WW,NW | LDR12MTL5Y<br>Dimension : Ø 120mm X 40mm<br>Ceiling Cut-out : Ø 95mm  | 1360 | 1180 | 36 | DURO Down Light Metal Body |    | 12 W | WH,WW,NW | LDS12MTL5Y<br>Dimension : 120 X 120 X 40mm<br>Ceiling Cut-out : 95 X 95mm   | 1360 | 1180 | 36 |
| DURO Down Light Metal Body |   | 18 W | WH,WW,NW | LDR18MTL5Y<br>Dimension : Ø 145mm X 40mm<br>Ceiling Cut-out : Ø 120mm | 1650 | 1430 | 36 | DURO Down Light Metal Body |   | 18 W | WH,WW,NW | LDS18MTL5Y<br>Dimension : 145 X 145 X 40mm<br>Ceiling Cut-out : 120 x 120mm | 1650 | 1430 | 36 |
| DURO Down Light Metal Body |  | 24 W | WH,WW,NW | LDR24MTL5Y<br>Dimension : Ø 175mm X 40mm<br>Ceiling Cut-out : Ø 145mm | 2350 | 1980 | 36 | DURO Down Light Metal Body |  | 24 W | WH,WW,NW | LDS24MTL5Y<br>Dimension : 175 X 175 X 40mm<br>Ceiling Cut-out : 145 X 145mm | 2350 | 1980 | 36 |
| DURO Down Light Metal Body |  | 30 W | WH,WW,NW | LDR30MTL5Y<br>Dimension : Ø 175mm X 40mm<br>Ceiling Cut-out : Ø 145mm | 2480 | 2160 | 36 | DURO Down Light Metal Body |  | 30 W | WH,WW,NW | LDS30MTL5Y<br>Dimension : 175 X 175 X 40mm<br>Ceiling Cut-out : 145 X 145mm | 2480 | 2160 | 36 |
| DURO Down Light Metal Body |  | 36 W | WH,WW,NW | LDR36MTL5Y<br>Dimension : Ø 175mm X 40mm<br>Ceiling Cut-out : Ø 145mm | 2480 | 2160 | 36 | DURO Down Light Metal Body |  | 36 W | WH,WW,NW | LDS36MTL5Y<br>Dimension : 220 X 220 X 40mm<br>Ceiling Cut-out : 195 X 195mm | 2950 | 2690 | 36 |

## CLEANROOM BACKLIT LED PANEL (IP-65)

## BACKLIT LED PANEL (IP-20)


|                                      |                                                                                     |      |        |               |      |      |    |                            |                                                                                      |      |    |             |      |      |       |
|--------------------------------------|-------------------------------------------------------------------------------------|------|--------|---------------|------|------|----|----------------------------|--------------------------------------------------------------------------------------|------|----|-------------|------|------|-------|
| CLEANROOM BACKLIT Panel (IP65) 2 x 2 |  | 40 W | WH, NW | LKM22405YIP65 | 6600 | 5760 | -- | BACKLIT Panel (IP20) 2 x 2 |  | 40 W | WH | LKM2240LN5Y | 3960 | 3960 | --    |
|                                      |                                                                                     | 60 W | WH, NW | LKM22605YIP65 | 7300 | 6480 | -- | LUMOS Retrofit 4 ft Tube   |  | 18 W | WH | LT1818T-5Y  | 980  | 980  | 25/30 |

## LUMOS RETROFIT LED TUBE

## STRADA LN 5Y LED STREET LIGHTS

|                                 |                                                                                     |       |        |              |       |       |    |                                 |                                                                                      |       |        |              |       |       |    |
|---------------------------------|-------------------------------------------------------------------------------------|-------|--------|--------------|-------|-------|----|---------------------------------|--------------------------------------------------------------------------------------|-------|--------|--------------|-------|-------|----|
| STRADA<br>LN 5Y<br>Street Light |  | 60 W  | WH, WW | LST060 LN 5Y | 5730  | 5280  | -- | STRADA<br>LN 5Y<br>Street Light |  | 200 W | WH, WW | LST200 LN 5Y | 15990 | 14730 | -- |
| STRADA<br>LN 5Y<br>Street Light |  | 90 W  | WH, WW | LST090 LN 5Y | 8260  | 7600  | -- | STRADA<br>LN 5Y<br>Street Light |  | 250 W | WH, WW | LST250 LN 5Y | 19950 | 18430 | -- |
| STRADA<br>LN 5Y<br>Street Light |  | 120 W | WH, WW | LST120 LN 5Y | 10580 | 9750  | -- |                                 |                                                                                      |       |        |              |       |       |    |
| STRADA<br>LN 5Y<br>Street Light |  | 160 W | WH, WW | LST160 LN 5Y | 12950 | 11970 | -- | STRADA<br>LN 5Y<br>Street Light |  | 300 W | WH, WW | LST300 LN 5Y | 22700 | 20330 | -- |

# Energy series... LED Lighting Solutions




## LED RECESSED SPOTLIGHT

| Product Name             | Photo                                                                               | Wattage | Color                 | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                  | Photo                                                                                | Wattage | Color    | Product Code  | MRP ₹ | *DLP ₹ | Std. Pkg. |
|--------------------------|-------------------------------------------------------------------------------------|---------|-----------------------|--------------|-------|--------|-----------|-------------------------------|--------------------------------------------------------------------------------------|---------|----------|---------------|-------|--------|-----------|
| AYLA Spotlight           |  | 1W      | WH,WW,NW, RD,BL,GR,PK | LESR01N      | 100   | 90     | 100       | AYLA Spotlight                |  | 3W      | WH,WW,NW | LESR03        | 150   | 150    | 100       |
| <b>NEW</b> VEO Spotlight |  | 1W      | WH,WW,RD,BL,GR,PK     | LESMDR01     | 120   | 120    | 100       | BELLO Spotlight (Driver Type) |  | 2W      | WH,WW    | LLCBBELLORD02 | 130   | 120    | 100       |
| AYLA Spotlight           |  | 2W      | WH,WW,RD,BL,GR,PK     | LESR02       | 110   | 90     | 100       |                               |                                                                                      |         |          |               |       |        |           |


## JUNCTION BOX DOWNLIGHTS

|                                    |                                                                                     |     |                      |               |     |     |     |
|------------------------------------|-------------------------------------------------------------------------------------|-----|----------------------|---------------|-----|-----|-----|
| BUZZ Junction Box Downlight        |  | 3W  | WH,WW,NW RD,BL,GR,PK | LDRJB03NS     | 120 | 90  | 100 |
| PORTA Junction Box Downlight       |  | 3W  | WH,WW,NW RD,BL,GR,PK | LLDLPORTJRD03 | 140 | 110 | 50  |
| PORTA Deep Junction Box Downlight* |  | 15W | WH, WW               | LLDLPORTJRD15 | 580 | 580 | 30  |

## LED CEILING LIGHTS - INDOOR

|                             |                                                                                     |     |                      |           |     |     |           |
|-----------------------------|-------------------------------------------------------------------------------------|-----|----------------------|-----------|-----|-----|-----------|
| LUAN S1 Sleek Ceiling Light |  | 3 W | WH, WW RD, BL,GR, PK | LCL03SRDN | 110 | 100 | 100 / 200 |
|-----------------------------|-------------------------------------------------------------------------------------|-----|----------------------|-----------|-----|-----|-----------|

## LED CEILING LIGHTS - OUTDOOR

|                               |                                                                                     |     |    |              |     |     |    |
|-------------------------------|-------------------------------------------------------------------------------------|-----|----|--------------|-----|-----|----|
| LUAN O1 Ceiling Light Outdoor |  | 3 W | WW | LCOBBSRR5403 | 540 | 490 | 20 |
|-------------------------------|-------------------------------------------------------------------------------------|-----|----|--------------|-----|-----|----|

## CIRCA SURFACE CEILING LIGHTS

|                             |                                                                                     |      |    |               |     |     |    |
|-----------------------------|-------------------------------------------------------------------------------------|------|----|---------------|-----|-----|----|
| CIRCA Surface Ceiling Light |  | 6 W  | WW | LLCECIRCARD06 | 310 | 310 | 30 |
| CIRCA Surface Ceiling Light |  | 15 W | WW | LLCECIRCARD15 | 590 | 590 | 30 |



## LOUIS LED DOWNLIGHT

|                 |                                                                                      |     |          |               |     |     |     |
|-----------------|--------------------------------------------------------------------------------------|-----|----------|---------------|-----|-----|-----|
| LOUIS Downlight |  | 3W  | WH,WW,NW | LECOB03 WH    | 240 | 190 | 100 |
| LOUIS Downlight |  | 3W  | WH,WW,NW | LECOB03 CH    | 240 | 190 | 100 |
| LOUIS Downlight |  | 3W  | WH,WW,NW | LECOB03 RG    | 240 | 190 | 100 |
| LOUIS Downlight |  | 7W  | WH,WW,NW | LECOB07 WH    | 470 | 350 | 100 |
| LOUIS Downlight |  | 7W  | WH,WW,NW | LECOB07 CH    | 470 | 350 | 100 |
| LOUIS Downlight |  | 7W  | WH,WW,NW | LECOB07 RG    | 470 | 350 | 100 |
| LOUIS Downlight |  | 12W | WH,WW,NW | LECOBBWH12 BK | 730 | 660 | 100 |



## SPARK EMERGENCY BULB

|                          |                                                                                      |     |    |            |     |     |    |
|--------------------------|--------------------------------------------------------------------------------------|-----|----|------------|-----|-----|----|
| SPARK Emergency Bulb B22 |  | 9 W | WH | LEBGB09 DB | 490 | 490 | 50 |
|--------------------------|--------------------------------------------------------------------------------------|-----|----|------------|-----|-----|----|

## VESTA LED SLIM PANELS

| Product Name     | Photo                                                                             | Wattage | Color      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name     | Photo                                                                              | Wattage | Color      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|------------------|-----------------------------------------------------------------------------------|---------|------------|--------------|-------|--------|-----------|------------------|------------------------------------------------------------------------------------|---------|------------|--------------|-------|--------|-----------|
| VESTA Slim Panel |  | 3W      | WH, WW, NW | LEPS03       | 390   | 295    | 30        | VESTA Slim Panel |  | 3W      | WH, WW, NW | LEPR03       | 390   | 295    | 30        |
| VESTA Slim Panel |  | 6W      | WH, WW, NW | LEPS06       | 520   | 390    | 30        | VESTA Slim Panel |  | 6W      | WH, WW, NW | LEPR06       | 520   | 390    | 30        |
| VESTA Slim Panel |  | 9W      | WH, WW, NW | LEPS09       | 640   | 470    | 30        | VESTA Slim Panel |  | 9W      | WH, WW, NW | LEPR09       | 640   | 470    | 30        |
| VESTA Slim Panel |  | 12W     | WH, WW, NW | LEPS12       | 690   | 570    | 30        | VESTA Slim Panel |  | 12W     | WH, WW, NW | LEPR12       | 690   | 570    | 30        |
| VESTA Slim Panel |  | 15W     | WH, WW, NW | LEPS15       | 790   | 660    | 20        | VESTA Slim Panel |  | 15W     | WH, WW, NW | LEPR15       | 790   | 660    | 20        |
| VESTA Slim Panel |  | 18W     | WH, WW, NW | LEPS18       | 880   | 760    | 20        | VESTA Slim Panel |  | 18W     | WH, WW, NW | LEPR18       | 880   | 760    | 20        |
| VESTA Slim Panel |  | 30W     | WH         | LEPS30       | 1450  | 1190   | 10        | VESTA Slim Panel |  | 30W     | WH         | LEPR30       | 1450  | 1190   | 10        |



## VESTA LED SURFACE PANELS

|                     |                                                                                    |     |        |          |     |     |    |                     |                                                                                     |     |        |          |     |     |    |
|---------------------|------------------------------------------------------------------------------------|-----|--------|----------|-----|-----|----|---------------------|-------------------------------------------------------------------------------------|-----|--------|----------|-----|-----|----|
| VESTA Surface Panel |   | 6W  | WH, WW | LEPSRR06 | 590 | 490 | 30 | VESTA Surface Panel |   | 6W  | WH, WW | LEPSRS06 | 590 | 490 | 30 |
| VESTA Surface Panel |   | 12W | WH, WW | LEPSRR12 | 780 | 620 | 30 | VESTA Surface Panel |   | 12W | WH, WW | LEPSRS12 | 780 | 620 | 30 |
| VESTA Surface Panel |  | 18W | WH, WW | LEPSRR18 | 960 | 790 | 10 | VESTA Surface Panel |  | 18W | WH, WW | LEPSRS18 | 960 | 790 | 10 |

## ESSO LED ENERGY PANELS

|                   |                                                                                     |      |            |         |     |     |    |                   |                                                                                      |      |            |         |     |     |    |
|-------------------|-------------------------------------------------------------------------------------|------|------------|---------|-----|-----|----|-------------------|--------------------------------------------------------------------------------------|------|------------|---------|-----|-----|----|
| ESSO Energy Panel |  | 5 W  | WH, WW, NW | LEPS05D | 195 | 175 | 30 | ESSO Energy Panel |  | 5 W  | WH, WW, NW | LEPR05D | 195 | 175 | 30 |
| ESSO Energy Panel |  | 8 W  | WH, WW, NW | LEPS08D | 270 | 245 | 30 | ESSO Energy Panel |  | 8 W  | WH, WW, NW | LEPR08D | 270 | 245 | 30 |
| ESSO Energy Panel |  | 12 W | WH, WW, NW | LEPS12D | 380 | 345 | 30 | ESSO Energy Panel |  | 12 W | WH, WW, NW | LEPR12D | 380 | 345 | 30 |
| ESSO Energy Panel |  | 18 W | WH, WW, NW | LEPS18D | 640 | 580 | 30 | ESSO Energy Panel |  | 18 W | WH, WW, NW | LEPR18D | 640 | 560 | 30 |

## HACO LED DOWNLIGHTS

|                   |                                                                                     |      |                              |          |      |     |    |                   |                                                                                      |      |                              |          |      |     |    |
|-------------------|-------------------------------------------------------------------------------------|------|------------------------------|----------|------|-----|----|-------------------|--------------------------------------------------------------------------------------|------|------------------------------|----------|------|-----|----|
| HACO Downlight    |  | 5 W  | WH, WW, NW<br>RD, BL, PK, GN | LED05N   | 160  | 140 | 30 | HACO Downlight    |  | 7 W  | WH, WW, NW<br>RD, BL, PK, GN | LED07N   | 190  | 150 | 30 |
| HACO N1 Downlight |  | 5 W  | WH, WW, NW<br>RD, BL, PK, GN | LED05 N1 | 160  | 140 | 30 | HACO N1 Downlight |  | 7 W  | WH, WW, NW<br>RD, BL, PK, GN | LED07 N1 | 190  | 150 | 30 |
| HACO Downlight    |  | 8 W  | WH, WW, NW                   | LED08    | 360  | 310 | 60 | HACO Downlight    |  | 8 W  | WH, WW, NW                   | LED08    | 360  | 310 | 60 |
| HACO Downlight    |  | 15 W | WW, NW                       | LED015   | 860  | 600 | 40 | HACO Downlight    |  | 15 W | WW, NW                       | LED015   | 860  | 590 | 40 |
| HACO Downlight    |  | 22 W | WH, WW, NW                   | LED022   | 1080 | 900 | 20 | HACO Downlight    |  | 22 W | WH, WW, NW                   | LED022   | 1080 | 860 | 20 |


## HACO LED DOWNLIGHTS

| Product Name                | Photo                                                                             | Wattage | Color                                                                          | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name                     | Photo                                                                              | Wattage | Color      | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|-----------------------------|-----------------------------------------------------------------------------------|---------|--------------------------------------------------------------------------------|--------------|-------|--------|-----------|----------------------------------|------------------------------------------------------------------------------------|---------|------------|--------------|-------|--------|-----------|
| HACO<br>3-IN-1<br>Downlight |  | 7 W     | WHT NWH WW, Blue Pink Violet, Blue Green Cyan, Red Blue Pink, Green Pink White | HACO 7W      | 280   | 190    | 60        | HACO NEO 9W LED DOWNLIGHT        |  | 9 W     | WH, WW, NW | LHDR09 N     | 290   | 250    | 50        |
|                             |                                                                                   |         |                                                                                |              |       |        |           | NEW<br>HACO NEO 9W LED DOWNLIGHT |  | 9 W     | WH, WW, NW | LHDR09 N1    | 290   | 250    | 50        |

## LUNA ANTI-GLARE LED DOWNLIGHTS

|                           |                                                                                   |      |            |         |     |     |    |                           |                                                                                    |      |            |         |     |     |    |
|---------------------------|-----------------------------------------------------------------------------------|------|------------|---------|-----|-----|----|---------------------------|------------------------------------------------------------------------------------|------|------------|---------|-----|-----|----|
| LUNA Anti-Glare Downlight |  | 5 W  | WH, WW, NW | LAGDS05 | 380 | 380 | 50 | LUNA Anti-Glare Downlight |  | 5 W  | WH, WW, NW | LAGDR05 | 380 | 380 | 50 |
| LUNA Anti-Glare Downlight |  | 7 W  | WH, WW, NW | LAGDS07 | 490 | 490 | 50 | LUNA Anti-Glare Downlight |  | 12 W | WH, WW, NW | LAGDR12 | 790 | 790 | 30 |
| LUNA Anti-Glare Downlight |  | 12 W | WH, WW, NW | LAGDS12 | 790 | 790 | 30 |                           |                                                                                    |      |            |         |     |     |    |

## ENERGY LED STRIP & STRIP DRIVER

|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    |            |                 |        |      |      |   |
|---------------------------------|-----------------------------------------------------------------------------------|-----------|----------------|---------|------------|------------|-------|---------------------|------------------------------------------------------------------------------------|------------|-----------------|--------|------|------|---|
| Energy LED Strip Light (60 LED) |  | 4.8W/Mtr. | WH, WW         | LPLS60E | 80 per mtr | 78 per mtr | 5 mtr | LED Strip Drive 12V |  | 2A/24W     | 87 x 36 x 26mm  | LESD02 | 480  | 410  | - |
|                                 |                                                                                   | 4.8W/Mtr. | RD, GN, BL, PK | LPLS60E | 90 per mtr | 85 per mtr | 5 mtr |                     |                                                                                    | 3A/36W     | 97 x 38 x 26mm  | LESD03 | 680  | 580  | - |
|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    | 5A/60W     | 115 x 40 x 26mm | LESD05 | 840  | 780  | - |
|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    | 8A/96W     | 152 x 46 x 30mm | LESD08 | 1300 | 1190 | - |
|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    | 12.5A/150W | 189 x 52 x 30mm | LESD12 | 1590 | 1480 | - |
|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    | 16A/192W   | 182 x 62 x 30mm | LESD16 | 1890 | 1760 | - |
|                                 |                                                                                   |           |                |         |            |            |       |                     |                                                                                    | 20A/240W   | 212 x 63 x 30mm | LESD20 | 2290 | 2180 | - |

## FLARE LED FLOODLIGHTS

|                   |                                                                                     |     |    |            |      |      |    |                   |                                                                                      |      |    |             |      |      |   |
|-------------------|-------------------------------------------------------------------------------------|-----|----|------------|------|------|----|-------------------|--------------------------------------------------------------------------------------|------|----|-------------|------|------|---|
| FLARE Flood Light |  | 20W | WW | LFLD20N GY | 890  | 810  | 40 | FLARE Flood Light |  | 50W  | WW | LFLD50N GY  | 1540 | 1380 | - |
|                   |                                                                                     | 30W | WW | LFLD30N GY | 1090 | 1080 | 30 |                   |                                                                                      | 100W | WW | LFLD100N GY | 3180 | 3180 | - |

## FLARE NEO F1 FLOOD LIGHTS

|                          |                                                                                     |     |        |          |      |     |    |                          |                                                                                      |      |        |           |      |      |    |
|--------------------------|-------------------------------------------------------------------------------------|-----|--------|----------|------|-----|----|--------------------------|--------------------------------------------------------------------------------------|------|--------|-----------|------|------|----|
| FLARE NEO F1 Flood Light |  | 10W | WH, WW | LFL10FN1 | 690  | 620 | 20 | FLARE NEO F1 Flood Light |  | 100W | WH, WW | LFL100FN1 | 3180 | 2140 | 20 |
| FLARE NEO F1 Flood Light |  | 20W | WH, WW | LFL20FN1 | 890  | 710 | 20 |                          |                                                                                      | 150W | WH     | LFL150FN1 | 4250 | 3980 | 10 |
| FLARE NEO F1 Flood Light |  | 30W | WH, WW | LFL30FN1 | 1140 | 990 | 20 |                          |                                                                                      | 200W | WH     | LFL200FN1 | 5480 | 5240 | 10 |

## FLARE NEO FLOOD LIGHTS

|                          |                                                                                     |     |        |          |      |      |    |                       |                                                                                      |     |    |         |      |      |    |
|--------------------------|-------------------------------------------------------------------------------------|-----|--------|----------|------|------|----|-----------------------|--------------------------------------------------------------------------------------|-----|----|---------|------|------|----|
| FLARE NEO F1 Flood Light |  | 50W | WH, WW | LFL50FN1 | 1540 | 1180 | 20 | FLARE NEO Flood Light |  | 50W | WH | LFL50FN | 1540 | 1380 | 20 |
|--------------------------|-------------------------------------------------------------------------------------|-----|--------|----------|------|------|----|-----------------------|--------------------------------------------------------------------------------------|-----|----|---------|------|------|----|



## LEDA NEO LED STREET LIGHTS

|                   |                                                                                     |     |    |          |      |      |    |                   |                                                                                      |      |    |           |      |      |    |
|-------------------|-------------------------------------------------------------------------------------|-----|----|----------|------|------|----|-------------------|--------------------------------------------------------------------------------------|------|----|-----------|------|------|----|
| LEDA Street Light |  | 20W | WH | LEST20NS | 1280 | 1090 | 20 | LEDA Street Light |  | 50W  | WH | LEST50NS  | 1890 | 1660 | 10 |
| LEDA Street Light |  | 30W | WH | LEST30NS | 1480 | 1290 | 20 | LEDA Street Light |  | 100W | WH | LEST100NS | 3580 | 3080 | 10 |

## ORIT LED MIRROR LIGHTS

| Product Name             | Photo                                                                             | Wattage | Color         | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. | Product Name             | Photo                                                                              | Wattage | Color         | Product Code | MRP ₹ | *DLP ₹ | Std. Pkg. |
|--------------------------|-----------------------------------------------------------------------------------|---------|---------------|--------------|-------|--------|-----------|--------------------------|------------------------------------------------------------------------------------|---------|---------------|--------------|-------|--------|-----------|
| ORIT T3<br><b>3 IN 1</b> |  | 9W      | <b>3 IN 1</b> | LMROT3 3IN1  | 1280  | 1070   | 20        | ORIT T2<br><b>3 IN 1</b> |  | 18W     | <b>3 IN 1</b> | LMR18 3IN1   | 1940  | 1790   | 20        |

## LED LINEAR PROFILE & STRIP

|                                      |                                                                                   |          |                          |                        |                                  |                                  |                         |                                |                                                                                    |                                   |             |                |                |      |
|--------------------------------------|-----------------------------------------------------------------------------------|----------|--------------------------|------------------------|----------------------------------|----------------------------------|-------------------------|--------------------------------|------------------------------------------------------------------------------------|-----------------------------------|-------------|----------------|----------------|------|
| Profile Strip<br>120 LED<br>per mtr. |  | 7W/Mtr.  | WH, WW, NW<br>GR, BL, RD | LPLS120E12<br>LPLS120E | 120<br>per mtr<br>190<br>per mtr | 115<br>per mtr<br>150<br>per mtr | 5 mtr<br>5 mtr          | Aluminium Profile<br>Concealed |  | Aluminium                         | LPL2414E    | 220<br>per mtr | 190<br>per mtr | 2mtr |
| Profile Strip<br>240 LED<br>per mtr. |  | 12W/Mtr. | WH, WW, NW               | LPLS240E20             | 240<br>per mtr                   | 198<br>per mtr                   | 5 mtr/<br>250mtr<br>Box |                                |  | Black Body<br>with White Diffuser | LPL2414E BK | 230<br>per mtr | 200<br>per mtr | 2mtr |





## ELIO LED WALL LIGHTS

|                                       |                                                                                   |      |        |                            |      |      |   |                                       |                                                                                    |     |        |        |      |      |   |
|---------------------------------------|-----------------------------------------------------------------------------------|------|--------|----------------------------|------|------|---|---------------------------------------|------------------------------------------------------------------------------------|-----|--------|--------|------|------|---|
| ELIO M1                               |  | 12 W | WH, WW | LWLEM1<br>White/Black Body | 1590 | 1540 | - | ELIO L1                               |  | 8 W | WH, WW | LWLEL1 | 1490 | 1490 | - |
| Dimensions : 120mm x 25mm x 194mm (H) |                                                                                   |      |        |                            |      |      |   | Dimensions : 110mm x 40mm x 108mm (H) |                                                                                    |     |        |        |      |      |   |

## ESSO NEO DOWNLIGHTS

|                       |                                                                                    |                                                    |            |          |     |     |    |                       |                                                                                     |                                                     |            |          |     |     |    |
|-----------------------|------------------------------------------------------------------------------------|----------------------------------------------------|------------|----------|-----|-----|----|-----------------------|-------------------------------------------------------------------------------------|-----------------------------------------------------|------------|----------|-----|-----|----|
| ESSO NEO<br>Downlight |  | 8 W                                                | WH, WW, NW | LEPR08DN | 250 | 240 | 20 | ESSO NEO<br>Downlight |  | 12 W                                                | WH, WW, NW | LEPR12DN | 320 | 320 | 20 |
|                       |                                                                                    | Dimensions : Ø 120mm x 25mm (H)<br>Cutout : Ø 93mm |            |          |     |     |    |                       |                                                                                     | Dimensions : Ø 145mm x 30mm (H)<br>Cutout : Ø 115mm |            |          |     |     |    |


## LED LINEAR LIGHTING PROFILES

|                              |                                                                                     |                     |          |                 |                 |      |                                |                                                                                      |                     |          |                 |                 |      |
|------------------------------|-------------------------------------------------------------------------------------|---------------------|----------|-----------------|-----------------|------|--------------------------------|--------------------------------------------------------------------------------------|---------------------|----------|-----------------|-----------------|------|
| Aluminium Profile<br>Surface |  | Aluminium<br>Finish | LPL2014E | 180<br>per mtr. | 160<br>per mtr. | 2mtr | Aluminium Profile<br>Surface   |  | Aluminium<br>Finish | LPL1707E | 150<br>per mtr. | 120<br>per mtr. | 2mtr |
| Aluminium Profile<br>Surface |  | Aluminium<br>Finish | LPL1308E | 190<br>per mtr. | 180<br>per mtr. | 2mtr | Aluminium Profile<br>Concealed |  | Aluminium<br>Finish | LPL2307E | 160<br>per mtr. | 125<br>per mtr. | 2mtr |

## UNIS - LINKABLE LED BATTEN

### Product Features

- Customized lighting layout
- No complex additional wiring
- Flexible to change lighting designs any time
- Modular type for easy installation
- Can fix on wall & ceiling
- Available in multiple color cct options
- Aluminium body for better heat dissipation
- Good brightness & long life led



White (WH)

Warm White (WW)

Neutral White (NW)



## LUKER ELECTRIC TECHNOLOGIES PVT. LTD.

CIN: U31909KL2015PTC038352

|                     |                                                                                                                                                                                                                        |
|---------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| <b>Regd Office</b>  | : 34/1912-C1, Mattathil Lane, BTS Road, Kochi-682024, Ernakulam, Kerala                                                                                                                                                |
| <b>Corp. Office</b> | : 2nd Floor, Jain Tower, NH-17 Bypass, Opp. Lulu Mall, Edappally, Kochi-682 024,<br>All Kerala - Trivandrum - 9895418525, Kottayam - 9895011400, Ernakulam - 9497181030, Calicut - 9747477717, Tamilnadu - 9994099980. |
| <b>Factory</b>      | : 54, Krishnarayapuram Thottasalai, Old Cochin Bypass Road, Chettipalayam, Coimbatore - 641201, Tamilnadu, India.                                                                                                      |
| <b>Tamil Nadu</b>   | : Coimbatore: No.22, A.T.T. Colony, First Floor, A.V. Centre, V.O.C. Park Road, Coimbatore-641018, Ph: 0422 2309977, 9994481477<br>Chennai: No.11/6, Damodaran Street, Chetpet, Chennai-600031, Ph: +91 9944222007     |
| <b>Hyderabad</b>    | : Door No.101, First Floor, Abhinandan Apt, Plot No. E32, Vikramপুরi Housing Colony, Secunderabad - 500009, Ph: +91 040-27746268, 9866077902, 9866190316   Email: hyd@luckerindia.com                                  |
| <b>Mumbai</b>       | : 1806, Lodha Supremus, Saki Vihar Road, Opp. M.T.N.L. Building, Andheri (East), Mumbai-400072, Ph: +91 9820009055, +91 9769207676                                                                                     |
| <b>Ahmedabad</b>    | : G-102, Smarana Bakeri City, Near Torrent Power, Sonal Cinema Road, Vejalpur, Ahmedabad-380051, Gujarat, Ph: +91 9687300643<br>Email: sales@luckerindia.com                                                           |
| <b>Kolkata</b>      | : 4A, Pollock Street, Swalka Centre, 4th Floor, Room No. 408, Kolkata - 700001                                                                                                                                         |

**Representative offices at:** **Warrangal** - 7893039571, **Karim Nagar** - 9652136716, **Kakinada** - 9000554811, **Mangalore** - 7022119165, **Salem** - 9994447996 / 9994013192, **Thirunelveli** - 9994493242, **Madurai** - 7708108810, Trichy - 8056180666, **Vellore** - 9677295261, **Pondicherry** - 9944406353, **Pune** - 9890696933, **Nagpur** - 9850395269, **Nasik** - 7769091911, **Baroda** - 9687300643, **Raipur** - 9399613842, 9827216350, **Bhopal** - 9300082600, **Kolkata** - 9831184486, **Vijayawada** - 8019969551, **Visakhapatnam** - 9246999368, **Guntur** - 8019969551, **Goa** - 9158159062, **Indore** - 9329754005, **Ahmedabad** - 9687300643, **Surat** - 9825506072, **Rajkot** - 9687300643, **Jabalpur** - 9407154296, **Gwalior** - 9329754005, **Eluru** - 9000326440, **Rajahmundry** - 9000554811, **Tirupati** - 9866965656, **Khammam** - 9160018382, **Nizamabad** - 9703780070, **Patna** - 7762995833, **Siliguri** - 7430020990.

### Luker Electric Technologies Inc.

1 Cragwood RD STE 103A, S Plainfield, NJ 07080, U S A | Ph: +1 (914) 573-1616 | www.lukerus.com

|                                                                |                                                                          |                                                                         |                                                                                             |
|----------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|
| Luker Inc.<br>Dean Park Road, Scarpoorough,<br>Toronto, Canada | Luker Inc.<br>25, Bon Church Road, ELM Grove<br>Brighton, United Kingdom | Luker Inc.<br>9 Ivy Court, Cranbourne North<br>Victoria 3977, Melbourne | Luker Electric Tech. LLC<br>173, Road 1111/311, Manama, P.O. Box 1049<br>Kingdom of Bahrain |
|----------------------------------------------------------------|--------------------------------------------------------------------------|-------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|

**Consumer Care No.: 1800 120 2350, 1800 570 2360**